

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 05 Jun 2014

Yarding Change ³⁵¹⁰
430

comparison date 29/05/2014

Despite the useful falls of rain in most districts numbers increased for a good quality yarding. There were good numbers of well finished trade and heavy weight cattle throughout with only limited numbers of plainer types.

Trade weight cattle to slaughter were firm to 3c cheaper with vealers selling to 210c/kg. The C3 steer yearlings sold from 177c to 202c with the heavier weights averaging 198c, while the prime heifer yearlings sold from 175c to 205c/kg. Young feeder cattle were firm to 3c dearer with the better quality young steers selling from 160c to 210c, while the feeder heifers sold from 140c to 183c/kg.

Grown steers were 3c to 5c cheaper with the prime conditioned medium and heavy weights selling from 170c to 202c with most averaging 197c/kg. Grown heifers sold to 185c/kg. Cows were 2c to 4c dearer with the 2 scores selling from 50c to 115c. Restockers paid to 126c/kg for PTIC cows in forward condition. The better 3 and 4 score cows to the processors sold from 110c to 144c with the 4 score heavy weights averaging 134c/kg. The best bull sold for 154c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80	RS	D	2	1	138.0	- 138.0	138.0	N/Q	-			62	- 62	62
				1	138.0	138.0			0	0		62	62	
Vealer Steer														
0-200	RS	C	2	65	155.0	- 200.0	165.0	-5	-			295	- 350	309
		D	3	4	120.0	- 120.0	120.0	N/Q	231	- 231	231	222	- 222	222
200-280	RS	C	2	27	170.0	- 192.0	186.3	2	-			383	- 509	472
280-330	RS	C	2	25	182.0	- 182.0	182.0	N/Q	-			555	- 555	555
330+		C	3	18	180.0	- 206.0	199.2	20	340	- 382	370	621	- 810	756
				139	120.0	206.0			231	382		222	810	
Vealer Heifer														
0-200		C	2	39	143.0	- 150.0	145.9	-17	275	- 289	281	236	- 278	253
	RS	C	2	65	140.0	- 176.0	159.7	N/Q	-			217	- 343	272
200-280	RS	C	2	5	135.0	- 143.0	140.8	31	-			344	- 393	376
	FD	C	2	3	155.0	- 155.0	155.0	10	-			426	- 426	426
		C	2	11	145.0	- 155.0	153.2	6	279	- 298	295	370	- 426	416
		C	3	2	180.0	- 180.0	180.0	N/Q	340	- 340	340	495	- 495	495
280-330		C	2	21	140.0	- 155.0	152.1	N/C	269	- 298	289	399	- 504	440
	FD	C	2	1	150.0	- 150.0	150.0	N/Q	-			488	- 488	488
		C	3	4	174.0	- 185.0	182.3	11	335	- 349	345	566	- 601	592
330+		C	2	1	170.0	- 170.0	170.0	N/Q	321	- 321	321	587	- 587	587
	FD	C	2	8	161.0	- 161.0	161.0	N/Q	-			620	- 620	620
	RS	C	3	16	171.0	- 171.0	171.0	N/Q	-			675	- 675	675
		C	3	28	140.0	- 210.0	190.1	28	264	- 396	356	497	- 728	695
				204	135.0	210.0			264	396		217	728	
Yearling Steer														
0-330	FD	C	2	73	142.0	- 205.0	188.5	4	-			462	- 660	567
	RS	C	2	18	161.0	- 166.0	163.5	N/C	-			443	- 457	450

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400	RS	C	2	23	166.0	- 195.0	186.6	N/Q	-			621	- 653	638
	FD	C	2	67	155.0	- 210.0	183.1	7	-			566	- 788	682
		C	3	37	177.0	- 202.0	193.3	-10	328	- 381	364	699	- 778	752
	FD	C	3	66	184.0	- 210.0	202.0	1	-			682	- 830	777
400+	FD	C	2	25	174.0	- 194.0	180.2	12	-			709	- 833	752
	FD	C	3	150	185.0	- 209.0	194.9	-2	-			778	- 916	868
		C	3	75	190.0	- 202.0	196.7	-1	352	- 381	366	827	- 960	882
				534	142.0	210.0			328	381		443	960	
Yearling Heifer														
0-330	FD	C	2	98	152.0	- 183.0	167.2	23	-			403	- 595	488
	RS	C	2	138	166.0	- 172.0	170.0	31	-			398	- 490	448
		C	2	7	136.0	- 167.0	149.3	N/Q	262	- 321	287	374	- 543	446
	RS	D	2	8	119.0	- 119.0	119.0	N/Q	-			339	- 339	339
	RS	D	3	19	130.0	- 139.0	136.2	13	-			332	- 354	347
	FD	D	3	14	110.0	- 140.0	131.4	N/Q	-			314	- 357	345
330-400		B	3	2	195.0	- 195.0	195.0	N/Q	368	- 368	368	692	- 692	692
	FD	C	2	49	157.0	- 164.0	161.3	N/Q	-			557	- 624	600
		C	3	95	160.0	- 190.0	176.0	-5	298	- 365	332	568	- 716	670
	FD	C	3	26	165.0	- 170.0	166.4	-24	-			602	- 672	632
	FD	D	3	15	138.0	- 150.0	140.4	N/Q	-			518	- 578	530
400+		B	3	12	205.0	- 205.0	205.0	N/Q	373	- 373	373	974	- 974	974
	FD	C	2	17	153.0	- 160.0	155.4	N/Q	-			650	- 687	660
	FD	C	3	64	160.0	- 183.0	175.8	5	-			712	- 796	767
		C	3	182	175.0	- 186.0	181.7	-1	330	- 351	340	761	- 950	862
	FD	D	3	33	134.0	- 153.0	145.4	2	-			570	- 803	689
				779	110.0	205.0			262	373		314	974	
Grown Steer														
0-400	FD	C	2	10	143.0	- 143.0	143.0	-23	-			551	- 551	551
		D	2	4	137.0	- 137.0	137.0	N/Q	264	- 264	264	445	- 445	445
400-500	FD	C	2	9	187.0	- 187.0	187.0	12	-			767	- 767	767
	FD	C	3	52	174.0	- 203.0	188.8	4	-			774	- 924	862
		C	3	56	150.0	- 192.0	177.1	19	283	- 362	337	683	- 936	852
		C	4	21	194.0	- 200.0	198.4	-6	366	- 377	374	955	- 970	966
		D	3	4	145.0	- 145.0	145.0	13	279	- 279	279	587	- 587	587
500-600		C	3	63	155.0	- 186.0	173.0	7	298	- 349	326	814	- 1014	935
		C	4	156	185.0	- 202.0	196.1	-3	336	- 377	362	998	- 1182	1098
600-750		C	4	41	180.0	- 201.0	189.2	-9	327	- 366	346	1179	- 1261	1218
750+		C	4	2	170.0	- 170.0	170.0	N/Q	321	- 321	321	1284	- 1284	1284
				418	137.0	203.0			264	377		445	1284	
Grown Heifer														
0-540	FD	C	2	3	142.0	- 142.0	142.0	N/Q	-			504	- 504	504
	FD	C	3	37	159.0	- 172.0	168.8	16	-			718	- 834	758
		C	3	65	142.0	- 178.0	160.6	4	273	- 336	303	616	- 810	743
		C	4	40	170.0	- 185.0	174.2	-5	321	- 349	323	842	- 901	855
	FD	C	4	1	158.0	- 158.0	158.0	N/Q	-			830	- 830	830

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
540+	RS	D	2	12	109.0	- 109.0	109.0	27	-			420	- 420	420
		D	2	3	90.0	- 90.0	90.0	N/Q	180	- 180	180	374	- 374	374
		D	3	38	110.0	- 158.0	131.2	-4	209	- 298	251	479	- 766	628
		FD	D	3	5	134.0	- 140.0	137.6	12	-		609	- 637	620
		C	3	18	150.0	- 158.0	156.7	-8	278	- 298	295	861	- 878	864
		C	4	2	160.0	- 160.0	160.0	N/Q	302	- 302	302	936	- 936	936
		D	4	14	135.0	- 142.0	139.5	N/Q	260	- 268	265	736	- 831	797
				238	90.0	185.0		180	349		374	936		
Manufacturing Steer														
0-540		D	2	9	101.0	- 101.0	101.0	N/Q	202	- 202	202	278	- 278	278
				9	101.0	101.0			202	202		278	278	
Cows														
0-400	RS	D	2	12	95.0	- 95.0	95.0	-1	-			366	- 366	366
		D	2	1	90.0	- 90.0	90.0	N/Q	205	- 205	205	347	- 347	347
400-520		D	2	42	50.0	- 115.0	106.2	13	114	- 261	241	218	- 523	471
	FD	D	2	9	113.0	- 113.0	113.0	N/Q	-			480	- 480	480
	RS	D	2	11	114.0	- 114.0	114.0	2	-			519	- 519	519
	RS	D	3	68	110.0	- 126.0	120.9	5	-			501	- 611	567
		D	3	94	114.0	- 127.0	119.0	2	243	- 270	253	519	- 633	582
		D	4	20	125.0	- 140.0	126.4	-3	255	- 280	259	603	- 679	617
520+	RS	D	3	28	115.0	- 116.0	115.6	N/Q	-			609	- 615	612
		D	3	33	123.0	- 123.0	123.0	4	246	- 262	249	646	- 646	646
		D	4	190	120.0	- 144.0	133.8	2	245	- 290	266	651	- 945	756
				508	50.0	144.0			114	290		218	945	
Bulls														
0-450		C	2	15	140.0	- 140.0	140.0	N/Q	275	- 275	275	385	- 385	385
	RS	C	2	14	154.0	- 154.0	154.0	N/Q	-			501	- 501	501
450-600		C	2	3	121.0	- 132.0	124.7	-5	233	- 254	240	708	- 772	729
		C	3	1	135.0	- 135.0	135.0	N/Q	255	- 255	255	682	- 682	682
600+		B	3	1	145.0	- 145.0	145.0	N/Q	254	- 254	254	1428	- 1428	1428
		C	2	2	135.0	- 135.0	135.0	N/Q	255	- 260	257	1019	- 1330	1175
		C	3	25	140.0	- 154.0	150.0	4	250	- 282	269	1015	- 1800	1498
		C	4	1	145.0	- 145.0	145.0	N/Q	259	- 259	259	1740	- 1740	1740
				62	121.0	154.0			233	282		385	1800	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2014. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.