

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Naracoorte

report date 17 Jun 2014

Yarding Change $\frac{907}{265}$

comparison date 10/06/2014

The usual following of buyers operated on the increased yarding of cattle, which was overall of better quality than that of the previous week. Price trends varied amongst the different categories, with young cattle generally 5c cheaper, but up to 10c/kg lower in places. Grown steers remained equal but grown heifers were 5c to 10c/kg dearer. The leaner cows lost 5c to 8c, while those with better cover made 1c to 5c/kg more. Heavy weight B2 bulls lifted on average 8c/kg. The yarding comprised of 562 weighed cattle, 283 cows, 31 bulls and 31 open auction young cattle.

A run of C2 and C3 young cattle mainly sold from 165c to 185c, with better quality to processors and top restocking sales to 200c/kg. The few supplementary fed pens of yearlings made to 209c and the best pen was at 215c, while vealers topped at 220c/kg. The D2 yearlings were mostly between 130c and 160c, with restockers paying up to 181c/kg. The D1 grades were nearly all heifers that went to restockers from 119c to 167c/kg.

The C3 grown steers were of average to good quality and made from 184c to 198c, with a run of 33 head at 208c/kg. The grown heifers were nearly all 3 scores and they mainly sold between 156c and 172c, with a single at 188c/kg. The D1 cows lost last week's gain in prices and sold from 114c to 123c, while the D2's were at 120c to 142c and 3 to 5 scores made between 132c and 145c, with a top sale at 152c/kg. Heavy weight B2 bulls averaged 8c dearer and they sold from 132c to 150c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
200-280	FD	C	1	8	198.0	- 198.0	198.0	N/Q	-			515	- 515	515
280-330	FD	C	2	1	192.0	- 192.0	192.0	N/Q	-			624	- 624	624
		C	3	1	209.0	- 209.0	209.0	N/Q	387	- 387	387	679	- 679	679
330+		C	3	2	202.0	- 220.0	211.0	N/Q	374	- 407	391	697	- 737	717
				12	192.0	220.0			374	407		515	737	
Vealer Heifer														
200-280		C	2	9	165.0	- 185.0	169.4	-14	324	- 363	331	429	- 463	455
	FD	C	2	10	175.0	- 188.0	177.6	2	-			446	- 489	455
		C	3	4	188.0	- 194.0	191.0	N/Q	355	- 366	362	489	- 504	499
	FD	D	2	7	155.0	- 160.0	159.3	N/Q	-			411	- 448	443
280-330		C	2	4	175.0	- 185.0	177.5	-11	343	- 356	346	537	- 551	548
		C	3	9	207.0	- 215.0	211.2	N/Q	391	- 402	395	600	- 645	623
330+		C	3	23	185.0	- 196.0	190.9	-2	349	- 370	361	638	- 715	692
				66	155.0	215.0			324	402		411	715	
Yearling Steer														
0-330	RS	D	2	4	161.0	- 181.0	171.0	9	-			362	- 516	439
330-400	RS	C	2	36	175.0	- 197.0	192.3	-7	-			604	- 708	677
		C	2	4	177.0	- 192.0	188.3	4	340	- 369	362	673	- 701	694
	FD	C	2	40	182.0	- 198.0	193.1	-10	-			646	- 758	737
		C	3	17	190.0	- 205.0	198.9	-11	365	- 381	375	713	- 800	768
	RS	D	2	27	159.0	- 160.0	159.7	-6	-			544	- 564	549
400+	FD	C	2	26	186.0	- 200.0	196.0	-6	-			799	- 884	844
		C	3	44	190.0	- 215.0	201.7	-2	359	- 391	376	825	- 975	910
	RS	C	3	6	177.0	- 198.0	184.0	N/Q	-			797	- 891	828
	RS	D	2	1	150.0	- 150.0	150.0	N/Q	-			713	- 713	713

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	DA	D	2	2	130.0	- 130.0	130.0	N/Q	271	- 271	271	709	- 709	709
				207	130.0	215.0			271	391		362	975	
Yearling Heifer														
0-330		C	2	1	166.0	- 166.0	166.0	N/Q	332	- 332	332	540	- 540	540
	RS	D	1	17	119.0	- 170.0	163.2	16	-			309	- 536	505
	FD	D	1	19	136.0	- 167.0	163.7	N/Q	-			449	- 484	481
	FD	D	2	4	136.0	- 166.0	154.0	N/Q	-			408	- 540	475
		D	2	6	155.0	- 155.0	155.0	N/Q	310	- 310	310	496	- 496	496
330-400		C	2	7	186.0	- 186.0	186.0	2	358	- 358	358	660	- 660	660
		C	3	22	170.0	- 207.0	194.8	-2	327	- 383	363	653	- 797	743
		D	1	5	112.0	- 112.0	112.0	N/Q	244	- 244	244	437	- 437	437
	FD	D	2	3	136.0	- 136.0	136.0	-22	-			544	- 544	544
	RS	D	2	13	125.0	- 179.0	169.9	N/Q	-			419	- 609	582
		D	2	20	119.0	- 160.0	140.0	-14	248	- 316	284	476	- 624	527
		D	3	1	164.0	- 164.0	164.0	N/Q	322	- 322	322	582	- 582	582
400+		C	2	9	184.0	- 185.0	184.6	N/Q	356	- 361	358	782	- 786	784
		C	3	13	178.0	- 190.0	186.5	-2	342	- 362	356	757	- 874	837
		D	2	2	136.0	- 136.0	136.0	N/Q	272	- 272	272	592	- 592	592
		D	3	10	164.0	- 164.0	164.0	1	322	- 322	322	730	- 730	730
				152	112.0	207.0			244	383		309	874	
Grown Steer														
500-600		C	2	4	184.0	- 190.0	188.5	3	354	- 365	363	1021	- 1074	1060
	RS	C	2	1	176.0	- 176.0	176.0	N/Q	-			898	- 898	898
		C	3	52	184.0	- 208.0	201.9	N/C	354	- 393	383	1012	- 1186	1137
600-750		C	3	11	188.0	- 198.0	197.1	9	355	- 374	372	1194	- 1238	1234
				68	176.0	208.0			354	393		898	1238	
Grown Heifer														
0-540		D	3	2	160.0	- 160.0	160.0	N/Q	320	- 320	320	800	- 800	800
540+		C	3	12	170.0	- 188.0	172.0	5	327	- 362	331	961	- 1092	999
		D	3	8	156.0	- 166.0	162.3	N/Q	312	- 326	320	850	- 905	884
				22	156.0	188.0			312	362		800	1092	
Manufacturing Steer														
0-540		D	2	1	166.0	- 166.0	166.0	N/Q	332	- 332	332	896	- 896	896
				1	166.0	166.0			332	332		896	896	
Cows														
400-520		D	1	24	114.0	- 120.0	115.0	-11	259	- 273	266	496	- 606	520
		D	2	2	125.0	- 125.0	125.0	N/Q	266	- 266	266	581	- 581	581
	RS	E	1	7	114.0	- 114.0	114.0	24	-			524	- 524	524
520+		C	2	5	136.0	- 136.0	136.0	N/Q	283	- 283	283	904	- 904	904
		C	3	29	140.0	- 152.0	147.2	9	280	- 304	292	875	- 914	906
		C	4	24	136.0	- 142.0	138.4	-4	272	- 290	277	846	- 1068	972
		D	1	34	114.0	- 123.0	118.5	-3	265	- 274	273	620	- 664	642
		D	2	58	120.0	- 142.0	130.4	-4	265	- 296	284	654	- 880	757
		D	3	64	132.0	- 145.0	138.3	-1	269	- 296	288	771	- 891	842
		D	5	5	133.0	- 133.0	133.0	N/Q	266	- 266	266	845	- 845	845

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
					252	114.0	152.0			259	304		496	1068	
Bulls															
0-450	RS	C	2	1	146.0	- 146.0	146.0	N/Q	-				343	- 343	343
		C	2	1	144.0	- 144.0	144.0	N/Q	277	- 277	277		526	- 526	526
		D	1	3	112.0	- 112.0	112.0	N/Q	224	- 224	224		381	- 381	381
		D	2	4	124.0	- 138.0	131.0	N/Q	248	- 276	261		434	- 573	503
450-600		B	2	1	143.0	- 143.0	143.0	N/Q	270	- 270	270		758	- 758	758
		C	2	3	144.0	- 160.0	149.3	7	272	- 296	280		670	- 744	694
		D	1	1	126.0	- 126.0	126.0	N/Q	247	- 247	247		706	- 706	706
600+		B	2	15	132.0	- 150.0	141.5	8	244	- 273	260		858	- 1372	1059
		C	1	1	124.0	- 124.0	124.0	N/Q	234	- 234	234		1172	- 1172	1172
		C	2	8	118.0	- 139.0	128.1	-4	223	- 257	241		763	- 1460	997
		D	1	3	105.0	- 122.0	114.0	-4	206	- 235	222		772	- 1202	936
					41	105.0	160.0						343	1460	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2014. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.