

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Warwick

report date 17 Jun 2014

Yarding Change 1223  
-216

comparison date 10/06/2014

Numbers reduced by 15% and young cattle were in the largest numbers and only a small selection of heavy grown steers and bullocks were penned, while there was a fair sample of cows available. The regular trade and feeder buyers plus some restockers competed in the market, however two major export processors were absent from the buying panel. Medium and heavy weight yearling steers to feed and the trade sold to strong demand, while the lightweight young cattle experienced a difficult market with price reductions of 10c to 12c/kg. Despite the small number of export buyers present prices for cows improved by 5c/kg and more in places.

Calves to restockers averaged 147c and made to 160c/kg. Vealer steers to feed and restockers averaged 166c and 170c/kg, respectively. Vealer heifers to local and southern processors averaged 144c, while a small selection to local butchers made to 198.2c/kg. Medium weight yearling steers to feed averaged 175c and made to 189.2c and local trade lines made to 195c, while poor quality lines averaged from 107c to 115c/kg. Heavyweights to feed mostly sold in the high 160c to early 170c range with some to 175c/kg. Poor quality yearling heifers made from 70c to 123c, while a couple of well-presented classes to the trade made to 179.2c/kg.

A handful of heavy grown steers and bullocks averaged in the 160c range with some to 168.2c/kg. Medium weight 2 score cows averaged close to 99c and made to 114.2c/kg. Heavy 3 scores averaged 123c, while the best of the cows made to 136.2c, to average 130c/kg. Heavy bulls made to 135.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>														
0-80	RS	C	2	2	123.2	- 123.2	123.2	N/Q	-	-	-	80	- 80	80
80+	RS	C	2	24	117.2	- 160.0	147.2	N/Q	-	-	-	156	- 272	230
		C	2	11	132.2	- 135.0	133.8	-8	249	- 255	253	169	- 248	233
				<b>37</b>	<b>117.2</b>	<b>160.0</b>			<b>249</b>	<b>255</b>		<b>80</b>	<b>272</b>	
<b>Vealer Steer</b>														
200-280	FD	C	2	54	153.2	- 180.0	166.7	N/Q	-	-	-	344	- 477	385
	RS	C	2	48	160.2	- 175.2	170.1	-9	-	-	-	353	- 429	399
280-330		C	3	6	184.2	- 184.2	184.2	N/Q	335	- 335	335	543	- 543	543
				<b>108</b>	<b>153.2</b>	<b>184.2</b>			<b>335</b>	<b>335</b>		<b>344</b>	<b>543</b>	
<b>Vealer Heifer</b>														
200-280		C	2	76	134.2	- 163.2	144.3	-15	249	- 302	267	315	- 405	349
	FD	C	2	4	138.0	- 138.0	138.0	N/Q	-	-	-	311	- 311	311
		C	3	16	160.0	- 198.2	187.6	-12	296	- 367	347	360	- 545	499
280-330	FD	C	2	5	150.0	- 150.0	150.0	N/Q	-	-	-	428	- 428	428
		C	3	3	181.2	- 196.2	186.2	34	336	- 363	345	535	- 618	562
				<b>104</b>	<b>134.2</b>	<b>198.2</b>			<b>249</b>	<b>367</b>		<b>311</b>	<b>618</b>	
<b>Yearling Steer</b>														
0-330	FD	C	2	22	160.0	- 183.2	172.7	16	-	-	-	376	- 540	466
	RS	C	2	31	148.2	- 170.2	165.1	-4	-	-	-	348	- 432	390
	RS	D	2	24	126.2	- 131.2	128.7	-25	-	-	-	271	- 282	277
	FD	D	2	2	146.2	- 146.2	146.2	N/Q	-	-	-	387	- 387	387
330-400	FD	C	2	53	155.0	- 189.2	175.3	8	-	-	-	553	- 674	620
	RS	C	2	3	170.0	- 170.0	170.0	N/Q	-	-	-	570	- 570	570
	FD	C	3	6	181.2	- 181.2	181.2	N/Q	-	-	-	661	- 661	661

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+		C	3	10	164.2	- 195.0	180.2	-2	299	- 355	328	599	- 770	681
	RS	D	1	4	100.0	- 100.0	100.0	N/Q	-			345	- 345	345
	RS	D	2	23	80.0	- 150.0	114.9	N/Q	-			292	- 563	406
	FD	D	2	47	90.0	- 140.0	107.1	N/Q	-			302	- 511	388
	FD	C	2	34	160.0	- 175.0	167.7	-1	-			696	- 770	737
		C	2	1	186.2	- 186.2	186.2	N/Q	339	- 339	339	931	- 931	931
	FD	C	3	21	170.2	- 175.0	172.9	N/Q	-			723	- 796	744
		C	3	1	195.0	- 195.0	195.0	N/Q	355	- 355	355	809	- 809	809
	FD	D	2	21	140.0	- 155.0	149.3	N/Q	-			581	- 659	631
				<b>303</b>	<b>80.0</b>	<b>195.0</b>			<b>299</b>	<b>355</b>		<b>271</b>	<b>931</b>	
<b>Yearling Heifer</b>														
0-330		C	2	17	128.2	- 134.2	131.2	-25	237	- 249	243	301	- 356	325
	FD	C	2	2	140.0	- 140.0	140.0	N/Q	-			413	- 413	413
		D	2	3	103.2	- 115.2	111.2	N/Q	191	- 213	206	243	- 271	261
330-400		C	2	1	130.0	- 130.0	130.0	N/Q	241	- 241	241	501	- 501	501
	FD	C	2	5	133.2	- 133.2	133.2	-23	-			460	- 460	460
		C	3	9	140.2	- 179.2	164.7	-4	260	- 332	305	484	- 672	595
	FD	D	1	22	70.0	- 75.2	73.8	N/Q	-			242	- 259	255
	FD	D	2	13	123.2	- 123.2	123.2	-7	-			431	- 431	431
	RS	D	2	6	96.2	- 96.2	96.2	N/Q	-			342	- 342	342
400+	FD	C	2	6	144.2	- 144.2	144.2	N/Q	-			627	- 627	627
		C	2	4	123.2	- 123.2	123.2	-31	228	- 228	228	536	- 536	536
		C	3	4	125.2	- 156.2	146.5	-9	232	- 289	271	557	- 679	636
	FD	C	3	4	142.2	- 142.2	142.2	-9	-			619	- 619	619
	FD	D	2	5	90.2	- 90.2	90.2	N/Q	-			383	- 383	383
				<b>101</b>	<b>70.0</b>	<b>179.2</b>			<b>191</b>	<b>332</b>		<b>242</b>	<b>679</b>	
<b>Grown Steer</b>														
0-400	FD	D	2	4	105.0	- 105.0	105.0	N/Q	-			383	- 383	383
400-500	FD	C	2	8	138.2	- 145.0	139.9	-10	-			622	- 631	624
	FD	D	2	6	105.2	- 129.2	125.2	N/Q	-			447	- 562	543
		D	2	6	70.0	- 70.0	70.0	N/Q	127	- 127	127	284	- 284	284
500-600		C	4	16	160.2	- 165.2	160.5	N/Q	286	- 295	287	933	- 937	937
600-750		C	3	5	139.2	- 139.2	139.2	N/Q	253	- 253	253	960	- 960	960
		C	4	13	164.2	- 168.2	166.8	N/Q	293	- 300	298	1020	- 1177	1039
				<b>58</b>	<b>70.0</b>	<b>168.2</b>			<b>127</b>	<b>300</b>		<b>284</b>	<b>1177</b>	
<b>Grown Heifer</b>														
0-540		C	4	4	138.2	- 144.2	140.2	N/Q	263	- 277	268	647	- 757	694
		D	2	6	100.0	- 110.0	101.7	8	208	- 229	212	424	- 425	425
		D	3	7	117.2	- 131.2	122.3	N/Q	225	- 252	235	580	- 702	602
		D	4	1	127.2	- 127.2	127.2	N/Q	240	- 240	240	681	- 681	681
		E	1	2	50.0	- 50.0	50.0	N/Q	111	- 111	111	150	- 150	150
540+		D	2	1	104.2	- 104.2	104.2	N/Q	217	- 217	217	568	- 568	568
		D	3	3	127.2	- 131.2	129.9	N/Q	245	- 252	250	693	- 715	708
				<b>24</b>	<b>50.0</b>	<b>144.2</b>			<b>111</b>	<b>277</b>		<b>150</b>	<b>757</b>	
<b>Manufacturing Steer</b>														

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
0-540		D	1	3	78.2	- 78.2	78.2	N/Q	142	- 142	142	403	- 403	403
		D	2	31	101.2	- 125.2	115.8	N/Q	184	- 228	211	440	- 667	546
540+		C	4	1	148.2	- 148.2	148.2	N/Q	270	- 270	270	963	- 963	963
				<b>35</b>	<b>78.2</b>	<b>148.2</b>			<b>142</b>	<b>270</b>		<b>403</b>	<b>963</b>	
<b>Cows</b>														
0-400		D	1	20	64.2	- 77.2	69.3	N/Q	146	- 176	158	253	- 309	275
		DA	D	1	2	65.0	- 65.0	65.0	N/Q	148	- 148	148	237	- 237
400-520	RS	D	1	11	77.2	- 88.2	83.7	N/Q		-		336	- 410	370
		D	1	20	60.0	- 78.2	69.4	N/Q	136	- 178	158	261	- 340	304
	RS	D	2	13	90.0	- 96.2	92.8	-5		-		392	- 470	419
		D	2	21	81.2	- 114.2	98.8	14	177	- 248	215	353	- 531	454
		D	3	15	113.2	- 121.2	116.8	6	231	- 247	238	505	- 575	547
		D	4	14	123.2	- 128.2	124.9	1	244	- 251	247	596	- 615	607
		RS	E	1	1	35.0	- 35.0	35.0	N/Q		-		152	- 152
	DA	E	2	1	70.0	- 70.0	70.0	N/Q	152	- 152	152	305	- 305	305
520+	RS	C	1	5	100.0	- 100.0	100.0	N/Q		-		535	- 535	535
		D	2	5	114.2	- 114.2	114.2	N/Q	248	- 248	248	611	- 628	625
		D	3	26	121.2	- 127.2	123.3	9	247	- 260	252	659	- 739	679
		D	4	33	125.2	- 136.2	130.3	N/C	246	- 267	256	682	- 851	758
		D	5	8	108.2	- 123.2	118.6	N/Q	221	- 251	242	579	- 727	644
		D	6	2	77.2	- 77.2	77.2	N/Q	158	- 158	158	463	- 463	463
					<b>197</b>	<b>35.0</b>	<b>136.2</b>		<b>136</b>	<b>267</b>		<b>152</b>	<b>851</b>	
<b>Bulls</b>														
0-450		C	3	3	116.2	- 119.2	118.2	N/Q	211	- 217	215	523	- 536	532
		E	2	1	40.0	- 40.0	40.0	N/Q	73	- 73	73	128	- 128	128
450-600		C	3	4	123.2	- 126.2	124.0	N/Q	220	- 225	223	659	- 696	669
600+		C	2	4	117.2	- 122.0	119.9	-6	213	- 222	218	733	- 823	793
		C	3	2	123.2	- 135.2	129.2	N/Q	220	- 241	231	924	- 946	935
		D	1	1	97.2	- 97.2	97.2	N/Q	177	- 177	177	632	- 632	632
				<b>15</b>	<b>40.0</b>	<b>135.2</b>		<b>73</b>	<b>241</b>		<b>128</b>	<b>946</b>		

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

#### Disclaimer:

© MLA 2014. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.