

## Over the hooks report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Queensland

report date

29 Aug 2014

Prices averaged dearer across all categories this week, up to 20¢/kg cwt in places, as reports from most contributors suggest young and grown cattle supplies to tighten.

| Grade               | Weight Range (cwt kg) | Dentition | Muscle Score | Fat Score | Average (c/kg cwt) | Trend |
|---------------------|-----------------------|-----------|--------------|-----------|--------------------|-------|
| <b>-</b>            |                       |           |              |           |                    |       |
| <b>Yearlings</b>    |                       |           |              |           |                    |       |
| Steers              | 220-240               | 0-2 (YG)  | A-C          | 5-22      | 323                | 15    |
|                     | 240-260               | 0-2 (YG)  | A-C          | 5-22      | 328                | 15    |
|                     | 260-280               | 0-2 (YG)  | A-C          | 5-22      | 332                | 15    |
|                     | 280-300               | 0-2 (YG)  | A-C          | 5-22      | 336                | 15    |
|                     | 300-320               | 0-2 (YG)  | A-C          | 5-22      | 340                | 15    |
| Heifers             | 220-240               | 0-2 (YG)  | A-C          | 5-22      | 318                | 15    |
|                     | 240-260               | 0-2 (YG)  | A-C          | 5-22      | 323                | 15    |
|                     | 260-280               | 0-2 (YG)  | A-C          | 5-22      | 327                | 15    |
|                     | 280-300               | 0-2 (YG)  | A-C          | 5-22      | 331                | 15    |
|                     | 300-320               | 0-2 (YG)  | A-C          | 5-22      | 335                | 15    |
| <b>Grown Steers</b> |                       |           |              |           |                    |       |
| 240-260             | 0-4 (YP)              | A-C       | 5-22         | 315       | 22                 |       |
|                     | 0-6 (PR)              | A-C       | 5-22         | 310       | 22                 |       |
|                     | 0-8 (S)               | A-C       | 5-22         | 303       | 22                 |       |
| 260-280             | 0-4 (YP)              | A-C       | 5-22         | 323       | 22                 |       |
|                     | 0-6 (PR)              | A-C       | 5-22         | 318       | 22                 |       |
|                     | 0-8 (S)               | A-C       | 5-22         | 310       | 22                 |       |
| 280-300             | 0-4 (YP)              | A-C       | 5-22         | 331       | 22                 |       |
|                     | 0-6 (PR)              | A-C       | 5-22         | 326       | 22                 |       |
|                     | 0-8 (S)               | A-C       | 5-22         | 315       | 22                 |       |
| 300-400             | 0-4 (YP)              | A-C       | 5-22         | 336       | 22                 |       |
|                     | 0-6 (PR)              | A-C       | 5-22         | 331       | 22                 |       |
|                     | 0-8 (S)               | A-C       | 5-22         | 321       | 22                 |       |
| <b>Cows</b>         |                       |           |              |           |                    |       |
| 180-200             | 0-8 (C)               | A-D       | 13-22        | 270       | 19                 |       |
|                     | 0-8 (C)               | A-D       | 3-12         | 275       | 19                 |       |
|                     | 0-8 (C)               | A-E       | 0-32         | 256       | 19                 |       |
| 200-220             | 0-8 (C)               | A-D       | 13-22        | 277       | 19                 |       |
|                     | 0-8 (C)               | A-D       | 3-12         | 282       | 19                 |       |
|                     | 0-8 (C)               | A-E       | 0-32         | 265       | 20                 |       |
| 220-240             | 0-8 (C)               | A-D       | 13-22        | 282       | 19                 |       |
|                     | 0-8 (C)               | A-D       | 3-12         | 287       | 19                 |       |
|                     | 0-8 (C)               | A-E       | 0-32         | 272       | 19                 |       |
| 240-260             | 0-8 (C)               | A-D       | 13-22        | 287       | 19                 |       |
|                     | 0-8 (C)               | A-D       | 3-12         | 293       | 19                 |       |

| Grade                        | Weight Range (cwt kg) | Dentition | Muscle Score | Fat Score | Average (c/kg cwt) | Trend |
|------------------------------|-----------------------|-----------|--------------|-----------|--------------------|-------|
|                              |                       | 0-8 (C)   | A-E          | 0-32      | 277                | 19    |
|                              | 260-280               | 0-8 (C)   | A-D          | 13-22     | 292                | 19    |
|                              |                       | 0-8 (C)   | A-D          | 3-12      | 297                | 19    |
|                              |                       | 0-8 (C)   | A-E          | 0-32      | 282                | 19    |
|                              | 280-300               | 0-8 (C)   | A-D          | 13-22     | 297                | 19    |
|                              |                       | 0-8 (C)   | A-D          | 3-12      | 302                | 19    |
|                              |                       | 0-8 (C)   | A-E          | 0-32      | 287                | 19    |
|                              | 300-400               | 0-8 (C)   | A-D          | 13-22     | 302                | 19    |
|                              |                       | 0-8 (C)   | A-D          | 3-12      | 307                | 19    |
|                              |                       | 0-8 (C)   | A-E          | 0-32      | 292                | 19    |
| <b>Bulls</b>                 |                       |           |              |           |                    |       |
|                              | 260-280               | 0-8 (B)   | A-E          | 0-32      | 280                | 23    |
|                              | 280-300               | 0-8 (B)   | A-E          | 0-32      | 269                | 21    |
|                              | 300-320               | 0-8 (B)   | A-E          | 0-32      | 271                | 21    |
|                              | 320-440               | 0-8 (B)   | A-E          | 0-32      | 277                | 21    |
| <b>Grainfed 100 Days</b>     |                       |           |              |           |                    |       |
| Steers                       | 220-240               | 0-2 (YG)  | A-C          | 5-22      | 386                | 17    |
|                              | 240-260               | 0-2 (YG)  | A-C          | 5-22      | 391                | 17    |
|                              | 260-280               | 0-2 (YG)  | A-C          | 5-22      | 395                | 17    |
|                              | 280-300               | 0-2 (YG)  | A-C          | 5-22      | 398                | 17    |
|                              | 300-320               | 0-2 (YG)  | A-C          | 5-22      | 401                | 17    |
| Heifers                      | 220-240               | 0-2 (YG)  | A-C          | 5-22      | 381                | 17    |
|                              | 240-260               | 0-2 (YG)  | A-C          | 5-22      | 386                | 17    |
|                              | 260-280               | 0-2 (YG)  | A-C          | 5-22      | 390                | 17    |
|                              | 280-300               | 0-2 (YG)  | A-C          | 5-22      | 393                | 17    |
|                              | 300-320               | 0-2 (YG)  | A-C          | 5-22      | 396                | 17    |
| <b>MSA Yearlings</b>         |                       |           |              |           |                    |       |
| Steers                       | 220-240               | 0-2 (YG)  | A-C          | 5-22      | 390                | 17    |
|                              | 240-260               | 0-2 (YG)  | A-C          | 5-22      | 398                | 17    |
|                              | 260-280               | 0-2 (YG)  | A-C          | 5-22      | 402                | 17    |
|                              | 280-300               | 0-2 (YG)  | A-C          | 5-22      | 404                | 17    |
|                              | 300-320               | 0-2 (YG)  | A-C          | 5-22      | 406                | 17    |
| Heifers                      | 220-240               | 0-2 (YG)  | A-C          | 5-22      | 388                | 17    |
|                              | 240-260               | 0-2 (YG)  | A-C          | 5-22      | 393                | 17    |
|                              | 260-280               | 0-2 (YG)  | A-C          | 5-22      | 397                | 17    |
|                              | 280-300               | 0-2 (YG)  | A-C          | 5-22      | 399                | 17    |
|                              | 300-320               | 0-2 (YG)  | A-C          | 5-22      | 401                | 17    |
| <b>MSA Grainfed 100 Days</b> |                       |           |              |           |                    |       |
| Steers                       | 220-240               | 0-2 (YG)  | A-C          | 5-22      | 390                | 21    |
|                              | 240-260               | 0-2 (YG)  | A-C          | 5-22      | 398                | 21    |
|                              | 260-280               | 0-2 (YG)  | A-C          | 5-22      | 403                | 21    |
|                              | 280-300               | 0-2 (YG)  | A-C          | 5-22      | 405                | 21    |
|                              | 300-320               | 0-2 (YG)  | A-C          | 5-22      | 407                | 21    |
| Heifers                      | 220-240               | 0-2 (YG)  | A-C          | 5-22      | 385                | 21    |
|                              | 240-260               | 0-2 (YG)  | A-C          | 5-22      | 393                | 21    |
|                              | 260-280               | 0-2 (YG)  | A-C          | 5-22      | 398                | 21    |

| Grade | Weight Range<br>(cwt kg) | Dentition | Muscle<br>Score | Fat<br>Score | Average<br>(c/kg cwt) | Trend |
|-------|--------------------------|-----------|-----------------|--------------|-----------------------|-------|
|       | 280-300                  | 0-2 (YG)  | A-C             | 5-22         | 400                   | 21    |
|       | 300-320                  | 0-2 (YG)  | A-C             | 5-22         | 402                   | 21    |

**Disclaimer:**

© MLA 2014. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.