

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Warwick

report date 02 Sep 2014

Yarding Change  $\frac{1362}{277}$

comparison date 26/08/2014

The generally stronger market trend lifted supply by 25%. There was a good mix across all classes of young cattle, along with a relatively small selection of heavy grown steers and bullocks and a large supply of cows. Buyer attendance was generally good with representatives covering all categories. Vealer steers and heifers experienced stronger support from local and southern processors, plus feeder operators and restockers, and average prices improved by 25c to 30c/kg. Medium and heavy weight yearling steers and heifers to feed met strong demand with only quality related price changes. Heavy grown steers and bullocks averaged 3c to 7c/kg better and the large run of cows experienced similar gains.

Calves to restockers averaged 178c, with some to slaughter reaching 205c/kg. A fair selection of vealer heifers averaged 204c, with some to local butchers reaching 213.2c/kg. Lightweight yearling steers returning to the paddock made to a top of 227.2c and averaged 203c/kg. Plain condition medium weight yearling steers to feed averaged close to 189c, while the better lines averaged 203c and made to 210.2c/kg. Heavy weights to feed averaged in the mid to high 190c range, with some to 211.2c, while a handful to the local trade market averaged 207c and made to 210c/kg. Lightweight yearling heifers to feed improved 9c to average 184c and sold to 199.2c/kg. The better end of the medium weights to feed averaged 183c and local trade lines averaged 189c, with some to 199.2c/kg.

Heavy grown steers to export slaughter averaged 211c, while bullocks averaged 208c and made to an isolated 218.2c/kg. Full mouth bullocks averaged 196c and made to 201.2c/kg. Medium weight 2 score cows averaged 135c and 3 scores 162c/kg. Good heavy cows reached 196.2c to average close to 180c/kg. Heavy bulls averaged 3c dearer at 198c, with some to 217.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>														
80+		C	2	12	156.2	- 205.0	184.0	9	295	- 387	347	211	- 359	307
	RS	C	2	21	145.2	- 200.2	178.2	10		-		269	- 370	317
				<b>33</b>	<b>145.2</b>	<b>205.0</b>			<b>295</b>	<b>387</b>		<b>211</b>	<b>370</b>	
<b>Vealer Steer</b>														
200-280		C	2	28	193.2	- 204.2	198.8	N/Q	351	- 371	362	435	- 517	453
	FD	C	2	3	212.2	- 212.2	212.2	26		-		562	- 562	562
280-330		C	3	4	200.0	- 205.2	201.3	-1	364	- 373	366	570	- 605	579
				<b>35</b>	<b>193.2</b>	<b>212.2</b>			<b>351</b>	<b>373</b>		<b>435</b>	<b>605</b>	
<b>Vealer Heifer</b>														
200-280		C	2	85	181.2	- 210.6	204.0	31	336	- 390	378	408	- 530	489
		C	3	10	199.2	- 213.2	209.4	24	369	- 395	388	539	- 565	548
280-330		C	3	5	178.2	- 178.2	178.2	-10	330	- 330	330	508	- 508	508
				<b>100</b>	<b>178.2</b>	<b>213.2</b>			<b>330</b>	<b>395</b>		<b>408</b>	<b>565</b>	
<b>Yearling Steer</b>														
0-330		C	2	20	176.2	- 198.2	191.6	N/Q	320	- 360	348	529	- 565	542
	FD	C	2	28	185.0	- 202.2	191.4	5		-		416	- 600	524
	RS	C	2	68	178.2	- 227.2	203.2	18		-		407	- 625	528
		D	2	8	151.2	- 151.2	151.2	N/Q	275	- 275	275	355	- 355	355
330-400	RS	C	2	9	175.0	- 175.0	175.0	-28		-		604	- 604	604
	FD	C	2	69	170.0	- 200.2	188.8	-4		-		604	- 752	669
		C	3	30	180.0	- 204.2	189.5	-2	327	- 371	345	620	- 786	717
	FD	C	3	45	194.2	- 210.2	203.2	4		-		689	- 789	755
		D	2	3	160.2	- 160.2	160.2	N/Q	291	- 291	291	593	- 593	593

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+	FD	D	2	2	155.0	- 160.0	157.5	N/Q	-			574	- 600	587
	FD	C	2	28	187.2	- 200.0	194.1	-2	-			796	- 889	834
		C	3	14	200.0	- 210.0	206.9	19	364	- 382	376	888	- 970	914
	FD	C	3	34	185.0	- 211.2	197.8	-2	-			805	- 919	853
	GF	C	3	7	209.2	- 209.2	209.2	N/Q	380	- 380	380	1119	- 1119	1119
	D	2	4	153.2	- 153.2	153.2	N/Q	279	- 279	279	651	- 651	651	
				<b>369</b>	<b>151.2</b>	<b>227.2</b>			<b>275</b>	<b>382</b>		<b>355</b>	<b>1119</b>	
<b>Yearling Heifer</b>														
0-330		C	2	10	190.0	- 190.0	190.0	27	352	- 352	352	437	- 437	437
	FD	C	2	54	158.2	- 199.2	184.8	9	-			403	- 568	508
	FD	D	2	17	140.2	- 157.2	150.2	N/Q	-			322	- 362	345
	RS	D	2	24	132.2	- 155.2	144.3	19	-			284	- 349	313
330-400	FD	C	2	31	150.0	- 175.2	169.1	-4	-			533	- 604	583
		C	2	4	160.0	- 170.2	165.1	-2	296	- 315	306	536	- 587	562
		C	3	35	175.2	- 199.2	189.7	6	324	- 369	351	622	- 779	697
	FD	C	3	31	177.2	- 188.2	183.4	-3	-			620	- 701	679
400+	FD	C	2	2	160.0	- 160.0	160.0	N/Q	-			696	- 696	696
		C	3	26	171.2	- 192.2	186.8	11	317	- 356	346	745	- 893	812
				<b>234</b>	<b>132.2</b>	<b>199.2</b>			<b>296</b>	<b>369</b>		<b>284</b>	<b>893</b>	
<b>Grown Steer</b>														
0-400	RS	D	2	7	155.0	- 155.0	155.0	N/Q	-			597	- 597	597
400-500	FD	C	2	2	175.0	- 175.0	175.0	N/Q	-			744	- 744	744
		D	2	2	118.2	- 118.2	118.2	N/Q	215	- 215	215	502	- 502	502
500-600		C	3	1	178.2	- 178.2	178.2	N/Q	324	- 324	324	953	- 953	953
		C	4	36	187.2	- 214.2	211.3	7	334	- 383	377	1095	- 1263	1207
		D	3	2	182.2	- 182.2	182.2	N/Q	331	- 331	331	975	- 975	975
600-750		C	4	22	195.2	- 218.2	208.2	3	349	- 383	371	1240	- 1637	1353
				<b>72</b>	<b>118.2</b>	<b>218.2</b>			<b>215</b>	<b>383</b>		<b>502</b>	<b>1637</b>	
<b>Grown Heifer</b>														
0-540		C	3	2	173.2	- 175.2	174.2	N/Q	327	- 331	329	753	- 920	837
	RS	D	1	9	151.2	- 151.2	151.2	N/Q	-			582	- 582	582
		D	1	2	110.2	- 110.2	110.2	N/Q	240	- 240	240	402	- 402	402
		D	2	6	144.2	- 146.2	145.9	11	300	- 305	304	577	- 585	583
		D	3	4	143.2	- 143.2	143.2	-13	270	- 270	270	623	- 623	623
540+		C	3	2	173.2	- 178.2	175.7	N/Q	333	- 336	335	1005	- 1007	1006
				<b>25</b>	<b>110.2</b>	<b>178.2</b>			<b>240</b>	<b>336</b>		<b>402</b>	<b>1007</b>	
<b>Manufacturing Steer</b>														
540+		C	4	18	191.2	- 201.2	195.9	7	341	- 359	350	1243	- 1408	1323
				<b>18</b>	<b>191.2</b>	<b>201.2</b>			<b>341</b>	<b>359</b>		<b>1243</b>	<b>1408</b>	
<b>Cows</b>														
0-400	DA	D	1	1	99.2	- 99.2	99.2	N/Q	226	- 226	226	362	- 362	362
		D	1	20	80.0	- 117.2	105.2	5	182	- 266	239	292	- 469	412
		D	2	8	127.2	- 134.2	128.1	16	289	- 292	289	490	- 537	496
		E	1	6	68.2	- 70.0	69.7	N/Q	155	- 159	158	256	- 270	267
400-520	RS	D	1	10	128.2	- 128.2	128.2	N/Q	-			551	- 551	551

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
520+		D	1	19	100.2	- 124.2	119.5	7	228	- 282	272	436	- 529	521	
		D	2	64	125.2	- 158.2	135.7	2	272	- 344	295	532	- 712	599	
		RS	D	2	5	138.2	- 138.2	138.2	14	-		594	- 594	594	
		DA	D	2	2	145.2	- 145.2	145.2	N/Q	316	- 316	316	675	- 675	675
			D	3	39	150.0	- 166.2	162.0	13	306	- 339	331	638	- 789	768
			D	4	6	161.2	- 173.2	168.3	21	316	- 340	330	693	- 857	816
		DA	D	1	2	133.2	- 133.2	133.2	N/C	303	- 303	303	779	- 779	779
		DA	D	2	6	152.2	- 152.2	152.2	10	331	- 331	331	814	- 814	814
			D	2	10	140.2	- 148.2	146.6	2	305	- 322	319	764	- 800	793
			D	3	45	157.2	- 169.2	164.8	11	321	- 345	336	852	- 1067	898
		DA	D	3	4	149.2	- 149.2	149.2	-6	305	- 305	305	873	- 873	873
			D	4	84	168.2	- 196.2	179.8	7	330	- 385	353	905	- 1344	1041
			D	5	3	149.2	- 149.2	149.2	-4	305	- 305	305	888	- 888	888
				<b>334</b>	<b>68.2</b>	<b>196.2</b>			<b>155</b>	<b>385</b>		<b>256</b>	<b>1344</b>		
<b>Bulls</b>															
0-450	FD	C	2	5	145.0	- 160.0	151.0	N/Q	-			480	- 529	510	
		RS	C	2	7	147.2	- 155.2	149.5	-8	-		339	- 411	359	
			C	2	3	161.2	- 200.0	174.1	29	293	- 364	317	427	- 530	461
450-600		C	3	2	185.2	- 186.2	185.7	N/Q	333	- 337	335	680	- 806	743	
		C	2	2	169.2	- 170.0	169.6	N/Q	308	- 309	308	888	- 961	924	
		C	3	1	175.2	- 175.2	175.2	N/Q	313	- 313	313	990	- 990	990	
600+		D	2	2	135.2	- 139.2	137.2	N/Q	246	- 253	250	647	- 656	652	
		C	2	6	144.2	- 170.0	160.3	N/C	262	- 309	292	1009	- 1118	1086	
		C	3	32	174.2	- 217.2	198.4	3	311	- 388	354	1106	- 2194	1524	
				<b>60</b>	<b>135.2</b>	<b>217.2</b>			<b>246</b>	<b>388</b>		<b>339</b>	<b>2194</b>		

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

#### Disclaimer:

© MLA 2014. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.