

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 07 Oct 2014

Yarding Change $\frac{1543}{76}$

comparison date 30/09/2014

The number of stock penned experienced very little change and the quality of the cows was not up to the previous week's standard. Buyer attendance was good, with most major exporters present and operating along with the usual feeder and trade buyers. Young cattle received strong support from feeder operators and the trade, while export slaughter classes of heavy grown steers, bullocks and cows did not maintain the prices of the previous sale.

Vealer steers to restockers made to 220c, to average 192c/kg. A fair supply of vealer heifers averaged close to 180c and a good selection to local butchers averaged 192c and made to 204.2c/kg. The largest number of medium weight yearling steers sold to feed at 205c, with sales to 212c/kg and local trade descriptions sold to similar prices. Heavy feeders also averaged 205c and made to 211.2c/kg. Most of the lightweight yearling heifers averaged in the 170c range and D muscled classes averaged 145c/kg. Medium weight yearling heifers to feed averaged 189c and slaughter classes also averaged 189c and made to 205.2c/kg. A small sample of heavyweights made to a top of 208.2c, to average close to 188c/kg.

Heavy grown steers averaged 206c and a handful of bullocks made to 215.2c/kg. Medium weight 2 score cows averaged 142c and heavy 3 scores at 171c/kg. Good heavy cows made to 190.6c, to average 184c/kg. Heavy bulls reached 227.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+	RS	C	2	33	130.2	- 175.2	139.0	-41	-			187	- 254	225
	RS	D	1	3	119.2	- 126.2	123.9	N/Q	-			161	- 233	209
				36	119.2	175.2			0	0		161	254	
Vealer Steer														
200-280		C	2	5	182.2	- 182.2	182.2	N/Q	331	- 331	331	428	- 428	428
	FD	C	2	11	186.2	- 202.2	195.3	-1	-			438	- 536	492
	RS	C	2	15	186.2	- 220.0	192.0	6	-			440	- 583	471
280-330	FD	C	2	2	197.2	- 197.2	197.2	N/Q	-			562	- 562	562
	FD	C	3	4	190.2	- 200.2	195.2	N/Q	-			561	- 591	576
		C	3	11	180.0	- 205.0	191.0	N/Q	327	- 373	347	540	- 605	571
				48	180.0	220.0			327	373		428	605	
Vealer Heifer														
200-280	FD	C	2	11	177.2	- 186.2	183.5	6	-			416	- 493	467
		C	2	55	170.0	- 185.0	179.9	N/Q	315	- 343	333	408	- 504	459
		C	3	6	181.2	- 181.2	181.2	N/Q	336	- 336	336	498	- 498	498
		D	2	2	159.2	- 159.2	159.2	N/Q	295	- 295	295	358	- 358	358
280-330	FD	C	2	2	183.2	- 183.2	183.2	N/Q	-			522	- 522	522
		C	2	16	174.0	- 184.2	178.0	N/Q	322	- 341	330	496	- 525	507
		C	3	40	184.2	- 204.2	192.5	N/Q	341	- 378	356	525	- 650	560
				132	159.2	204.2			295	378		358	650	
Yearling Steer														
0-330		C	2	4	171.2	- 175.0	172.2	N/Q	311	- 318	313	411	- 454	443
	FD	C	2	45	181.2	- 198.2	192.2	20	-			490	- 570	522
	RS	C	2	5	180.2	- 180.2	180.2	7	-			478	- 478	478
	FD	C	3	5	200.0	- 205.0	204.0	-1	-			624	- 666	658
		C	3	4	187.2	- 201.2	194.2	N/Q	340	- 366	353	562	- 604	583

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	FD	D	2	5	160.0	- 160.0	160.0	N/Q	-			424	- 424	424
		D	2	8	143.2	- 165.0	155.5	N/Q	260	- 300	283	409	- 437	425
330-400	FD	C	2	41	177.2	- 208.2	199.0	10	-			656	- 758	721
	FD	C	3	74	191.2	- 212.0	205.7	N/C	-			644	- 794	722
		C	3	66	199.2	- 212.2	205.8	N/Q	362	- 386	374	707	- 817	744
	FD	D	2	10	157.2	- 175.2	170.0	N/Q	-			550	- 604	583
400+	FD	C	2	2	188.0	- 188.0	188.0	N/Q	-			799	- 799	799
	FD	C	3	38	191.2	- 211.2	205.3	1	-			832	- 982	895
		C	3	14	190.2	- 212.2	203.5	-5	346	- 386	370	850	- 954	893
		D	2	1	159.2	- 159.2	159.2	N/Q	290	- 290	290	693	- 693	693
				322	143.2	212.2			260	386		409	982	
Yearling Heifer														
0-330		C	2	45	152.2	- 178.2	170.8	28	282	- 330	316	403	- 490	460
	FD	C	2	19	174.2	- 180.2	178.3	1	-			490	- 541	504
		C	3	10	182.2	- 201.2	195.3	N/Q	337	- 373	362	547	- 594	578
		D	1	1	111.2	- 111.2	111.2	N/Q	206	- 206	206	295	- 295	295
		D	2	24	135.0	- 155.0	149.1	N/Q	250	- 287	275	301	- 411	365
	RS	D	2	22	121.2	- 151.2	145.6	N/Q	-			321	- 398	365
330-400	FD	C	2	30	168.2	- 191.2	180.7	25	-			563	- 717	653
	FD	C	3	60	180.0	- 191.2	189.0	4	-			603	- 728	686
		C	3	103	158.2	- 205.2	189.1	5	293	- 380	350	607	- 751	661
	RS	D	1	4	117.2	- 117.2	117.2	N/Q	-			404	- 404	404
		D	2	23	130.0	- 155.2	140.5	N/Q	241	- 287	260	462	- 582	493
400+		C	3	19	182.2	- 208.2	187.9	5	337	- 386	348	758	- 885	791
	FD	C	3	1	190.0	- 190.0	190.0	N/Q	-			827	- 827	827
				361	111.2	208.2			206	386		295	885	
Grown Steer														
400-500	FD	C	2	2	181.2	- 181.2	181.2	N/Q	-			770	- 770	770
	FD	C	3	8	203.2	- 203.2	203.2	N/Q	-			884	- 884	884
		C	3	1	198.2	- 198.2	198.2	N/Q	360	- 360	360	862	- 862	862
		D	3	1	175.2	- 175.2	175.2	N/Q	319	- 319	319	788	- 788	788
500-600		C	4	33	192.2	- 211.2	206.1	-7	343	- 377	368	1028	- 1218	1136
		D	3	4	178.2	- 179.2	178.7	N/Q	324	- 326	325	918	- 1048	983
600-750		C	3	5	181.2	- 181.2	181.2	N/Q	330	- 330	330	1151	- 1151	1151
		C	4	7	215.2	- 215.2	215.2	1	384	- 384	384	1345	- 1345	1345
				61	175.2	215.2			319	384		770	1345	
Grown Heifer														
0-540		C	3	8	155.2	- 173.2	166.5	-2	293	- 333	318	598	- 650	630
		C	4	4	184.2	- 189.2	186.7	-8	348	- 357	352	985	- 1012	999
	RS	D	1	4	127.2	- 127.2	127.2	N/Q	-			477	- 477	477
	RS	D	2	3	114.2	- 114.2	114.2	N/Q	-			440	- 440	440
		D	2	3	137.2	- 137.2	137.2	N/Q	286	- 286	286	528	- 528	528
		D	3	8	152.0	- 177.2	158.9	N/Q	292	- 341	306	707	- 927	754
540+		C	4	5	188.2	- 203.2	198.2	-10	355	- 383	374	1082	- 1168	1140

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
				35	114.2	203.2			286	383		440	1168	
Manufacturing Steer														
540+		C	3	2	178.2	- 178.2	178.2	N/Q	324	- 324	324	1221	- 1221	1221
				2	178.2	178.2			324	324		1221	1221	
Cows														
0-400		D	1	56	65.2	- 125.2	105.5	24	148	- 285	240	245	- 501	406
		D	2	8	127.2	- 130.2	128.7	24	277	- 283	280	477	- 521	499
		E	1	2	47.2	- 47.2	47.2	N/Q	107	- 107	107	151	- 151	151
400-520	RS	D	1	13	134.2	- 149.2	146.9	N/Q		-		584	- 656	645
		D	1	25	104.2	- 128.2	119.8	N/Q	237	- 291	272	453	- 570	523
	DA	D	1	3	128.2	- 128.2	128.2	N/Q	291	- 291	291	641	- 641	641
	DA	D	2	3	128.2	- 147.2	134.5	N/Q	279	- 320	293	596	- 736	643
		D	2	117	126.2	- 157.2	142.4	8	274	- 342	310	549	- 763	641
		D	3	25	156.2	- 168.2	162.7	N/Q	319	- 343	332	726	- 792	760
		D	4	10	171.2	- 186.2	175.8	N/Q	336	- 365	345	745	- 922	835
520+	DA	D	1	2	121.2	- 121.2	121.2	N/Q	276	- 276	276	648	- 648	648
	DA	D	2	4	138.2	- 149.2	143.7	N/Q	300	- 324	312	829	- 947	888
		D	2	6	149.2	- 164.2	158.2	N/Q	324	- 357	344	843	- 895	870
	DA	D	3	2	164.2	- 165.2	164.7	N/Q	335	- 337	336	878	- 900	889
		D	3	29	166.2	- 179.2	171.3	14	339	- 366	350	889	- 1066	939
		D	4	30	179.2	- 190.6	184.4	N/Q	351	- 374	362	963	- 1144	1043
		D	5	4	150.0	- 167.2	162.9	N/Q	306	- 341	332	818	- 911	888
				339	47.2	190.6			107	374		151	1144	
Bulls														
0-450		C	2	5	163.2	- 172.2	170.4	N/Q	297	- 313	310	405	- 530	430
	FD	C	2	18	143.2	- 168.2	153.8	16		-		386	- 598	515
	FD	C	3	4	176.2	- 176.2	176.2	5		-		467	- 467	467
		D	2	1	120.0	- 120.0	120.0	N/Q	218	- 218	218	450	- 450	450
		D	3	1	160.0	- 160.0	160.0	N/Q	291	- 291	291	720	- 720	720
450-600		C	2	1	156.2	- 156.2	156.2	N/Q	284	- 284	284	836	- 836	836
		C	3	4	188.2	- 198.2	193.2	-15	336	- 354	345	1007	- 1101	1057
		D	2	1	139.2	- 139.2	139.2	N/Q	253	- 253	253	745	- 745	745
600+		C	2	1	179.2	- 179.2	179.2	N/Q	326	- 326	326	1165	- 1165	1165
		C	3	22	180.0	- 227.2	216.6	-3	321	- 406	387	1233	- 2130	1637
				58	120.0	227.2			218	406		386	2130	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2014. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.