

## Over the hooks report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Queensland

report date 14 Nov 2014

There were no changes to over-the-hooks rates this week, with prices for all cattle categories remaining firm compared to last week, with steady numbers reportedly flowing through to works.

| Grade                | Weight Range<br>(cwt kg) | Dentition | Muscle<br>Score | Fat<br>Score | Average<br>(c/kg cwt) | Trend |
|----------------------|--------------------------|-----------|-----------------|--------------|-----------------------|-------|
| <b>-</b>             |                          |           |                 |              |                       |       |
| <b>Yearlings</b>     |                          |           |                 |              |                       |       |
| Steers               | 220-240                  | 0-2 (YG)  | A-C             | 5-22         | 366                   | NC    |
|                      | 240-260                  | 0-2 (YG)  | A-C             | 5-22         | 371                   | NC    |
|                      | 260-280                  | 0-2 (YG)  | A-C             | 5-22         | 376                   | NC    |
|                      | 280-300                  | 0-2 (YG)  | A-C             | 5-22         | 381                   | NC    |
|                      | 300-320                  | 0-2 (YG)  | A-C             | 5-22         | 385                   | NC    |
| Heifers              | 220-240                  | 0-2 (YG)  | A-C             | 5-22         | 361                   | NC    |
|                      | 240-260                  | 0-2 (YG)  | A-C             | 5-22         | 366                   | NC    |
|                      | 260-280                  | 0-2 (YG)  | A-C             | 5-22         | 371                   | NC    |
|                      | 280-300                  | 0-2 (YG)  | A-C             | 5-22         | 376                   | NC    |
|                      | 300-320                  | 0-2 (YG)  | A-C             | 5-22         | 380                   | NC    |
| <b>MSA Yearlings</b> |                          |           |                 |              |                       |       |
| Steers               | 220-240                  | 0-2 (YG)  | A-C             | 5-22         | 395                   | NC    |
|                      | 240-260                  | 0-2 (YG)  | A-C             | 5-22         | 403                   | NC    |
|                      | 260-280                  | 0-2 (YG)  | A-C             | 5-22         | 408                   | NC    |
|                      | 280-300                  | 0-2 (YG)  | A-C             | 5-22         | 410                   | NC    |
|                      | 300-320                  | 0-2 (YG)  | A-C             | 5-22         | 412                   | NC    |
| Heifers              | 220-240                  | 0-2 (YG)  | A-C             | 5-22         | 393                   | NC    |
|                      | 240-260                  | 0-2 (YG)  | A-C             | 5-22         | 398                   | NC    |
|                      | 260-280                  | 0-2 (YG)  | A-C             | 5-22         | 403                   | NC    |
|                      | 280-300                  | 0-2 (YG)  | A-C             | 5-22         | 405                   | NC    |
|                      | 300-320                  | 0-2 (YG)  | A-C             | 5-22         | 407                   | NC    |
| <b>Grown Steers</b>  |                          |           |                 |              |                       |       |
|                      | 240-260                  | 0-4 (YP)  | A-C             | 5-22         | 360                   | NC    |
|                      |                          | 0-6 (PR)  | A-C             | 5-22         | 355                   | NC    |
|                      |                          | 0-8 (S)   | A-C             | 5-22         | 347                   | NC    |
|                      | 260-280                  | 0-4 (YP)  | A-C             | 5-22         | 367                   | NC    |
|                      |                          | 0-6 (PR)  | A-C             | 5-22         | 362                   | NC    |
|                      |                          | 0-8 (S)   | A-C             | 5-22         | 355                   | NC    |
|                      | 280-300                  | 0-4 (YP)  | A-C             | 5-22         | 375                   | NC    |
|                      |                          | 0-6 (PR)  | A-C             | 5-22         | 371                   | NC    |
|                      |                          | 0-8 (S)   | A-C             | 5-22         | 360                   | NC    |
|                      | 300-400                  | 0-4 (YP)  | A-C             | 5-22         | 381                   | NC    |
|                      |                          | 0-6 (PR)  | A-C             | 5-22         | 376                   | NC    |
|                      |                          | 0-8 (S)   | A-C             | 5-22         | 366                   | NC    |

| Grade                | Weight Range<br>(cwt kg) | Dentition | Muscle<br>Score | Fat<br>Score | Average<br>(c/kg cwt) | Trend |
|----------------------|--------------------------|-----------|-----------------|--------------|-----------------------|-------|
| Cows                 |                          |           |                 |              |                       |       |
|                      | 180-200                  | 0-8 (C)   | A-D             | 13-22        | 318                   | NC    |
|                      |                          | 0-8 (C)   | A-D             | 3-12         | 324                   | NC    |
|                      |                          | 0-8 (C)   | A-E             | 0-32         | 303                   | NC    |
|                      | 200-220                  | 0-8 (C)   | A-D             | 13-22        | 325                   | NC    |
|                      |                          | 0-8 (C)   | A-D             | 3-12         | 330                   | NC    |
|                      |                          | 0-8 (C)   | A-E             | 0-32         | 312                   | NC    |
|                      | 220-240                  | 0-8 (C)   | A-D             | 13-22        | 330                   | NC    |
|                      |                          | 0-8 (C)   | A-D             | 3-12         | 335                   | NC    |
|                      |                          | 0-8 (C)   | A-E             | 0-32         | 320                   | NC    |
|                      | 240-260                  | 0-8 (C)   | A-D             | 13-22        | 335                   | NC    |
|                      |                          | 0-8 (C)   | A-D             | 3-12         | 341                   | NC    |
|                      |                          | 0-8 (C)   | A-E             | 0-32         | 325                   | NC    |
|                      | 260-280                  | 0-8 (C)   | A-D             | 13-22        | 340                   | NC    |
|                      |                          | 0-8 (C)   | A-D             | 3-12         | 345                   | NC    |
|                      |                          | 0-8 (C)   | A-E             | 0-32         | 330                   | NC    |
|                      | 280-300                  | 0-8 (C)   | A-D             | 13-22        | 345                   | NC    |
|                      |                          | 0-8 (C)   | A-D             | 3-12         | 350                   | NC    |
|                      |                          | 0-8 (C)   | A-E             | 0-32         | 335                   | NC    |
|                      | 300-400                  | 0-8 (C)   | A-D             | 13-22        | 350                   | NC    |
|                      |                          | 0-8 (C)   | A-D             | 3-12         | 355                   | NC    |
|                      |                          | 0-8 (C)   | A-E             | 0-32         | 339                   | NC    |
| Bulls                |                          |           |                 |              |                       |       |
|                      | 260-280                  | 0-8 (B)   | A-E             | 0-32         | 329                   | NC    |
|                      | 280-300                  | 0-8 (B)   | A-E             | 0-32         | 315                   | NC    |
|                      | 300-320                  | 0-8 (B)   | A-E             | 0-32         | 317                   | NC    |
|                      | 320-440                  | 0-8 (B)   | A-E             | 0-32         | 323                   | NC    |
| Grainfed 70 Days     |                          |           |                 |              |                       |       |
| Steers               | 220-240                  | 0-2 (YG)  | A-C             | 5-22         | 392                   | NC    |
|                      | 240-260                  | 0-2 (YG)  | A-C             | 5-22         | 400                   | NC    |
|                      | 260-280                  | 0-2 (YG)  | A-C             | 5-22         | 405                   | NC    |
|                      | 280-300                  | 0-2 (YG)  | A-C             | 5-22         | 407                   | NC    |
|                      | 300-320                  | 0-2 (YG)  | A-C             | 5-22         | 408                   | NC    |
| Heifers              | 220-240                  | 0-2 (YG)  | A-C             | 5-22         | 390                   | NC    |
|                      | 240-260                  | 0-2 (YG)  | A-C             | 5-22         | 395                   | NC    |
|                      | 260-280                  | 0-2 (YG)  | A-C             | 5-22         | 400                   | NC    |
|                      | 280-300                  | 0-2 (YG)  | A-C             | 5-22         | 402                   | NC    |
|                      | 300-320                  | 0-2 (YG)  | A-C             | 5-22         | 403                   | NC    |
| MSA Grainfed 70 Days |                          |           |                 |              |                       |       |
| Steers               | 220-240                  | 0-2 (YG)  | A-C             | 5-22         | 407                   | NC    |
|                      | 240-260                  | 0-2 (YG)  | A-C             | 5-22         | 414                   | NC    |
|                      | 260-280                  | 0-2 (YG)  | A-C             | 5-22         | 419                   | NC    |
|                      | 280-300                  | 0-2 (YG)  | A-C             | 5-22         | 420                   | NC    |
|                      | 300-320                  | 0-2 (YG)  | A-C             | 5-22         | 422                   | NC    |
| Heifers              | 220-240                  | 0-2 (YG)  | A-C             | 5-22         | 405                   | NC    |
|                      | 240-260                  | 0-2 (YG)  | A-C             | 5-22         | 409                   | NC    |
|                      | 260-280                  | 0-2 (YG)  | A-C             | 5-22         | 414                   | NC    |

| Grade                        | Weight Range<br>(cwt kg) | Dentition | Muscle<br>Score | Fat<br>Score | Average<br>(c/kg cwt) | Trend |
|------------------------------|--------------------------|-----------|-----------------|--------------|-----------------------|-------|
|                              | 280-300                  | 0-2 (YG)  | A-C             | 5-22         | 415                   | NC    |
|                              | 300-320                  | 0-2 (YG)  | A-C             | 5-22         | 417                   | NC    |
| <b>Grainfed 100 Days</b>     |                          |           |                 |              |                       |       |
| Steers                       | 220-240                  | 0-2 (YG)  | A-C             | 5-22         | 403                   | NC    |
|                              | 240-260                  | 0-2 (YG)  | A-C             | 5-22         | 409                   | NC    |
|                              | 260-280                  | 0-2 (YG)  | A-C             | 5-22         | 413                   | NC    |
|                              | 280-300                  | 0-2 (YG)  | A-C             | 5-22         | 418                   | NC    |
|                              | 300-320                  | 0-2 (YG)  | A-C             | 5-22         | 423                   | NC    |
| Heifers                      | 220-240                  | 0-2 (YG)  | A-C             | 5-22         | 398                   | NC    |
|                              | 240-260                  | 0-2 (YG)  | A-C             | 5-22         | 404                   | NC    |
|                              | 260-280                  | 0-2 (YG)  | A-C             | 5-22         | 408                   | NC    |
|                              | 280-300                  | 0-2 (YG)  | A-C             | 5-22         | 413                   | NC    |
|                              | 300-320                  | 0-2 (YG)  | A-C             | 5-22         | 418                   | NC    |
| <b>MSA Grainfed 100 Days</b> |                          |           |                 |              |                       |       |
| Steers                       | 220-240                  | 0-2 (YG)  | A-C             | 5-22         | 409                   | NC    |
|                              | 240-260                  | 0-2 (YG)  | A-C             | 5-22         | 417                   | NC    |
|                              | 260-280                  | 0-2 (YG)  | A-C             | 5-22         | 422                   | NC    |
|                              | 280-300                  | 0-2 (YG)  | A-C             | 5-22         | 424                   | NC    |
|                              | 300-320                  | 0-2 (YG)  | A-C             | 5-22         | 426                   | NC    |
| Heifers                      | 220-240                  | 0-2 (YG)  | A-C             | 5-22         | 404                   | NC    |
|                              | 240-260                  | 0-2 (YG)  | A-C             | 5-22         | 412                   | NC    |
|                              | 260-280                  | 0-2 (YG)  | A-C             | 5-22         | 417                   | NC    |
|                              | 280-300                  | 0-2 (YG)  | A-C             | 5-22         | 419                   | NC    |
|                              | 300-320                  | 0-2 (YG)  | A-C             | 5-22         | 421                   | NC    |

**Disclaimer:**

© MLA 2014. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.