

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 11 Nov 2014

Yarding Change $\frac{1737}{-10}$

comparison date 04/11/2014

The deteriorating seasonal conditions maintained the supply of stock at close to the previous week's high level. There was a wide variation in the standard of the young cattle, however supplementary fed lines helped lift quality in places and there were larger numbers of poor conditioned lines in the cow section. The usual exporters were in attendance and operating along with a reduced panel of feeder operators. The usual trade buyers were active plus a handful of restockers. Young lightweight, drought affected cattle tended to struggle to attract much competition. However, well-presented vealer heifers sold to a dearer market, and despite the absence of one domestic feeder operator medium weight yearling steers lifted in price. Heavy weight yearling steers to feed went against this trend, to average 4c/kg cheaper. Heavy grown steers and bullocks averaged 4c to 6c/kg lower. Cows experienced a mixed trend, with slaughter categories 7c to 9c/kg cheaper. However, poor conditioned classes to restockers improved in price by 2c to 5c/kg, assisted by some southern orders as well as some local interest.

The largest number of calves returned to the paddock at 166c, with sales to 185.2c/kg. Vealer heifers to processors averaged 174c, while those to local butchers averaged 190c and made to 205c/kg. Medium weight yearling steers to feed averaged in the mid-190c range, with sales to 202.2c/kg. Heavyweight lines to feed averaged 198c and slaughter descriptions made to 213.2c, to average 198c/kg. The best of the lightweight yearling heifers averaged 162c and D muscled lines at 145c/kg. Medium weight classes to feed averaged 175c and sold to 187.2c, while local trade lines mostly sold around 177c/kg.

Heavy grown steers and bullocks averaged 200c, with the bullock portion reaching 204.2c/kg. A fair supply of full mouth bullocks averaged 185c and made to 190.2c/kg. Lightweight plain conditioned cows to restockers averaged 114c and medium weights at 125c/kg. Medium weight 2 scores to processors averaged 134c and the 3 scores at 150c/kg. Good heavy cows made to a top of 172.2c, to average 167c/kg. Heavy bulls made to 190.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head				
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg		
Calves																
0-80		C	2	4	130.0	- 130.0	130.0	N/Q	245	-	245	245	104	-	104	104
		D	1	1	80.2	- 80.2	80.2	N/Q	151	-	151	151	44	-	44	44
80+	RS	C	1	12	190.2	- 190.2	190.2	24	-	-	-	257	-	257	257	
	RS	C	2	78	140.2	- 185.2	166.0	-3	-	-	-	136	-	361	263	
		C	2	21	130.2	- 178.2	168.4	N/Q	246	-	336	318	130	-	315	269
	RS	D	1	20	120.2	- 126.2	124.9	1	-	-	-	138	-	183	170	
				136	80.2	190.2		151	336		44	361				
Vealer Steer																
200-280	FD	C	2	1	180.0	- 180.0	180.0	N/Q	-	-	-	477	-	477	477	
	RS	C	2	4	170.0	- 170.0	170.0	N/Q	-	-	-	434	-	434	434	
		C	3	1	193.2	- 193.2	193.2	N/Q	351	-	351	351	512	-	512	512
		D	2	1	160.0	- 160.0	160.0	N/Q	291	-	291	291	376	-	376	376
	RS	D	2	3	163.2	- 163.2	163.2	N/Q	-	-	-	416	-	416	416	
280-330		C	2	5	173.2	- 187.2	181.6	N/Q	315	-	340	330	494	-	534	518
	FD	C	2	6	175.0	- 175.2	175.1	N/Q	-	-	-	499	-	517	502	
	RS	C	2	5	185.0	- 185.0	185.0	N/Q	-	-	-	527	-	527	527	
		C	3	3	206.2	- 206.2	206.2	N/C	375	-	375	375	588	-	588	588
				29	160.0	206.2		291	375		376	588				
Vealer Heifer																
200-280		C	2	35	160.0	- 184.2	174.1	5	296	-	341	322	414	-	464	444
	FD	C	2	23	168.0	- 180.0	173.0	-11	-	-	-	421	-	486	452	
		C	3	9	183.2	- 198.0	189.4	6	339	-	367	351	485	-	525	502

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
280-330	FD	C	2	7	175.0	- 177.2	175.6	N/Q	-			516	- 523	518
		C	3	30	183.2	- 205.0	190.6	1	339	- 380	353	527	- 677	573
				104	160.0	205.0			296	380		414	677	
Yearling Steer														
0-330		C	2	5	179.2	- 179.2	179.2	4	326	- 326	326	421	- 421	421
	FD	C	2	22	178.2	- 195.2	185.9	7	-			419	- 586	495
	RS	C	2	10	182.2	- 182.2	182.2	N/C	-			410	- 410	410
	RS	D	2	39	142.2	- 162.2	156.9	5	-			320	- 409	372
	FD	D	2	12	150.0	- 160.0	154.6	19	-			349	- 408	365
330-400	RS	C	1	6	178.2	- 178.2	178.2	N/Q	-			624	- 624	624
	RS	C	2	8	179.2	- 179.2	179.2	N/Q	-			690	- 690	690
	FD	C	2	78	180.0	- 202.2	195.2	11	-			603	- 755	698
	FD	C	3	45	181.2	- 202.2	193.7	1	-			625	- 767	706
		C	3	6	193.2	- 202.2	197.7	4	351	- 368	360	705	- 708	706
	FD	D	2	6	160.0	- 165.2	163.5	14	-			553	- 584	564
400+	FD	C	2	2	180.0	- 180.0	180.0	N/Q	-			765	- 765	765
	FD	C	3	73	187.2	- 205.0	198.3	-4	-			810	- 942	872
		C	3	37	190.0	- 213.2	198.4	-2	346	- 388	361	832	- 1087	945
	FD	D	2	12	176.2	- 179.2	178.0	N/Q	-			749	- 762	756
				361	142.2	213.2			326	388		320	1087	
Yearling Heifer														
0-330		C	2	3	160.0	- 160.0	160.0	-2	296	- 296	296	456	- 456	456
	FD	C	2	8	162.2	- 162.2	162.2	-8	-			365	- 365	365
		D	2	3	140.0	- 140.0	140.0	8	259	- 259	259	329	- 329	329
	RS	D	2	37	140.0	- 155.0	145.1	5	-			315	- 366	343
330-400	FD	C	2	40	153.2	- 187.2	175.0	1	-			513	- 676	608
		C	2	1	159.2	- 159.2	159.2	N/Q	295	- 295	295	597	- 597	597
	FD	C	3	28	155.0	- 187.2	179.0	3	-			581	- 717	644
		C	3	20	174.2	- 180.2	177.5	-5	323	- 334	329	633	- 667	639
	FD	D	2	30	133.2	- 149.2	143.6	-1	-			446	- 523	494
	RS	D	2	1	110.0	- 110.0	110.0	N/Q	-			413	- 413	413
400+	FD	C	3	20	172.2	- 187.2	184.2	N/Q	-			749	- 805	796
		C	3	1	160.0	- 160.0	160.0	N/Q	296	- 296	296	696	- 696	696
	FD	D	2	3	152.2	- 152.2	152.2	N/Q	-			662	- 662	662
				195	110.0	187.2			259	334		315	805	
Grown Steer														
400-500	FD	C	3	4	190.2	- 190.2	190.2	1	-			941	- 941	941
	FD	D	2	7	131.2	- 131.2	131.2	N/Q	-			531	- 531	531
500-600	FD	C	3	6	195.0	- 195.0	195.0	N/Q	-			1024	- 1024	1024
		C	3	1	160.2	- 160.2	160.2	N/Q	291	- 291	291	905	- 905	905
		C	4	31	193.2	- 203.2	200.3	-6	345	- 363	358	1070	- 1203	1161
600-750		C	3	2	168.2	- 168.2	168.2	N/Q	306	- 306	306	1093	- 1093	1093
		C	4	49	192.2	- 204.2	200.6	-4	343	- 365	358	1191	- 1426	1284
				100	131.2	204.2			291	365		531	1426	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
Grown Heifer															
0-540		C	3	30	163.2	- 170.2	166.7	N/C	312	- 325	317	702	- 791	751	
		C	4	2	185.2	- 185.2	185.2	N/Q	349	- 349	349	991	- 991	991	
		D	2	15	124.2	- 133.2	128.3	N/Q	259	- 278	267	478	- 566	525	
		D	3	11	130.0	- 133.2	130.9	N/Q	245	- 251	247	501	- 599	527	
540+		C	4	1	182.2	- 182.2	182.2	N/Q	344	- 344	344	1066	- 1066	1066	
				59	124.2	185.2			245	349		478	1066		
Manufacturing Steer															
540+		C	3	2	168.2	- 168.2	168.2	N/Q	306	- 306	306	1177	- 1177	1177	
		C	4	58	178.2	- 190.2	185.4	N/Q	318	- 340	331	1189	- 1399	1291	
		D	3	4	156.2	- 156.2	156.2	N/Q	284	- 284	284	976	- 976	976	
				64	156.2	190.2			284	340		976	1399		
Cows															
0-400	RS	D	1	37	100.0	- 124.2	114.7	5	-	-	-	391	- 497	443	
	DA	D	1	4	66.2	- 66.2	66.2	N/Q	151	- 151	151	242	- 242	242	
		D	1	17	80.0	- 116.2	100.0	-10	182	- 264	227	281	- 447	384	
		D	2	1	125.2	- 125.2	125.2	N/Q	272	- 272	272	501	- 501	501	
		E	1	24	40.0	- 60.0	44.2	N/Q	91	- 136	100	130	- 225	152	
		RS	E	1	1	148.2	- 148.2	148.2	N/Q	-	-	-	519	- 519	519
		DA	E	1	1	60.0	- 60.0	60.0	N/Q	136	- 136	136	225	- 225	225
	400-520		D	1	23	90.2	- 126.2	115.6	-8	205	- 287	263	383	- 549	497
		RS	D	1	70	110.0	- 133.2	125.0	2	-	-	-	468	- 635	537
		RS	D	2	16	128.2	- 139.2	133.0	N/Q	-	-	-	571	- 626	591
		D	2	57	122.0	- 144.2	134.7	-7	265	- 314	293	562	- 661	627	
		D	3	38	146.2	- 155.2	150.8	-9	298	- 317	308	649	- 728	678	
		D	4	2	155.0	- 159.2	157.1	N/Q	304	- 312	308	752	- 788	770	
520+		D	2	9	137.2	- 149.2	143.4	N/Q	298	- 324	312	734	- 798	770	
	RS	D	2	5	145.2	- 145.2	145.2	N/Q	-	-	-	777	- 777	777	
	DA	D	2	15	125.2	- 135.2	132.3	-27	272	- 294	288	682	- 723	711	
		D	3	29	150.0	- 163.2	154.8	2	306	- 333	316	803	- 908	832	
		D	4	42	163.2	- 172.2	167.6	-9	320	- 338	329	900	- 1033	973	
		D	5	1	143.2	- 143.2	143.2	N/Q	292	- 292	292	766	- 766	766	
			392	40.0	172.2			91	338		130	1033			
Bulls															
0-450	FD	C	3	7	151.2	- 164.2	162.3	N/Q	-	-	-	643	- 739	725	
	RS	C	3	1	190.0	- 190.0	190.0	N/Q	-	-	-	808	- 808	808	
		C	3	13	158.2	- 185.2	170.8	10	283	- 337	306	657	- 761	728	
		D	1	3	80.0	- 82.2	80.7	N/Q	146	- 150	147	292	- 329	304	
		D	2	2	128.2	- 128.2	128.2	N/Q	233	- 233	233	577	- 577	577	
450-600	FD	C	2	1	147.2	- 147.2	147.2	N/Q	-	-	-	714	- 714	714	
		C	3	10	161.2	- 169.2	167.5	-5	288	- 302	299	801	- 956	875	
600+		C	2	1	140.0	- 140.0	140.0	N/Q	255	- 255	255	1050	- 1050	1050	
		C	3	22	170.2	- 190.2	180.0	-17	304	- 336	321	1083	- 1685	1372	
		D	2	2	145.2	- 149.2	147.2	N/Q	264	- 271	268	908	- 970	939	
			62	80.0	190.2			146	337		292	1685			

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2014. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.