

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 27 Jan 2015

Yarding Change 1847
-200

comparison date 20/01/2015

There was a small reduction in supply, however numbers still remained relatively high. The usual panel of exporters were in attendance, however one was not operating on cows and bullocks. The regular trade and feeder buyers, plus a good panel of restockers, were active in the young cattle section. Restockers lifted prices on light weight yearling steers and heifers. Medium and heavy weight yearlings to the trade and feed maintained the recent improved prices and in places managed to gain 5c to 10c/kg. Cows sold to stronger demand and prices lifted by 4c to 10c, and up to 13c/kg in places.

Calves returning to the paddock made to 249.2c to average 231c/kg. Vealer heifers mostly sold in the 230c range, with some to butchers reaching 261.2c/kg. Light weight yearling steers to restockers averaged close to 260c and made to 280.2c/kg. Most of the medium weights to feed sold in the 250c range with some to 265.2c, while a handful to the trade averaged 260c/kg. Heavy weights to feed averaged 251c and made to 262.2c/kg. Light weight yearling heifers to feed, restock and the trade averaged close to 230c, with some to 239.2c/kg. Medium weights to feed made to a top of 258.2c to average 239c/kg. A good sample to the trade made to 245.2c to average 237c/kg.

Heavy grown steers averaged 236c and bullocks made to 245.2c to average 240c/kg. Medium weight 2 score cows averaged 173c and made to 188.2c, while the 3 scores averaged 194c/kg. The fair supply of good heavy cows made to 232.2c to average 223c/kg. Heavy bulls made to 254.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80	RS	C	2	2	250.2	- 250.2	250.2	N/Q	-	-	-	163	- 163	163
80+	RS	C	1	4	234.2	- 234.2	234.2	N/Q	-	-	-	433	- 433	433
		C	2	16	170.0	- 220.2	210.7	40	321	- 408	391	145	- 385	340
	RS	C	2	30	190.2	- 249.2	231.8	8	-	-	-	319	- 444	396
	RS	D	2	1	147.2	- 147.2	147.2	N/Q	-	-	-	213	- 213	213
				53	147.2	250.2			321	408		145	444	
Vealer Steer														
200-280	FD	C	2	4	237.0	- 237.0	237.0	-5	-	-	-	557	- 557	557
280-330	FD	C	2	3	243.2	- 243.2	243.2	N/Q	-	-	-	693	- 693	693
		C	3	2	251.2	- 260.2	255.7	N/Q	457	- 482	469	766	- 781	773
				9	237.0	260.2			457	482		557	781	
Vealer Heifer														
200-280	FD	C	2	29	223.2	- 244.2	230.4	7	413	- 452	427	518	- 598	559
		C	2	8	234.2	- 235.0	234.6	N/C	-	-	-	550	- 623	587
		C	3	3	235.0	- 240.2	236.7	7	435	- 445	438	564	- 623	603
280-330	FD	C	2	2	243.2	- 243.2	243.2	N/Q	-	-	-	717	- 717	717
		C	3	10	240.0	- 261.2	244.1	7	444	- 484	452	684	- 800	729
				52	223.2	261.2			413	484		518	800	
Yearling Steer														
0-200	RS	D	1	7	226.2	- 226.2	226.2	N/Q	-	-	-	418	- 418	418
		D	2	6	227.2	- 227.2	227.2	N/Q	-	-	-	420	- 420	420
200-280	RS	C	1	8	251.2	- 251.2	251.2	N/Q	-	-	-	528	- 528	528
		C	2	69	235.2	- 280.2	259.8	25	-	-	-	490	- 715	634
		C	2	16	219.2	- 236.2	231.3	N/Q	399	- 430	421	543	- 626	591

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
	FD	C	2	25	231.2	- 254.2	240.9	1	-				520	- 649	583
	RS	D	1	18	220.2	- 234.2	228.1	N/Q	-				451	- 527	499
	FD	D	2	2	224.2	- 224.2	224.2	N/Q	-				594	- 594	594
		D	2	9	200.2	- 221.2	214.2	5	364	- 402	390		470	- 498	489
	RS	D	2	36	220.0	- 230.2	227.8	42	-				506	- 607	535
280-330	FD	C	2	5	245.0	- 245.0	245.0	N/C	-				735	- 735	735
330-400	FD	C	2	104	230.0	- 265.2	250.5	1	-				828	- 968	883
		C	3	7	258.2	- 260.2	259.9	17	470	- 473	473		891	- 950	941
	FD	C	3	118	227.2	- 265.2	255.6	6	-				761	- 1048	930
	FD	D	2	7	207.2	- 207.2	207.2	16	-				704	- 704	704
		D	3	1	183.2	- 183.2	183.2	N/Q	333	- 333	333		705	- 705	705
400+	FD	C	2	1	243.2	- 243.2	243.2	N/Q	-				1058	- 1058	1058
		C	3	21	243.2	- 258.2	253.8	4	442	- 470	461		1123	- 1148	1134
	FD	C	3	40	224.2	- 262.2	251.6	1	-				1020	- 1139	1096
				500	183.2	280.2			333	473			418	1148	
Yearling Heifer															
200-280	RS	C	2	20	224.2	- 239.2	231.7	10	-				493	- 526	510
		C	2	25	221.2	- 237.0	232.4	12	410	- 439	431		520	- 628	586
	FD	C	2	30	220.0	- 235.2	228.9	-1	-				495	- 576	523
	RS	D	1	8	180.2	- 180.2	180.2	N/Q	-				378	- 378	378
		D	2	9	210.2	- 215.0	212.9	22	389	- 398	394		484	- 557	516
280-330		C	2	1	210.0	- 210.0	210.0	N/Q	389	- 389	389		599	- 599	599
	FD	C	3	6	238.2	- 238.2	238.2	N/Q	-				774	- 774	774
		D	2	6	209.2	- 209.2	209.2	N/Q	387	- 387	387		596	- 596	596
330-400	FD	C	2	53	220.0	- 258.2	238.9	10	-				825	- 968	871
		C	2	1	210.0	- 210.0	210.0	N/Q	389	- 389	389		735	- 735	735
	RS	C	2	6	208.2	- 208.2	208.2	N/Q	-				718	- 718	718
		C	3	65	216.2	- 245.2	237.0	3	400	- 454	439		770	- 932	840
	FD	C	3	48	230.0	- 241.2	237.9	5	-				798	- 913	862
	RS	D	2	17	180.0	- 191.2	187.2	N/Q	-				621	- 669	653
		D	2	10	162.2	- 173.2	171.0	N/Q	300	- 321	317		543	- 667	642
400+	FD	C	2	3	209.2	- 209.2	209.2	N/Q	-				889	- 889	889
	FD	C	3	30	235.0	- 243.2	240.1	15	-				999	- 1054	1024
		C	3	3	233.2	- 233.2	233.2	9	432	- 432	432		1014	- 1014	1014
	RS	D	2	2	184.2	- 184.2	184.2	N/Q	-				783	- 783	783
				343	162.2	258.2			300	454			378	1054	
Grown Steer															
0-400		D	2	1	170.0	- 170.0	170.0	N/Q	309	- 309	309		655	- 655	655
	RS	D	2	2	161.2	- 161.2	161.2	N/Q	-				588	- 588	588
400-500	FD	C	3	10	222.2	- 238.0	230.5	11	-				967	- 1012	991
		C	4	6	235.2	- 235.2	235.2	N/Q	420	- 420	420		1082	- 1082	1082
		D	3	1	194.2	- 194.2	194.2	N/Q	353	- 353	353		845	- 845	845
500-600	GF	C	4	2	240.2	- 240.2	240.2	N/Q	429	- 429	429		1285	- 1285	1285
		C	4	21	227.2	- 243.2	236.3	-7	406	- 434	422		1261	- 1447	1311
600-750		C	4	25	235.2	- 245.2	240.0	1	420	- 438	429		1458	- 1595	1520

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
				68	161.2	245.2			309	438		588	1595	
Grown Heifer														
0-540		C	3	5	188.2	- 225.2	216.2	N/Q	355	- 433	414	800	- 1205	1083
	DA	D	2	3	185.2	- 185.2	185.2	N/Q	386	- 386	386	880	- 880	880
		D	2	17	160.0	- 170.2	165.4	1	333	- 355	345	640	- 723	671
		D	3	10	202.2	- 222.2	208.6	13	389	- 427	401	910	- 1189	1003
				35	160.0	225.2			333	433		640	1205	
Manufacturing Steer														
540+		C	4	14	219.2	- 235.2	232.9	N/Q	391	- 420	416	1494	- 1506	1495
				14	219.2	235.2			391	420		1494	1506	
Cows														
0-400	RS	D	1	6	99.2	- 134.2	128.4	N/Q	-	-	-	347	- 517	488
	DA	D	1	2	110.2	- 133.2	121.7	N/Q	251	- 303	277	441	- 533	487
		D	1	35	105.0	- 150.0	133.1	N/C	239	- 341	303	420	- 600	529
		D	2	11	152.2	- 172.2	170.4	16	331	- 374	370	609	- 689	682
		D	3	6	178.2	- 178.2	178.2	N/Q	364	- 364	364	713	- 713	713
400-520		D	1	7	121.2	- 159.2	144.4	N/C	276	- 362	328	515	- 677	620
	DA	D	1	7	131.2	- 150.0	133.9	-20	298	- 341	304	571	- 638	580
	RS	D	1	2	145.2	- 163.2	154.2	N/Q	-	-	-	632	- 694	663
	RS	D	2	14	160.2	- 160.2	160.2	-8	-	-	-	697	- 697	697
	DA	D	2	1	180.0	- 180.0	180.0	N/Q	367	- 367	367	783	- 783	783
		D	2	87	162.2	- 188.2	173.7	6	353	- 409	378	689	- 932	798
		D	3	60	184.2	- 202.2	194.2	4	376	- 413	396	814	- 1001	924
		D	4	93	201.2	- 221.2	213.8	9	395	- 434	419	914	- 1073	1025
520+		C	1	2	179.2	- 179.2	179.2	N/Q	407	- 407	407	959	- 959	959
		C	2	1	204.2	- 204.2	204.2	N/Q	417	- 417	417	1092	- 1092	1092
		C	3	2	200.0	- 200.0	200.0	N/Q	400	- 400	400	1050	- 1050	1050
	DA	D	1	5	176.2	- 176.2	176.2	N/Q	401	- 401	401	943	- 943	943
		D	2	6	168.2	- 188.2	181.5	4	366	- 409	395	900	- 1007	971
		D	3	25	184.2	- 209.2	202.8	6	376	- 427	414	1041	- 1224	1106
		D	4	130	200.2	- 232.2	223.4	13	393	- 455	438	1130	- 1464	1268
		D	5	5	195.0	- 195.0	195.0	2	398	- 398	398	1170	- 1170	1170
				507	99.2	232.2			239	455		347	1464	
Bulls														
0-450	RS	C	2	8	195.2	- 195.2	195.2	N/Q	-	-	-	459	- 459	459
		C	2	7	168.2	- 213.2	206.3	N/Q	306	- 388	375	520	- 614	534
	FD	C	2	3	169.2	- 169.2	169.2	N/Q	-	-	-	668	- 668	668
		C	3	2	169.2	- 220.0	194.6	N/Q	308	- 400	354	719	- 803	761
450-600		C	2	3	187.2	- 193.2	189.2	N/Q	340	- 351	344	983	- 1130	1032
	RS	C	3	1	180.0	- 180.0	180.0	N/Q	-	-	-	873	- 873	873
		C	3	6	212.2	- 234.2	229.7	26	379	- 418	410	1114	- 1370	1300
		D	2	3	163.2	- 189.2	174.5	N/Q	297	- 344	317	857	- 1012	928
600+		C	2	6	173.2	- 213.2	184.4	N/Q	315	- 388	335	1089	- 1460	1191
		C	3	39	214.2	- 254.2	240.2	4	383	- 454	429	1345	- 2225	1697
		D	2	2	170.0	- 179.2	174.6	N/Q	309	- 326	318	1080	- 1138	1109

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
				80	163.2	254.2			297	454		459	2225	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2015. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.