

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 17 Feb 2015

Yarding Change 1824
-114

comparison date 10/02/2015

Numbers experienced very little change however overall quality declined especially in the young cattle sections. Buyer attendance was good and all were operating, nevertheless prices eased across most classes. Young cattle lost up to 20c in places. Losses were confined to around 5c to 10c/kg on the better end of the vealer steers, heifers and good quality medium and heavy weight yearling steers to feed. The small sample of heavy grown steers and bullocks sold to a cheaper market. All classes of cows sold to an easier trend with the plain condition lines losing 8c to 13c while good heavy cows averaged 16c/kg less.

Calves to restockers made up to 250c and averaged 222c/kg. A few well-bred lines of vealer steers also sold to restockers at an average of 264c with some to 280.2c/kg. Vealer heifers mostly sold around 226c while top end quality lines sold to local butchers at 254.2c/kg. The largest number of medium weight yearling steers to feed averaged 235c while the better lines made to 254.2c to average 247c/kg. Heavyweights to feed averaged 253c and sold to 263.2c/kg. The best of the lightweight yearling heifers averaged 222c and some poor quality lines in the 180c/kg range. Medium weights to feed averaged 221c and a fair sample sold to the trade at 228c with some to 248.2c/kg.

A handful of heavy grown steers made up to 249.2c while a couple of bullocks reached a top of 238.2c/kg. Medium weight plain condition cows averaged 145c and the better 2 scores, 165c/kg. A fairly large selection of good heavy cows made to 207.2c to average 198c/kg. Heavy bulls made to 225.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+		C	2	20	210.0	- 235.0	217.3	-6	396	- 443	410	389	- 435	402
	RS	C	2	22	200.2	- 250.2	222.1	-25	-	-	-	284	- 450	375
	RS	D	1	5	143.2	- 150.0	147.3	N/Q	-	-	-	193	- 218	208
	RS	D	2	9	186.2	- 186.2	186.2	N/Q	-	-	-	344	- 344	344
		D	2	4	168.2	- 170.0	168.7	N/Q	317	- 321	318	227	- 230	228
				60	143.2	250.2			317	443		193	450	
Vealer Steer														
200-280	RS	C	2	24	263.2	- 265.2	264.4	21	-	-	-	619	- 650	637
280-330	RS	C	2	1	280.2	- 280.2	280.2	N/Q	-	-	-	799	- 799	799
	FD	C	2	4	254.2	- 254.2	254.2	1	-	-	-	724	- 724	724
		C	3	3	256.2	- 256.2	256.2	N/Q	466	- 466	466	794	- 794	794
330+		C	3	2	240.0	- 245.0	242.5	N/Q	436	- 446	441	828	- 845	837
	FD	C	3	5	240.0	- 255.0	246.0	N/Q	-	-	-	828	- 880	849
				39	240.0	280.2			436	466		619	880	
Vealer Heifer														
200-280		C	2	23	219.2	- 231.2	226.1	-4	406	- 428	419	451	- 613	545
	FD	C	2	7	225.0	- 225.0	225.0	-8	-	-	-	596	- 596	596
		C	3	3	235.0	- 235.0	235.0	N/Q	435	- 435	435	623	- 623	623
		D	2	3	197.2	- 197.2	197.2	N/Q	365	- 365	365	483	- 483	483
280-330		C	2	6	205.2	- 234.2	214.4	-15	380	- 434	397	585	- 667	611
	FD	C	2	36	219.2	- 241.2	235.4	1	-	-	-	625	- 687	671
		C	3	16	224.2	- 254.2	237.7	-6	415	- 471	440	684	- 826	754
330+		C	3	5	238.2	- 248.2	240.2	N/Q	441	- 460	445	798	- 831	805
				99	197.2	254.2			365	471		451	831	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Yearling Steer														
200-280	FD	C	2	57	224.2	- 265.0	247.3	6	-	-	-	529	- 676	610
	RS	C	2	14	233.2	- 233.2	233.2	-12	-	-	-	595	- 595	595
		D	2	3	211.2	- 211.2	211.2	N/Q	384	- 384	384	496	- 496	496
	RS	D	2	12	200.0	- 200.0	200.0	-26	-	-	-	510	- 510	510
	RS	E	2	6	140.0	- 140.0	140.0	N/Q	-	-	-	371	- 371	371
280-330	RS	C	2	4	229.2	- 229.2	229.2	-24	-	-	-	653	- 653	653
	FD	C	2	47	225.2	- 266.2	260.6	17	-	-	-	642	- 759	743
	FD	D	2	14	216.2	- 231.2	228.0	N/Q	-	-	-	616	- 659	650
330-400	FD	C	2	151	220.0	- 252.2	234.8	-21	-	-	-	754	- 946	821
	FD	C	3	33	240.0	- 254.2	247.7	-16	-	-	-	840	- 900	870
		C	3	3	250.2	- 250.2	250.2	-9	455	- 455	455	938	- 938	938
	FD	D	2	37	169.0	- 215.2	197.4	17	-	-	-	583	- 753	688
400+	FD	C	2	20	230.0	- 245.2	234.6	-9	-	-	-	978	- 1084	1039
	FD	C	3	70	235.0	- 263.2	253.2	-8	-	-	-	1049	- 1238	1175
		C	3	13	246.2	- 261.0	248.1	-12	448	- 475	451	1071	- 1175	1111
	FD	D	2	2	220.0	- 220.0	220.0	N/Q	-	-	-	957	- 957	957
				486	140.0	266.2			384	475		371	1238	
Yearling Heifer														
200-280		C	2	10	214.2	- 214.2	214.2	N/Q	397	- 397	397	482	- 482	482
	FD	C	2	39	209.2	- 228.2	222.1	-6	-	-	-	429	- 605	555
	FD	D	2	10	185.2	- 192.2	189.4	N/Q	-	-	-	380	- 509	457
		D	2	16	138.2	- 200.0	181.7	-29	256	- 370	337	366	- 530	430
280-330	FD	D	2	3	142.0	- 142.0	142.0	N/Q	-	-	-	405	- 405	405
	RS	D	2	12	198.2	- 198.2	198.2	N/Q	-	-	-	565	- 565	565
330-400	FD	C	2	89	210.0	- 231.2	221.0	-15	-	-	-	725	- 825	766
	FD	C	3	11	220.0	- 226.2	221.7	-19	-	-	-	737	- 758	743
		C	3	56	212.2	- 248.2	228.0	-11	393	- 460	422	711	- 874	809
		D	2	13	151.2	- 169.2	160.9	-19	280	- 313	298	507	- 618	553
	FD	D	2	25	185.2	- 190.0	187.4	-20	-	-	-	639	- 713	656
		E	2	3	123.2	- 123.2	123.2	N/Q	228	- 228	228	450	- 450	450
400+		C	3	12	210.0	- 233.2	219.4	-20	389	- 432	406	914	- 1014	951
	FD	C	3	32	222.2	- 241.2	237.3	-2	-	-	-	967	- 1164	1057
				331	123.2	248.2			228	460		366	1164	
Grown Steer														
0-400	FD	D	2	6	156.2	- 156.2	156.2	N/Q	-	-	-	547	- 547	547
400-500	FD	C	2	12	199.2	- 199.2	199.2	-13	-	-	-	807	- 807	807
	RS	D	2	4	174.2	- 174.2	174.2	-3	-	-	-	758	- 758	758
500-600	FD	C	2	2	214.2	- 214.2	214.2	N/Q	-	-	-	1125	- 1125	1125
	FD	C	3	2	238.2	- 238.2	238.2	N/Q	-	-	-	1251	- 1251	1251
		C	3	28	198.2	- 225.2	219.3	-10	360	- 410	399	1159	- 1267	1228
		C	4	12	232.2	- 249.2	243.8	7	415	- 445	435	1358	- 1434	1399
600-750		C	3	4	200.0	- 220.0	205.0	-20	364	- 400	373	1250	- 1430	1295
		C	4	5	233.2	- 238.2	235.6	-18	416	- 425	421	1441	- 1522	1475
				75	156.2	249.2			360	445		547	1522	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Grown Heifer														
0-540		C	3	11	188.2	- 215.2	201.1	-18	355	- 414	396	644	- 1151	891
	FD	D	2	6	170.2	- 170.2	170.2	N/Q	-			638	- 638	638
		D	2	11	159.2	- 185.2	171.2	15	332	- 386	357	597	- 982	781
		D	3	14	177.2	- 190.2	187.9	-9	341	- 366	361	823	- 922	879
				42	159.2	215.2			332	414		597	1151	
Manufacturing Steer														
540+		C	4	14	224.2	- 228.2	227.3	-26	408	- 415	413	1457	- 1483	1478
		C	5	3	176.2	- 176.2	176.2	N/Q	320	- 320	320	1477	- 1477	1477
				17	176.2	228.2			320	415		1457	1483	
Cows														
0-400		D	1	6	110.0	- 147.2	138.2	N/C	250	- 335	314	424	- 589	542
	RS	D	1	4	142.2	- 142.2	142.2	N/Q	-			547	- 547	547
		D	2	8	145.2	- 153.2	148.7	-10	316	- 333	323	559	- 597	588
		D	3	2	173.2	- 173.2	173.2	N/Q	354	- 354	354	693	- 693	693
		E	1	4	30.0	- 90.0	75.0	-20	68	- 205	171	105	- 360	296
	DA	E	1	3	80.0	- 90.2	86.8	N/Q	182	- 205	197	308	- 361	343
400-520	DA	D	1	1	134.2	- 134.2	134.2	N/Q	305	- 305	305	624	- 624	624
	RS	D	1	7	153.2	- 173.2	164.6	-2	-			666	- 798	739
		D	1	48	130.0	- 154.2	145.0	-13	296	- 351	330	553	- 674	626
	RS	D	2	6	165.0	- 176.2	172.5	-7	-			718	- 837	797
		D	2	27	149.2	- 175.0	165.7	-5	324	- 380	360	649	- 814	740
		D	3	36	173.2	- 190.2	180.6	-8	354	- 388	369	755	- 903	825
		D	4	43	188.0	- 202.2	193.1	-11	369	- 397	379	880	- 981	919
520+		C	2	3	184.2	- 184.2	184.2	N/Q	400	- 400	400	1078	- 1078	1078
	DA	D	1	7	155.0	- 181.2	170.0	27	352	- 412	386	829	- 969	909
	DA	D	2	1	171.2	- 171.2	171.2	N/Q	372	- 372	372	916	- 916	916
		D	2	9	175.2	- 179.2	178.1	3	381	- 390	387	937	- 971	965
	RS	D	2	1	179.2	- 179.2	179.2	N/Q	-			959	- 959	959
	DA	D	3	15	187.0	- 196.2	191.5	6	382	- 400	391	1122	- 1373	1240
		D	3	9	185.2	- 195.2	186.3	-12	378	- 398	380	1009	- 1240	1035
		D	4	100	193.2	- 207.2	198.3	-16	379	- 406	389	1039	- 1316	1135
		D	6	1	138.2	- 138.2	138.2	N/Q	282	- 282	282	739	- 739	739
				341	30.0	207.2			68	412		105	1373	
Bulls														
0-450	FD	C	2	1	182.2	- 182.2	182.2	N/Q	-			483	- 483	483
	FD	C	3	1	230.0	- 230.0	230.0	N/Q	-			771	- 771	771
		C	3	3	180.2	- 209.2	199.5	17	328	- 380	363	766	- 785	778
		D	1	1	108.2	- 108.2	108.2	N/Q	197	- 197	197	417	- 417	417
		D	2	4	145.2	- 156.2	153.5	N/Q	264	- 284	279	617	- 679	664
450-600		C	2	4	155.2	- 170.2	161.2	N/Q	282	- 310	293	791	- 903	850
		D	2	2	147.2	- 158.0	152.6	N/Q	268	- 287	278	832	- 869	850
600+		C	2	7	165.2	- 190.0	178.6	N/Q	300	- 346	323	1074	- 1425	1208
		C	3	18	179.2	- 225.2	202.7	-36	320	- 402	362	1223	- 2103	1653
		D	3	1	190.2	- 190.2	190.2	N/Q	340	- 340	340	1522	- 1522	1522

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
				42	108.2	230.0			197	402		417	2103	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2015. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.