

Over the hooks report - cattle

Market information provided by MLA's National Livestock Reporting Service

Queensland

report date

24 Apr 2015

Across the state, grassfed over-the-hook rates mostly improved week-on-week following some rain in south-east Queensland and in the southern states in recent days. Grainfed rates trended firm to dearer. Queensland weekly adult cattle slaughter lifted 30% last week, with just over 87,000 head processed.

Grade	Weight Range (cwt kg)	Dentition	Muscle Score	Fat (mm)	Average (c/kg cwt)	Trend	
-							
Yearlings							
Steers	220-240	0-2 (YG)	A-C	5-22	406	5	
	240-260	0-2 (YG)	A-C	5-22	411	5	
	260-280	0-2 (YG)	A-C	5-22	415	5	
	280-300	0-2 (YG)	A-C	5-22	419	5	
	300-320	0-2 (YG)	A-C	5-22	422	5	
Heifers	220-240	0-2 (YG)	A-C	5-22	402	5	
	240-260	0-2 (YG)	A-C	5-22	406	5	
	260-280	0-2 (YG)	A-C	5-22	411	5	
	280-300	0-2 (YG)	A-C	5-22	414	5	
	300-320	0-2 (YG)	A-C	5-22	418	5	
MSA Yearlings							
Steers	220-240	0-2 (YG)	A-C	5-22	444	4	
	240-260	0-2 (YG)	A-C	5-22	453	4	
	260-280	0-2 (YG)	A-C	5-22	458	4	
	280-300	0-2 (YG)	A-C	5-22	459	4	
	300-320	0-2 (YG)	A-C	5-22	461	4	
Heifers	220-240	0-2 (YG)	A-C	5-22	443	4	
	240-260	0-2 (YG)	A-C	5-22	448	4	
	260-280	0-2 (YG)	A-C	5-22	453	4	
	280-300	0-2 (YG)	A-C	5-22	454	4	
	300-320	0-2 (YG)	A-C	5-22	456	4	
Grown Steers							
EU Steer	300 - 340	0 - 4	A-C	5-22	503	10	
		240-260	0-4 (YP)	A-C	5-22	394	3
			0-6 (PR)	A-C	5-22	389	3
	260-280	0-8 (S)	A-C	5-22	382	3	
		0-4 (YP)	A-C	5-22	402	3	
		0-6 (PR)	A-C	5-22	397	3	
	280-300	0-8 (S)	A-C	5-22	389	3	
		0-4 (YP)	A-C	5-22	409	3	
		0-6 (PR)	A-C	5-22	405	3	
	300-400	0-8 (S)	A-C	5-22	394	3	
		0-4 (YP)	A-C	5-22	415	3	
		0-6 (PR)	A-C	5-22	410	3	
			0-8 (S)	A-C	5-22	400	3

Grade	Weight Range (cwt kg)	Dentition	Muscle Score	Fat (mm)	Average (c/kg cwt)	Trend
Cows						
	180-200	0-8 (C)	A-D	13-22	356	4
		0-8 (C)	A-D	3-12	361	4
		0-8 (C)	A-E	0-32	341	4
	200-220	0-8 (C)	A-D	13-22	362	4
		0-8 (C)	A-D	3-12	368	4
		0-8 (C)	A-E	0-32	350	4
	220-240	0-8 (C)	A-D	13-22	367	4
		0-8 (C)	A-D	3-12	372	4
		0-8 (C)	A-E	0-32	357	4
	240-260	0-8 (C)	A-D	13-22	373	4
		0-8 (C)	A-D	3-12	378	4
		0-8 (C)	A-E	0-32	362	4
	260-280	0-8 (C)	A-D	13-22	377	4
		0-8 (C)	A-D	3-12	383	4
		0-8 (C)	A-E	0-32	367	4
	280-300	0-8 (C)	A-D	13-22	382	4
		0-8 (C)	A-D	3-12	388	4
		0-8 (C)	A-E	0-32	372	4
	300-400	0-8 (C)	A-D	13-22	387	4
		0-8 (C)	A-D	3-12	393	4
		0-8 (C)	A-E	0-32	377	4
Bulls						
	260-280	0-8 (B)	A-E	0-32	377	NC
	280-300	0-8 (B)	A-E	0-32	382	NC
	300-320	0-8 (B)	A-E	0-32	384	NC
	320-440	0-8 (B)	A-E	0-32	390	NC
Grainfed 70 Days						
Steers	220-240	0-2 (YG)	A-C	5-22	449	4
	240-260	0-2 (YG)	A-C	5-22	456	4
	260-280	0-2 (YG)	A-C	5-22	460	4
	280-300	0-2 (YG)	A-C	5-22	461	4
	300-320	0-2 (YG)	A-C	5-22	462	4
Heifers	220-240	0-2 (YG)	A-C	5-22	446	4
	240-260	0-2 (YG)	A-C	5-22	451	4
	260-280	0-2 (YG)	A-C	5-22	455	4
	280-300	0-2 (YG)	A-C	5-22	456	4
	300-320	0-2 (YG)	A-C	5-22	457	4
MSA Grainfed 70 Days						
Steers	220-240	0-2 (YG)	A-C	5-22	459	2
	240-260	0-2 (YG)	A-C	5-22	467	2
	260-280	0-2 (YG)	A-C	5-22	472	2
	280-300	0-2 (YG)	A-C	5-22	473	2
	300-320	0-2 (YG)	A-C	5-22	475	2
Heifers	220-240	0-2 (YG)	A-C	5-22	457	2
	240-260	0-2 (YG)	A-C	5-22	462	2

Grade	Weight Range (cwt kg)	Dentition	Muscle Score	Fat (mm)	Average (c/kg cwt)	Trend
	260-280	0-2 (YG)	A-C	5-22	467	2
	280-300	0-2 (YG)	A-C	5-22	468	2
	300-320	0-2 (YG)	A-C	5-22	470	2
Grainfed 100 Days						
Steers	220-240	0-2 (YG)	A-C	5-22	458	NC
	240-260	0-2 (YG)	A-C	5-22	463	NC
	260-280	0-2 (YG)	A-C	5-22	468	NC
	280-300	0-2 (YG)	A-C	5-22	473	NC
	300-320	0-2 (YG)	A-C	5-22	478	NC
Heifers	220-240	0-2 (YG)	A-C	5-22	453	NC
	240-260	0-2 (YG)	A-C	5-22	458	NC
	260-280	0-2 (YG)	A-C	5-22	463	NC
	280-300	0-2 (YG)	A-C	5-22	468	NC
	300-320	0-2 (YG)	A-C	5-22	473	NC
MSA Grainfed 100 Days						
Steers	220-240	0-2 (YG)	A-C	5-22	466	NC
	240-260	0-2 (YG)	A-C	5-22	474	NC
	260-280	0-2 (YG)	A-C	5-22	479	NC
	280-300	0-2 (YG)	A-C	5-22	481	NC
	300-320	0-2 (YG)	A-C	5-22	483	NC
Heifers	220-240	0-2 (YG)	A-C	5-22	461	NC
	240-260	0-2 (YG)	A-C	5-22	469	NC
	260-280	0-2 (YG)	A-C	5-22	474	NC
	280-300	0-2 (YG)	A-C	5-22	476	NC
	300-320	0-2 (YG)	A-C	5-22	478	NC

Disclaimer:

© MLA 2015. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.