

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 21 Apr 2015

Yarding Change 1184
-147

comparison date 14/04/2015

The supply of stock experienced a small decline and young cattle were in the largest numbers, along with a few pens of bullocks and a fair selection of cows. One exporter was absent from the buying panel in the cow section however a domestic operator stepped in and lifted cow prices by 2c to 7c and heavy grown steers and bullocks averaged 7c to 10c/kg better. Feeder cattle also experienced some additional support from interstate and prices improved by 5c and up to 10c/kg in places.

A fair selection of vealer heifers averaged 2c to 7c dearer, with the light weight lines around 217c while the better heavy classes to butchers averaged 233c and made to 240.2c/kg. Medium weight yearling steers to feed averaged 240c and made to 255.2c and heavy weights to feed mostly sold around 252c, with sales to 254.2c/kg. A good sample of medium weight yearling heifers to feed averaged 212c, with the occasional sale to 230.2c/kg. Medium weights to the trade averaged 233c and made to 252.2c, while heavy weights generally sold around 223c/kg.

Bullocks made to 245c, to average close to 232c, and a few pens of full mouth bullocks averaged 222c and made to 223.2c/kg. Medium weight 2 score cows made to 171.2c to average 166c/kg. Good heavy cows made to 209.2c, to average 201c/kg. Heavy bulls made to 241.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+		C	2	1	216.2	- 216.2	216.2	N/Q	408	- 408	408	292	- 292	292
	RS	C	2	2	200.2	- 200.2	200.2	N/Q		-		370	- 370	370
				3	200.2	216.2			408	408		292	370	
Vealer Steer														
200-280	FD	C	2	4	230.0	- 252.2	246.7	15		-		633	- 694	678
	RS	C	2	7	227.2	- 227.2	227.2	-7		-		511	- 511	511
	RS	D	2	5	211.2	- 211.2	211.2	-6		-		454	- 454	454
280-330	FD	C	2	5	223.2	- 223.2	223.2	-3		-		658	- 658	658
	FD	C	3	6	247.2	- 254.2	251.9	N/Q		-		729	- 750	743
				27	211.2	254.2			0	0		454	750	
Vealer Heifer														
200-280	FD	C	2	26	207.2	- 224.2	215.4	1		-		473	- 617	563
	RS	C	2	8	210.2	- 210.2	210.2	N/Q		-		473	- 473	473
		C	2	22	209.2	- 220.2	216.9	2	387	- 408	402	492	- 584	533
		C	3	5	238.2	- 250.6	245.6	19	441	- 464	455	607	- 639	626
280-330		C	2	4	209.2	- 214.2	211.7	N/Q	387	- 397	392	617	- 632	625
		C	3	26	226.2	- 240.2	233.7	7	419	- 445	433	667	- 733	699
				91	207.2	250.6			387	464		473	733	
Yearling Steer														
200-280	FD	C	2	10	244.0	- 244.0	244.0	19		-		647	- 647	647
	RS	C	2	9	224.2	- 224.2	224.2	-16		-		549	- 549	549
280-330	RS	D	2	5	210.0	- 210.0	210.0	-2		-		599	- 599	599
330-400	RS	C	2	2	220.2	- 220.2	220.2	N/Q		-		771	- 771	771
	FD	C	2	78	223.2	- 255.2	240.4	4		-		788	- 931	850
		C	3	10	241.2	- 243.6	242.4	N/Q	439	- 443	441	844	- 938	891
	FD	D	2	2	210.0	- 210.0	210.0	N/Q		-		809	- 809	809

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+	RS	D	2	1	215.2	- 215.2	215.2	N/Q	-			732	- 732	732
	FD	C	2	5	240.0	- 240.0	240.0	-9	-			972	- 972	972
	FD	C	3	31	245.2	- 254.2	251.8	1	-			1042	- 1203	1066
				153	210.0	255.2			439	443		549	1203	
Yearling Heifer														
200-280	FD	C	2	7	200.0	- 210.0	202.6	-5	-			490	- 578	523
280-330	FD	C	2	5	213.2	- 213.2	213.2	N/Q	-			608	- 608	608
		C	2	5	217.2	- 217.2	217.2	N/Q	402	- 402	402	619	- 619	619
		C	3	1	222.2	- 222.2	222.2	N/Q	412	- 412	412	667	- 667	667
330-400	FD	C	2	115	195.2	- 230.2	212.5	5	-			654	- 785	735
		C	2	8	234.2	- 234.2	234.2	N/Q	434	- 434	434	785	- 785	785
	GF	C	3	7	234.2	- 234.2	234.2	N/Q	434	- 434	434	878	- 878	878
		C	3	33	220.0	- 252.2	232.9	-4	407	- 467	431	771	- 976	858
	FD	C	3	4	225.0	- 225.0	225.0	N/Q	-			754	- 754	754
	RS	D	2	2	177.2	- 177.2	177.2	N/Q	-			594	- 594	594
	FD	D	2	8	180.0	- 191.2	182.8	23	-			603	- 698	627
		D	2	9	156.2	- 185.0	167.0	13	289	- 343	309	539	- 675	577
400+		C	3	23	207.2	- 234.2	223.5	-4	384	- 434	414	881	- 1036	988
		D	2	3	166.2	- 166.2	166.2	N/Q	308	- 308	308	706	- 706	706
				230	156.2	252.2			289	467		490	1036	
Grown Steer														
0-400		D	2	3	177.2	- 177.2	177.2	N/Q	322	- 322	322	682	- 682	682
400-500	RS	D	2	5	159.2	- 189.2	171.2	33	-			716	- 851	770
500-600	FD	C	3	6	225.0	- 228.2	226.6	N/Q	-			1181	- 1209	1195
		C	3	7	216.2	- 217.2	216.5	N/Q	393	- 395	394	1162	- 1222	1205
		C	4	3	234.2	- 234.2	234.2	10	418	- 418	418	1393	- 1393	1393
600-750		C	4	29	227.2	- 245.0	231.9	7	406	- 438	414	1420	- 1593	1512
				53	159.2	245.0			322	438		682	1593	
Grown Heifer														
0-540		C	3	7	194.2	- 208.0	199.0	-3	372	- 400	381	937	- 1040	981
		C	4	4	210.0	- 210.0	210.0	-1	396	- 396	396	1124	- 1124	1124
	FD	D	2	5	173.2	- 173.2	173.2	35	-			667	- 667	667
	RS	D	3	8	173.2	- 173.2	173.2	N/Q	-			753	- 753	753
	DA	D	3	2	188.2	- 188.2	188.2	N/Q	355	- 355	355	762	- 762	762
		D	3	12	173.2	- 179.2	178.2	-7	327	- 338	336	736	- 780	772
540+		C	4	2	207.2	- 225.2	216.2	N/Q	391	- 425	408	1243	- 1464	1354
				40	173.2	225.2			327	425		667	1464	
Manufacturing Steer														
540+		C	4	15	204.2	- 223.2	221.9	8	371	- 406	403	1276	- 1562	1409
				15	204.2	223.2			371	406		1276	1562	
Cows														
0-400		D	1	18	125.2	- 147.2	139.6	2	285	- 335	317	501	- 573	557
		D	2	1	143.2	- 143.2	143.2	N/Q	311	- 311	311	573	- 573	573
		E	1	1	118.2	- 118.2	118.2	N/Q	269	- 269	269	431	- 431	431
	DA	E	1	1	99.2	- 99.2	99.2	N/Q	226	- 226	226	347	- 347	347

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400-520	DA	E	2	1	139.2	- 139.2	139.2	N/Q	303	- 303	303	550	- 550	550
	RS	D	1	7	150.0	- 156.2	152.7	6	-	-	-	679	- 728	700
		D	1	5	129.2	- 159.2	141.8	-3	294	- 362	322	562	- 693	617
		D	2	47	157.2	- 171.2	166.4	3	341	- 372	355	693	- 825	771
	RS	D	2	15	160.0	- 168.2	166.6	7	-	-	-	696	- 740	731
		D	3	36	171.2	- 188.2	176.9	2	349	- 384	361	745	- 900	812
		D	4	45	191.2	- 200.2	195.4	3	375	- 393	383	869	- 971	929
520+	RS	D	4	3	198.0	- 198.0	198.0	N/Q	-	-	-	921	- 921	921
	DA	E	2	3	125.2	- 125.2	125.2	N/Q	272	- 272	272	545	- 545	545
	DA	E	3	9	150.0	- 150.0	150.0	N/Q	306	- 306	306	698	- 698	698
		D	2	5	179.2	- 185.2	181.6	N/Q	390	- 403	395	959	- 991	972
		D	3	16	175.2	- 190.2	185.6	N/C	358	- 388	379	937	- 1093	1015
		D	4	59	189.2	- 209.2	201.5	4	371	- 410	395	1018	- 1303	1138
		DA	D	4	1	203.2	- 203.2	203.2	N/Q	398	- 398	398	1758	- 1758
		D	6	1	130.0	- 130.0	130.0	N/Q	265	- 265	265	819	- 819	819
				274	99.2	209.2			226	410		347	1758	
Bulls														
0-450	RS	C	2	1	233.2	- 233.2	233.2	N/Q	-	-	-	700	- 700	700
	FD	C	3	2	180.0	- 193.2	186.6	N/Q	-	-	-	630	- 869	750
		C	3	4	180.0	- 207.2	194.9	3	327	- 377	354	693	- 901	821
		D	2	1	181.2	- 181.2	181.2	N/Q	330	- 330	330	698	- 698	698
450-600	FD	C	3	1	213.2	- 213.2	213.2	N/Q	-	-	-	1034	- 1034	1034
	RS	C	3	2	195.2	- 220.2	207.7	N/Q	-	-	-	947	- 1178	1062
		C	3	5	180.0	- 208.2	197.2	N/Q	327	- 372	353	963	- 1114	1036
		D	3	1	182.2	- 182.2	182.2	N/Q	331	- 331	331	884	- 884	884
600+		C	2	6	180.0	- 184.2	183.0	12	327	- 335	332	1170	- 1354	1216
		C	3	20	197.2	- 241.2	216.7	3	352	- 431	387	1303	- 2052	1493
		D	3	1	185.2	- 185.2	185.2	N/Q	337	- 337	337	1158	- 1158	1158
				44	180.0	241.2			327	431		630	2052	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2015. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.