

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 02 Jun 2015

Yarding Change ¹⁶³⁶/₄₁₁

comparison date 26/05/2015

The supply of stock increased by 33% and a large number of young cattle were penned along with a small sample of bullocks. The large selection of cows contained increased numbers of plain conditions classes as well as consignment of PTIC lines. The usual exporters were in attendance and operating, however some of the major feeder buyers were not active. The good line up of restocker buyers provided very strong support on young light weight cattle and average prices improved accordingly. However medium and heavy weight yearling steers to feed tended to struggle at times, with only well-bred lines in demand. All classes of bullocks sold to a dearer market to average 1c to 5c/kg better. Cows experienced a mixed trend, with good heavy cows averaging 1c/kg dearer however plain condition classes lost ground in price to average 3c to 9c/kg cheaper.

Calves returning to the paddock made to 282.2c to average 243c/kg. Vealer steers also returning to the paddock made to a top of 296.2c to average 287c/kg. Vealer heifers to feed averaged 229c and restocker lines made 234c, with a few sales to local butchers at 247.2c/kg. Medium weight yearling steers to feed averaged 250c and sold to 267.2c/kg. Heavy weights to feed mostly sold in the 260c range, with some to 275.2c/kg. Medium weight yearling heifers to feed averaged 233c and a small sample to the trade made to 226.2c to average 225c/kg. Heavy weights to feed made to the occasional 243.2c to average 235c/kg.

A small sample of bullocks made to 241.2c to average 236c and a pen of full mouth bullocks made to 238.2c/kg. Medium weight 2 score cows averaged 162c and sold to 172.2c/kg. Good heavy cows made to 213.2c to average 205c/kg. Heavy bulls to processors made to 250.2c while a couple returned to the paddock at 301.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+		C	2	5	230.0	- 230.0	230.0	32	434	- 434	434	449	- 449	449
	RS	C	2	74	213.2	- 282.2	243.4	5	-	-	-	355	- 550	453
	RS	C	3	1	225.0	- 225.0	225.0	N/Q	-	-	-	349	- 349	349
	RS	D	1	2	170.0	- 170.0	170.0	N/Q	-	-	-	281	- 281	281
				82	170.0	282.2			434	434		281	550	
Vealer Steer														
200-280	FD	C	2	3	240.0	- 240.0	240.0	-32	-	-	-	636	- 636	636
	RS	C	2	71	250.0	- 296.2	287.5	24	-	-	-	625	- 777	716
280-330	RS	C	2	6	269.2	- 269.2	269.2	-5	-	-	-	767	- 767	767
				80	240.0	296.2			0	0		625	777	
Vealer Heifer														
200-280	FD	C	2	48	223.2	- 233.2	229.4	1	-	-	-	500	- 591	533
	RS	C	2	27	234.2	- 234.2	234.2	5	-	-	-	515	- 550	523
		C	2	12	217.2	- 226.2	219.7	-7	402	- 419	407	510	- 599	533
		C	3	4	247.2	- 247.2	247.2	N/Q	458	- 458	458	556	- 655	581
280-330		C	2	3	223.2	- 223.2	223.2	N/Q	413	- 413	413	658	- 658	658
	RS	C	2	1	234.2	- 234.2	234.2	N/Q	-	-	-	691	- 691	691
		C	3	3	247.2	- 247.2	247.2	9	458	- 458	458	705	- 705	705
				98	217.2	247.2			402	458		500	705	
Yearling Steer														
200-280		C	2	1	230.0	- 230.0	230.0	N/Q	418	- 418	418	610	- 610	610
	FD	C	2	15	240.0	- 245.2	243.5	N/Q	-	-	-	552	- 650	617
	RS	C	2	130	224.2	- 281.2	256.9	22	-	-	-	540	- 740	615

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400	RS	D	2	16	200.0	- 224.2	215.2	N/Q	-			450	- 583	507
		D	2	2	185.2	- 185.2	185.2	N/Q	337	- 337	337	472	- 472	472
	FD	C	2	98	230.0	- 267.2	250.6	-11	-			782	- 1017	894
		C	2	6	225.2	- 225.2	225.2	N/Q	410	- 410	410	788	- 788	788
	RS	C	2	44	229.2	- 260.0	247.7	1	-			768	- 884	831
		C	3	2	250.0	- 250.0	250.0	N/Q	455	- 455	455	913	- 913	913
	FD	C	3	12	241.2	- 263.2	256.4	-8	-			808	- 961	907
400+	RS	D	2	3	194.2	- 194.2	194.2	4	-			670	- 670	670
	FD	D	2	22	190.0	- 220.0	205.7	-15	-			674	- 748	707
	FD	C	2	23	247.2	- 279.2	261.8	9	-			1059	- 1198	1129
	FD	C	3	26	240.0	- 275.2	260.4	-19	-			1038	- 1170	1117
		C	3	2	258.2	- 258.2	258.2	N/Q	470	- 470	470	1097	- 1097	1097
	FD	D	2	3	210.0	- 210.0	210.0	N/Q	-			851	- 851	851
					405	185.2	281.2		337	470		450	1198	
Yearling Heifer														
200-280		C	2	7	205.0	- 215.0	209.3	-7	380	- 398	388	451	- 505	474
	FD	C	2	10	200.0	- 207.2	202.2	-36	-			487	- 530	517
	RS	C	2	18	218.2	- 234.2	229.4	N/C	-			491	- 550	535
		C	3	1	245.2	- 245.2	245.2	N/Q	454	- 454	454	601	- 601	601
	RS	D	2	3	191.2	- 191.2	191.2	N/Q	-			392	- 392	392
280-330		C	2	8	204.2	- 225.0	209.4	N/Q	378	- 417	388	582	- 664	602
	RS	C	2	16	200.0	- 209.2	204.5	N/Q	-			570	- 596	583
	FD	C	2	13	211.2	- 226.2	217.0	12	-			602	- 645	618
	FD	D	2	3	132.2	- 132.2	132.2	-42	-			377	- 377	377
		D	2	5	143.2	- 190.0	180.6	N/Q	265	- 352	335	408	- 542	515
330-400	FD	C	2	33	216.2	- 235.2	223.6	7	-			724	- 858	772
		C	3	21	220.0	- 226.2	225.6	-17	407	- 419	418	770	- 871	827
	FD	C	3	11	221.2	- 221.2	221.2	N/Q	-			741	- 741	741
	RS	D	1	1	120.0	- 120.0	120.0	N/Q	-			438	- 438	438
	FD	D	2	23	179.2	- 210.0	186.0	-15	-			630	- 746	670
		D	2	11	160.0	- 194.2	180.8	N/Q	296	- 360	335	536	- 680	628
400+	FD	C	2	14	242.2	- 242.2	242.2	32	-			1029	- 1078	1060
	FD	C	3	22	225.0	- 243.2	235.2	N/Q	-			934	- 1034	979
		D	2	1	149.2	- 149.2	149.2	N/Q	276	- 276	276	649	- 649	649
				221	120.0	245.2		265	454		377	1078		
Grown Steer														
0-400	RS	D	1	6	149.2	- 149.2	149.2	N/Q	-			515	- 515	515
400-500	FD	C	2	6	210.0	- 213.2	211.6	3	-			851	- 863	857
	FD	C	3	4	220.0	- 220.0	220.0	N/C	-			1089	- 1089	1089
		C	3	2	218.2	- 218.2	218.2	N/Q	397	- 397	397	1080	- 1080	1080
	RS	D	2	5	176.2	- 176.2	176.2	-7	-			766	- 766	766
500-600		C	3	8	232.2	- 232.2	232.2	4	422	- 422	422	1312	- 1312	1312
		C	4	2	241.2	- 241.2	241.2	N/Q	431	- 431	431	1387	- 1411	1399
600-750		C	4	15	234.2	- 241.2	236.5	1	418	- 447	427	1464	- 1616	1578
				48	149.2	241.2		397	447		515	1616		

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Grown Heifer														
0-540	FD	C	3	10	218.2	- 225.2	221.7	N/Q	-			980	- 1015	997
		C	3	10	200.0	- 214.2	208.8	N/Q	377	- 412	399	870	- 1130	975
	FD	D	2	10	170.0	- 177.2	172.2	N/Q	-			723	- 771	737
		D	3	3	181.2	- 193.2	187.9	-15	349	- 440	387	788	- 880	836
				33	170.0	225.2			349	440		723	1130	
Manufacturing Steer														
540+		C	4	6	238.2	- 238.2	238.2	5	425	- 425	425	1489	- 1489	1489
				6	238.2	238.2			425	425		1489	1489	
Cows														
0-400	RS	D	1	5	140.0	- 145.0	142.1	-12	-			560	- 573	565
		D	1	56	100.0	- 147.2	130.3	-4	227	- 335	296	400	- 589	516
	RS	E	1	7	62.2	- 121.2	103.8	N/Q	-			218	- 442	386
	DA	E	1	4	107.2	- 107.2	107.2	N/Q	244	- 244	244	423	- 423	423
		E	1	9	100.0	- 120.0	108.8	19	227	- 273	247	400	- 480	423
	RS	E	2	2	135.0	- 135.0	135.0	N/Q	-			540	- 540	540
400-520		D	1	9	144.0	- 158.2	152.6	9	327	- 360	347	626	- 688	664
	RS	D	1	58	143.2	- 165.0	155.4	-9	-			623	- 735	679
	RS	D	2	12	156.2	- 174.2	168.5	N/C	-			720	- 775	758
		D	2	32	155.0	- 172.2	162.8	-6	337	- 374	354	696	- 817	755
	DA	D	2	1	170.0	- 170.0	170.0	N/Q	370	- 370	370	825	- 825	825
		D	3	35	175.0	- 185.2	179.8	-3	357	- 378	367	783	- 898	860
		D	4	2	200.2	- 200.2	200.2	N/Q	393	- 393	393	971	- 971	971
	DA	E	1	4	120.0	- 120.0	120.0	N/Q	273	- 273	273	522	- 522	522
	RS	E	1	1	104.2	- 104.2	104.2	N/Q	-			453	- 453	453
520+	RS	D	2	3	178.0	- 178.0	178.0	N/Q	-			952	- 952	952
	DA	D	2	9	166.2	- 183.2	172.4	-7	361	- 398	375	889	- 1255	1052
	DA	D	3	3	183.2	- 183.2	183.2	N/C	374	- 374	374	1282	- 1282	1282
		D	3	29	179.2	- 198.2	187.2	-2	366	- 405	382	969	- 1189	1019
		D	4	50	195.2	- 213.8	205.2	1	383	- 419	402	1050	- 1439	1204
	DA	D	4	1	198.2	- 198.2	198.2	N/Q	389	- 389	389	1259	- 1259	1259
				332	62.2	213.8			227	419		218	1439	
Bulls														
0-450	RS	C	2	12	215.2	- 223.2	220.6	29	-			591	- 655	616
		C	3	1	190.0	- 190.0	190.0	N/Q	346	- 346	346	855	- 855	855
	FD	C	3	1	190.0	- 190.0	190.0	N/Q	-			855	- 855	855
		D	2	3	140.0	- 155.2	146.8	-21	255	- 282	267	490	- 559	531
450-600	FD	C	2	1	180.2	- 180.2	180.2	N/Q	-			874	- 874	874
600+		C	2	4	180.0	- 197.2	188.1	5	327	- 359	342	1170	- 1520	1359
	RS	C	3	2	301.2	- 301.2	301.2	N/Q	-			2184	- 2786	2485
		C	3	9	204.2	- 250.2	228.4	18	365	- 447	408	1379	- 2070	1795
		D	2	1	144.2	- 144.2	144.2	N/Q	262	- 262	262	937	- 937	937
				34	140.0	301.2			255	447		490	2786	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg

Disclaimer:

© MLA 2015. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.