

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Warwick

report date 14 Jul 2015

Yarding Change <sup>1419</sup>  
-161

comparison date 07/07/2015

There was a small decline in supply and a fair panel of exporters was present and operating, plus the usual trade feed and buyers and some restockers. Medium and heavy weight yearling steers to feed experienced some small improvements however the medium weight yearling heifers to feed were noticeably dearer to average 20c/kg better. Heavy yearling steers and young bullocks improved in price pushed on by some additional supermarket support against the usual exporters. Cows sold to strong demand with a good sample firm to 8c/kg dearer.

Calves lifted in price by 4c to 5c, with slaughter classes averaging 231c while those returning to the paddock averaged 257c and made to 295c/kg. Vealer heifers also experienced some improvement in places with the largest numbers averaging 253c while selected lines to local butchers made to 291.2c to average 283c/kg. Medium weight yearling steers to feed mostly sold around 282c while the better lines averaged 303c and made to 316.2c/kg. A small selection of heavy weights averaged 283c, while a good sample sold to the local trade market at 278c with some to 294.2c/kg. Medium weight yearling heifers to feed averaged 284c with the occasional pen reaching 294.2c/kg. A relatively small supply of local trade lines made to 281.2c to average 263c/kg.

A few pens of bullocks averaged 265c and made to 277.2c and full mouth bullocks made to 257.2c to average 255c/kg. Medium weight 2 score cows average 193c and sold to 198.2c and the better lines averaged 234c and sold to 245.2c/kg. Good heavy cows made to 246.2c to average 238c some returning \$1,961/head. Heavy bulls made to 261.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head				
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg		
<b>Calves</b>																
0-80		C	2	1	221.2	- 221.2	221.2	N/Q	417	-	417	417	100	-	100	100
80+		C	2	52	219.2	- 248.2	231.8	4	414	-	468	437	315	-	484	370
	RS	C	2	78	224.2	- 295.0	257.3	5		-			314	-	575	409
		D	2	4	216.2	- 216.2	216.2	N/Q	408	-	408	408	357	-	357	357
	RS	D	2	2	220.0	- 220.0	220.0	N/Q		-			407	-	407	407
					<b>137</b>	<b>216.2</b>	<b>295.0</b>		<b>408</b>	<b>468</b>		<b>100</b>	<b>575</b>			
<b>Vealer Steer</b>																
200-280	RS	C	2	10	270.0	- 281.2	273.4	1		-			716	-	745	724
					<b>10</b>	<b>270.0</b>	<b>281.2</b>		<b>0</b>	<b>0</b>		<b>716</b>	<b>745</b>			
<b>Vealer Heifer</b>																
200-280		C	2	97	240.0	- 261.2	253.4	N/C	444	-	484	469	492	-	682	613
	FD	C	2	24	247.2	- 260.0	252.1	-4		-			581	-	689	631
		C	3	6	260.0	- 288.2	278.8	10	482	-	534	516	611	-	793	732
280-330		C	3	13	269.2	- 291.2	283.8	12	499	-	539	526	821	-	925	840
					<b>140</b>	<b>240.0</b>	<b>291.2</b>		<b>444</b>	<b>539</b>		<b>492</b>	<b>925</b>			
<b>Yearling Steer</b>																
200-280	RS	C	2	44	259.2	- 308.2	280.5	4		-			583	-	848	724
280-330	RS	C	2	24	297.2	- 298.0	297.4	-12		-			892	-	894	892
	FD	C	2	8	273.2	- 289.2	285.2	-9		-			779	-	824	813
330-400	FD	C	2	137	214.2	- 311.2	282.8	N/C		-			739	-	1171	993
	RS	C	2	7	266.2	- 266.2	266.2	-13		-			905	-	905	905
		C	3	11	283.0	- 293.2	287.1	N/Q	515	-	533	522	1061	-	1114	1087
	FD	C	3	63	290.0	- 316.2	303.8	2		-			1040	-	1186	1101
	FD	D	2	10	234.2	- 243.2	239.6	10		-			808	-	913	879

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		D	3	1	243.2	- 243.2	243.2	N/Q	442	- 442	442	888	- 888	888
400+	FD	C	2	34	281.2	- 283.2	283.1	6	-	-	-	1223	- 1232	1231
		C	3	50	265.0	- 294.2	278.5	-12	482	- 535	506	1126	- 1700	1372
	FD	C	3	1	282.0	- 282.0	282.0	N/Q	-	-	-	1199	- 1199	1199
	FD	D	2	4	242.2	- 242.2	242.2	28	-	-	-	1029	- 1029	1029
				<b>394</b>	<b>214.2</b>	<b>316.2</b>			<b>442</b>	<b>535</b>		<b>583</b>	<b>1700</b>	
<b>Yearling Heifer</b>														
0-200	RS	D	2	3	210.0	- 210.0	210.0	N/Q	-	-	-	284	- 284	284
200-280		C	2	6	232.2	- 232.2	232.2	-14	430	- 430	430	546	- 546	546
	RS	C	2	22	260.2	- 260.2	260.2	8	-	-	-	664	- 664	664
	RS	D	2	10	209.2	- 229.2	213.2	-7	-	-	-	539	- 554	551
		D	2	6	216.2	- 216.2	216.2	-4	400	- 400	400	573	- 573	573
		E	2	1	153.2	- 153.2	153.2	N/Q	284	- 284	284	406	- 406	406
280-330	FD	C	2	3	250.0	- 250.0	250.0	10	-	-	-	738	- 738	738
330-400	FD	C	2	45	244.2	- 294.2	284.1	21	-	-	-	855	- 1133	1059
	GF	C	3	8	252.2	- 252.2	252.2	N/Q	467	- 467	467	921	- 921	921
		C	3	31	248.2	- 281.2	263.8	-8	460	- 521	489	891	- 956	919
	FD	D	2	25	198.2	- 237.2	216.8	15	-	-	-	664	- 830	729
	RS	D	2	2	218.2	- 218.2	218.2	N/Q	-	-	-	786	- 786	786
		D	3	7	229.2	- 229.2	229.2	N/Q	424	- 424	424	791	- 791	791
400+		C	3	12	274.2	- 274.2	274.2	-6	508	- 508	508	1165	- 1165	1165
				<b>181</b>	<b>153.2</b>	<b>294.2</b>			<b>284</b>	<b>521</b>		<b>284</b>	<b>1165</b>	
<b>Grown Steer</b>														
400-500	FD	C	2	4	230.0	- 230.0	230.0	-25	-	-	-	1001	- 1001	1001
	FD	C	3	11	246.2	- 253.2	250.0	-6	-	-	-	1194	- 1228	1213
		C	3	2	250.0	- 250.0	250.0	N/Q	455	- 455	455	1063	- 1063	1063
500-600		C	3	11	253.2	- 257.2	254.2	-5	460	- 468	462	1360	- 1481	1425
		C	4	2	268.0	- 268.0	268.0	N/Q	479	- 479	479	1595	- 1595	1595
600-750		C	4	15	261.2	- 277.2	265.1	3	466	- 495	474	1633	- 1738	1663
				<b>45</b>	<b>230.0</b>	<b>277.2</b>			<b>455</b>	<b>495</b>		<b>1001</b>	<b>1738</b>	
<b>Grown Heifer</b>														
0-540	FD	C	2	4	217.2	- 217.2	217.2	N/Q	-	-	-	923	- 923	923
		C	3	3	238.2	- 240.2	238.9	10	458	- 462	459	1117	- 1191	1166
		C	4	1	251.2	- 251.2	251.2	N/Q	474	- 474	474	1130	- 1130	1130
	GF	C	4	5	245.2	- 245.2	245.2	N/Q	463	- 463	463	1140	- 1140	1140
	FD	D	2	12	200.0	- 200.2	200.1	13	-	-	-	700	- 771	747
		D	2	3	198.2	- 198.2	198.2	N/Q	431	- 431	431	842	- 842	842
540+		C	3	1	255.0	- 255.0	255.0	N/Q	481	- 481	481	1492	- 1492	1492
		C	4	1	267.2	- 267.2	267.2	N/Q	504	- 504	504	1456	- 1456	1456
				<b>30</b>	<b>198.2</b>	<b>267.2</b>			<b>431</b>	<b>504</b>		<b>700</b>	<b>1492</b>	
<b>Manufacturing Steer</b>														
540+		C	3	2	225.2	- 225.2	225.2	N/Q	410	- 410	410	1272	- 1272	1272
		C	4	11	253.2	- 257.2	255.2	4	460	- 468	464	1583	- 1608	1595
		D	3	7	238.2	- 238.2	238.2	N/Q	433	- 433	433	1548	- 1548	1548
				<b>20</b>	<b>225.2</b>	<b>257.2</b>			<b>410</b>	<b>468</b>		<b>1272</b>	<b>1608</b>	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
<b>Cows</b>															
0-400		D	1	9	130.0	- 154.2	139.1	-37	296	- 351	316	501	- 617	547	
		D	2	4	160.0	- 187.2	173.6	9	348	- 407	377	560	- 749	654	
		RS	D	2	5	174.2	- 174.2	174.2	N/Q	-		697	- 697	697	
		DA	D	2	1	175.2	- 175.2	175.2	N/Q	381	- 381	381	701	- 701	701
			D	3	12	192.2	- 209.2	200.7	N/Q	392	- 427	410	769	- 837	803
			E	1	4	120.0	- 128.2	124.1	N/Q	273	- 291	282	462	- 494	478
400-520	RS	D	1	1	163.2	- 163.2	163.2	N/Q	-			710	- 710	710	
		D	1	12	155.0	- 180.0	167.4	-7	352	- 409	380	674	- 774	721	
	DA	D	1	3	140.0	- 140.0	140.0	-17	318	- 318	318	651	- 651	651	
		D	2	24	180.0	- 198.2	193.6	6	367	- 431	420	791	- 892	850	
		D	3	12	210.2	- 220.0	213.9	1	429	- 449	437	915	- 1039	963	
		D	4	71	217.2	- 245.2	233.9	3	426	- 481	459	934	- 1204	1100	
520+		D	2	9	197.2	- 200.2	198.1	-2	429	- 435	431	1045	- 1071	1053	
	DA	D	2	12	201.2	- 214.2	211.9	15	437	- 466	461	1207	- 1499	1351	
	DA	D	3	2	210.2	- 210.2	210.2	N/Q	429	- 429	429	1125	- 1125	1125	
		D	3	39	216.2	- 231.2	221.5	N/C	441	- 472	452	1162	- 1267	1229	
		D	4	52	230.2	- 246.2	238.8	8	451	- 483	468	1276	- 1961	1432	
		D	5	1	210.2	- 210.2	210.2	N/Q	429	- 429	429	1335	- 1335	1335	
				<b>273</b>	<b>120.0</b>	<b>246.2</b>		<b>273</b>	<b>483</b>		<b>462</b>	<b>1961</b>			
<b>Bulls</b>															
0-450		C	2	2	230.0	- 230.0	230.0	N/Q	418	- 418	418	541	- 541	541	
		FD	C	2	3	200.0	- 200.0	200.0	N/Q	-		850	- 850	850	
		RS	C	2	10	203.2	- 228.2	222.1	22	-		511	- 833	584	
		FD	C	3	3	213.2	- 213.2	213.2	13	-		821	- 821	821	
			C	3	2	223.2	- 230.2	226.7	N/Q	406	- 419	412	781	- 806	793
		RS	D	2	1	189.2	- 189.2	189.2	N/Q	-		691	- 691	691	
450-600		C	2	4	197.2	- 210.2	202.2	N/Q	359	- 382	368	986	- 1251	1080	
	RS	C	3	3	230.2	- 230.2	230.2	N/Q	-		1139	- 1139	1139		
		C	3	3	202.2	- 251.2	223.9	-4	361	- 449	400	1183	- 1470	1295	
600+		C	2	1	202.2	- 202.2	202.2	N/Q	368	- 368	368	1254	- 1254	1254	
		C	3	8	211.2	- 261.2	225.3	-6	377	- 466	402	1333	- 1906	1583	
		D	2	1	185.2	- 185.2	185.2	N/Q	337	- 337	337	1204	- 1204	1204	
				<b>41</b>	<b>185.2</b>	<b>261.2</b>		<b>337</b>	<b>466</b>		<b>511</b>	<b>1906</b>			

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross  
FD: Feeder DP: Dorper

#### Disclaimer:

© MLA 2015. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.