

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Warwick

report date 21 Jul 2015

Yarding Change <sup>1640</sup>/<sub>221</sub>

comparison date 14/07/2015

The trend of larger numbers continued with supply lifting by 15% and a fair panel of buyers was present and active across all classes. The overall standard was generally useful with a good representation of all categories. Prices continued to climb to higher levels with a number of lines achieving over 300c/kg. Young cattle experienced stronger support from feeder operator's, restockers and the trade and average prices improved in places by up to 20c/kg. All classes of export slaughter cattle were dearer with bullocks gaining 13c and cows improving a further 12c to 15c/kg.

Calves returning to the paddock made to a top of 324.2c to average 280c/kg. Vealer heifers lifted in price by 6c to 12c with most close to 260c and a fair sample to local butchers making to 289.2c to average in the 280c/kg range. Well-bred light weight yearling steers sold to restockers at 296.2c with a few pens reaching 329.2c/kg. Medium weights to feed averaged 288c with some to 325.2c/kg. Heavy weights to feed mostly sold around 290c with sales to 296.2c/kg. Medium weight yearling heifers to feed made to 297.2c to average 288c and heavy weights to feed made to 294.2c to average 279c/kg. The occasional pen of heavy B muscle yearling heifers sold to the trade at 311.2c/kg.

Bullocks managed to make to a top of 300.2c with most around 278c/kg. Medium weight 2 score cows averaged 209c and reached 220c/kg. Good heavy cows made to a top of 262.2c, with a fair sample averaging 251c/kg. Heavy bulls made to 250.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>														
80+		C	2	13	230.2	- 257.2	244.3	12	434	- 485	461	380	- 450	409
	RS	C	2	45	249.2	- 324.2	280.5	23	-	-	-	312	- 632	473
	RS	D	2	8	215.2	- 220.2	218.5	-2	-	-	-	355	- 404	382
		D	2	1	200.0	- 200.0	200.0	N/Q	377	- 377	377	330	- 330	330
				<b>67</b>	<b>200.0</b>	<b>324.2</b>			<b>377</b>	<b>485</b>		<b>312</b>	<b>632</b>	
<b>Vealer Steer</b>														
200-280	RS	C	2	28	262.2	- 288.2	277.1	4	-	-	-	591	- 753	662
280-330		C	3	1	290.2	- 290.2	290.2	N/Q	528	- 528	528	856	- 856	856
330+		C	3	1	289.2	- 289.2	289.2	N/Q	526	- 526	526	1027	- 1027	1027
				<b>30</b>	<b>262.2</b>	<b>290.2</b>			<b>526</b>	<b>528</b>		<b>591</b>	<b>1027</b>	
<b>Vealer Heifer</b>														
200-280		C	2	66	243.2	- 268.2	259.7	6	450	- 497	481	503	- 715	638
	FD	C	2	3	264.2	- 264.2	264.2	12	-	-	-	621	- 621	621
	RS	C	2	32	257.2	- 261.2	259.5	N/Q	-	-	-	535	- 611	579
280-330	FD	C	2	8	260.0	- 260.0	260.0	N/Q	-	-	-	741	- 741	741
		C	3	30	275.0	- 285.0	282.2	-2	509	- 528	523	784	- 926	881
330+		C	3	3	277.2	- 289.2	282.5	N/Q	513	- 536	523	984	- 1012	1003
				<b>142</b>	<b>243.2</b>	<b>289.2</b>			<b>450</b>	<b>536</b>		<b>503</b>	<b>1012</b>	
<b>Yearling Steer</b>														
200-280	FD	C	2	11	260.2	- 284.2	270.7	N/Q	-	-	-	716	- 782	745
	RS	C	2	243	258.2	- 329.2	296.2	16	-	-	-	589	- 922	736
	RS	D	2	16	223.2	- 252.2	237.7	N/Q	-	-	-	538	- 618	579
280-330	RS	C	2	17	262.2	- 281.2	273.2	-24	-	-	-	747	- 801	793
	FD	C	2	18	262.2	- 278.0	271.7	-14	-	-	-	747	- 792	774

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400	FD	E	2	6	153.2	- 153.2	153.2	N/Q	-			437	- 437	437
	FD	C	2	43	255.2	- 325.2	288.2	5	-			855	- 1089	1010
		C	3	8	285.2	- 289.2	286.2	-1	519	- 526	520	998	- 1056	1013
	FD	C	3	19	290.0	- 320.2	298.0	-6	-			1117	- 1121	1118
		D	2	1	235.0	- 235.0	235.0	N/Q	427	- 427	427	881	- 881	881
400+	FD	D	2	12	229.2	- 250.0	239.1	N/C	-			802	- 863	827
	RS	D	2	10	238.2	- 238.2	238.2	N/Q	-			917	- 917	917
	FD	C	2	28	287.2	- 296.2	290.5	7	-			1221	- 1288	1256
	FD	C	3	25	278.2	- 285.0	281.5	N/C	-			1265	- 1354	1304
		C	3	5	280.0	- 289.2	281.8	3	509	- 526	512	1229	- 1260	1254
				<b>462</b>	<b>153.2</b>	<b>329.2</b>			<b>427</b>	<b>526</b>		<b>437</b>	<b>1354</b>	
<b>Yearling Heifer</b>														
200-280	RS	C	2	11	246.2	- 257.2	251.2	-9	-			604	- 628	617
		C	2	9	245.2	- 263.2	256.2	24	454	- 487	474	638	- 699	679
	FD	D	2	3	230.0	- 230.0	230.0	N/Q	-			633	- 633	633
		D	2	4	225.2	- 225.2	225.2	9	417	- 417	417	529	- 529	529
280-330	FD	C	2	19	240.0	- 273.2	260.5	11	-			684	- 779	742
	FD	D	2	9	221.2	- 235.2	230.4	N/Q	-			641	- 682	664
330-400		C	2	3	255.2	- 255.2	255.2	N/Q	473	- 473	473	957	- 957	957
	FD	C	2	26	245.0	- 265.2	257.3	-27	-			870	- 941	913
	FD	C	3	26	259.2	- 297.2	288.2	N/Q	-			942	- 1098	1043
		C	3	35	244.2	- 280.2	265.1	1	452	- 519	491	867	- 1023	950
		D	2	4	204.2	- 210.2	207.2	N/Q	378	- 389	384	725	- 746	736
400+	FD	D	2	5	223.2	- 223.2	223.2	6	-			837	- 837	837
		B	3	5	311.2	- 311.2	311.2	N/Q	537	- 537	537	1282	- 1282	1282
	FD	C	2	2	251.2	- 251.2	251.2	N/Q	-			1130	- 1130	1130
	FD	C	3	24	250.0	- 294.2	279.4	N/Q	-			1088	- 1265	1188
		C	3	24	237.2	- 279.2	249.5	-25	439	- 517	462	1041	- 1228	1114
				<b>209</b>	<b>204.2</b>	<b>311.2</b>			<b>378</b>	<b>537</b>		<b>529</b>	<b>1282</b>	
<b>Grown Steer</b>														
0-400	FD	D	2	2	210.0	- 210.0	210.0	N/Q	-			735	- 735	735
400-500		C	2	1	246.2	- 246.2	246.2	N/Q	448	- 448	448	1071	- 1071	1071
	FD	C	2	7	235.2	- 235.2	235.2	5	-			1058	- 1058	1058
	FD	C	3	2	250.0	- 250.0	250.0	N/C	-			1125	- 1125	1125
	FD	D	2	4	210.0	- 210.0	210.0	N/Q	-			977	- 977	977
		D	2	6	200.0	- 221.2	214.1	N/Q	364	- 402	389	930	- 940	937
500-600		C	3	9	254.2	- 264.2	260.9	7	462	- 480	474	1335	- 1413	1387
		C	4	8	273.2	- 284.2	281.5	13	488	- 508	503	1462	- 1592	1559
600-750		C	3	14	265.2	- 266.2	265.8	N/Q	482	- 484	483	1684	- 1690	1688
		C	4	37	267.2	- 300.2	278.4	13	477	- 536	497	1670	- 1948	1776
				<b>90</b>	<b>200.0</b>	<b>300.2</b>			<b>364</b>	<b>536</b>		<b>735</b>	<b>1948</b>	
<b>Grown Heifer</b>														
0-540		C	3	5	258.2	- 258.2	258.2	19	487	- 487	487	1097	- 1097	1097
		C	4	2	257.2	- 257.2	257.2	N/Q	485	- 485	485	1247	- 1247	1247
	FD	D	2	1	217.2	- 217.2	217.2	N/Q	-			923	- 923	923

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
540+	RS	D	2	26	207.2	- 219.2	208.6	N/Q	-			881	- 932	886	
		D	3	1	235.2	- 235.2	235.2	N/Q	452	- 452	452	1023	- 1023	1023	
		C	3	3	286.2	- 286.2	286.2	31	540	- 540	540	1574	- 1574	1574	
				<b>38</b>	<b>207.2</b>	<b>286.2</b>			<b>452</b>	<b>540</b>		<b>881</b>	<b>1574</b>		
<b>Cows</b>															
0-400	RS	D	1	38	154.2	- 205.2	173.0	N/Q	-			564	- 737	629	
		D	1	11	115.0	- 165.0	150.7	12	261	- 375	337	380	- 645	569	
		D	2	5	160.0	- 189.2	183.4	10	348	- 411	399	640	- 757	733	
		E	1	6	95.2	- 123.2	104.5	-20	216	- 280	238	367	- 493	409	
400-520	DA	E	2	7	133.2	- 173.2	138.9	N/Q	290	- 377	302	526	- 684	549	
		D	1	15	160.0	- 187.2	174.5	7	364	- 426	397	688	- 796	743	
		D	2	62	174.2	- 220.0	209.4	16	379	- 478	455	740	- 1067	974	
		D	3	65	220.2	- 235.2	225.5	12	449	- 480	460	967	- 1141	1064	
520+		D	4	73	240.0	- 255.2	247.7	14	471	- 500	486	1062	- 1233	1162	
		D	2	9	228.2	- 230.2	229.5	31	496	- 500	499	1221	- 1232	1228	
		D	3	19	226.0	- 242.2	236.8	15	461	- 494	483	1209	- 1393	1287	
		D	4	48	239.2	- 262.2	251.6	13	469	- 514	493	1317	- 1657	1486	
			<b>358</b>	<b>95.2</b>	<b>262.2</b>			<b>216</b>	<b>514</b>		<b>367</b>	<b>1657</b>			
<b>Bulls</b>															
0-450		C	2	1	263.2	- 263.2	263.2	N/Q	479	- 479	479	619	- 619	619	
		FD	C	2	5	214.2	- 216.2	215.0	15	-		782	- 789	785	
		RS	C	2	5	209.2	- 214.2	212.2	-10	-		782	- 805	791	
		RS	C	3	1	233.2	- 233.2	233.2	N/Q	-		816	- 816	816	
450-600		FD	C	3	4	231.2	- 238.2	234.7	22	-		869	- 913	891	
			C	3	3	210.0	- 251.2	233.5	7	382	- 457	425	861	- 893	878
		FD	D	2	2	195.2	- 195.2	195.2	N/Q	-		712	- 712	712	
		RS	D	2	4	140.0	- 201.2	170.6	-19	-		469	- 674	572	
600+		C	3	7	215.2	- 239.2	229.7	6	384	- 427	410	1116	- 1292	1201	
		RS	D	2	1	203.2	- 203.2	203.2	N/Q	-		986	- 986	986	
600+		D	2	1	166.2	- 166.2	166.2	N/Q	302	- 302	302	889	- 889	889	
		C	2	1	197.2	- 197.2	197.2	N/Q	359	- 359	359	1380	- 1380	1380	
		C	3	21	220.2	- 250.2	233.4	8	393	- 447	417	1387	- 2054	1633	
		D	2	2	177.2	- 179.2	178.2	N/Q	322	- 326	324	1108	- 1165	1136	
			<b>58</b>	<b>140.0</b>	<b>263.2</b>			<b>302</b>	<b>479</b>		<b>469</b>	<b>2054</b>			

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross  
FD: Feeder DP: Dorper

#### Disclaimer:

© MLA 2015. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.