

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 27 Oct 2015

Yarding Change $\frac{1233}{33}$

comparison date 20/10/2015

The supply of stock experienced very little change and young cattle were in the largest numbers, along with a handful of heavy grown steers and bullocks and a fair selection of cows. A full panel of exporters was present however not all were operating. The usual feed and trade buyers plus some restockers were in attendance and very active in the market. Some rain in places lifted restocker demand and light weight yearling steers improved by over 20c/kg. Medium weight yearling steers to feed averaged up to 16c dearer and a small selection to the trade averaged 12c/kg better. Medium weight yearling heifers to feed and the local trade market lifted in price by 10c to 13c/kg. The handful of heavy grown steers and bullocks sold to a dearer trend however cows were noticeably dearer with good heavy classes 14c/kg better.

A good sample of calves returned to the paddock at an average of 298c with some to 340.2c/kg. Vealer heifers mostly sold in the 280c range and the better classes to local butchers improved by 12c and sold to 313.2c/kg. Light weight yearling steers to restockers averaged 306c and made to 337.2c/kg. The largest number of medium weight yearling steers to feed averaged 298c while some better lines made around 308c and sold to 313.2c/kg. A handful of medium weights to the trade averaged 303c and heavy weights made to 299.2c, to average 292c/kg. Light weight yearling heifers to restockers made to 286.2c with a fair sample around 266c/kg. Medium weights to feed averaged in the 280c range and sold 295.2c/kg.

Heavy grown steers averaged 287c and a handful of bullocks averaged and sold to 296c/kg. Medium weight 2 score cows averaged 216c and 3 scores 233c/kg. Good heavy cows made to 258.2c, to average 250c/kg. Heavy bulls made to 269.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+	RS	C	2	67	263.2	- 340.2	297.9	65	-	-	-	259	- 629	540
				67	263.2	340.2			0	0		259	629	
Vealer Steer														
280-330		C	3	1	301.2	- 301.2	301.2	N/Q	548	- 548	548	858	- 858	858
				1	301.2	301.2			548	548		858	858	
Vealer Heifer														
200-280	FD	C	2	10	267.2	- 270.0	268.9	N/Q	-	-	-	668	- 716	697
	RS	C	2	48	278.2	- 295.0	285.4	N/Q	-	-	-	663	- 738	697
		C	2	24	267.2	- 297.2	278.9	N/Q	495	- 550	517	673	- 788	728
		C	3	8	290.0	- 311.2	301.4	N/Q	537	- 576	558	769	- 856	810
280-330		C	2	1	280.0	- 280.0	280.0	N/Q	519	- 519	519	798	- 798	798
		C	3	20	290.0	- 313.2	299.8	12	537	- 580	555	827	- 965	871
				111	267.2	313.2			495	580		663	965	
Yearling Steer														
200-280	FD	C	2	5	298.2	- 300.0	299.3	12	-	-	-	710	- 750	734
	RS	C	2	142	210.2	- 337.2	306.6	24	-	-	-	431	- 769	706
280-330	RS	C	2	5	283.2	- 283.2	283.2	N/Q	-	-	-	835	- 835	835
	FD	C	2	49	293.2	- 304.2	298.9	21	-	-	-	850	- 900	882
330-400	FD	C	2	115	278.2	- 313.2	298.8	6	-	-	-	938	- 1190	1046
	RS	C	2	7	290.2	- 290.2	290.2	N/Q	-	-	-	1001	- 1001	1001
	FD	C	3	35	284.0	- 313.2	308.4	16	-	-	-	994	- 1143	1105
		C	3	21	299.2	- 310.2	304.0	12	544	- 564	553	1086	- 1182	1163
	FD	D	2	6	250.0	- 259.2	257.7	-2	-	-	-	868	- 875	869
	RS	D	2	3	247.2	- 247.2	247.2	N/Q	-	-	-	828	- 828	828

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+	FD	C	3	12	300.0	- 308.2	306.2	-2	-			1325	- 1350	1331
		C	3	29	281.2	- 299.2	292.5	5	511	- 544	532	1263	- 1346	1311
				429	210.2	337.2			511	564		431	1350	
Yearling Heifer														
200-280	RS	C	2	49	243.2	- 286.2	266.2	28	-			583	- 758	653
		FD	C	2	5	266.2	- 266.2	266.2	7	-			666	- 666
		C	2	11	250.2	- 265.2	256.2	-2	463	- 491	474	544	- 648	590
	FD	D	2	3	191.2	- 191.2	191.2	N/Q	-			507	- 507	507
		D	2	3	208.2	- 208.2	208.2	-5	386	- 386	386	552	- 552	552
280-330	RS	D	2	14	166.2	- 240.2	219.1	-12	-			440	- 540	512
		C	2	1	270.0	- 270.0	270.0	N/Q	500	- 500	500	770	- 770	770
	RS	D	2	7	180.0	- 220.0	191.4	N/Q	-			513	- 627	546
330-400	FD	E	2	3	120.0	- 120.0	120.0	N/Q	-			342	- 342	342
		C	2	74	254.2	- 295.2	283.7	13	-			890	- 1137	1036
	FD	C	3	33	275.2	- 294.2	287.0	10	-			1015	- 1158	1083
		C	3	13	275.0	- 302.2	291.6	10	509	- 560	540	921	- 1133	1065
400+	FD	D	2	1	235.0	- 235.0	235.0	N/Q	435	- 435	435	823	- 823	823
		C	2	4	267.2	- 267.2	267.2	-15	-			1136	- 1136	1136
	FD	C	3	1	279.2	- 279.2	279.2	N/Q	517	- 517	517	1354	- 1354	1354
	FD	C	3	13	282.2	- 288.0	286.7	N/Q	-			1270	- 1296	1290
				235	120.0	302.2			386	560		342	1354	
Grown Steer														
0-400	FD	C	2	2	259.2	- 259.2	259.2	N/Q	-			998	- 998	998
		D	2	4	241.2	- 241.2	241.2	N/Q	-			808	- 808	808
400-500	FD	C	2	2	260.2	- 260.2	260.2	N/Q	-			1106	- 1106	1106
		C	3	5	272.2	- 285.0	282.4	N/Q	-			1211	- 1320	1247
500-600	C	4	1	283.2	- 283.2	283.2	N/Q	515	- 515	515	1274	- 1274	1274	
		3	3	269.2	- 276.2	271.5	-1	490	- 502	494	1478	- 1521	1507	
	C	4	11	283.2	- 295.2	287.7	8	506	- 527	514	1579	- 1747	1655	
600-750	C	4	14	295.0	- 296.2	295.9	N/Q	527	- 529	529	1779	- 2103	2034	
				42	241.2	296.2			490	529		808	2103	
Grown Heifer														
0-540		C	3	3	248.2	- 248.2	248.2	N/Q	477	- 477	477	1117	- 1117	1117
540+		D	3	1	247.2	- 247.2	247.2	N/Q	466	- 466	466	1397	- 1397	1397
				4	247.2	248.2			466	477		1117	1397	
Manufacturing Steer														
540+		C	4	1	256.2	- 256.2	256.2	N/Q	466	- 466	466	2191	- 2191	2191
				1	256.2	256.2			466	466		2191	2191	
Cows														
0-400	RS	D	1	35	130.0	- 178.2	155.3	6	-			465	- 713	586
		D	1	6	149.2	- 173.2	162.2	9	339	- 394	369	545	- 657	611
		E	1	2	60.0	- 60.0	60.0	N/Q	136	- 136	136	192	- 192	192
400-520	DA	D	1	1	149.2	- 149.2	149.2	N/Q	339	- 339	339	634	- 634	634
		D	1	8	175.2	- 198.2	188.0	22	398	- 451	427	762	- 842	813
		D	2	18	190.0	- 227.2	216.6	18	413	- 494	471	884	- 1102	957

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
520+	DA	D	2	8	218.2	- 224.2	221.3	N/Q	474	- 487	481	932	- 1065	1038	
		D	3	17	228.0	- 236.2	233.1	N/Q	465	- 498	483	1027	- 1112	1037	
		D	4	13	241.2	- 249.2	247.2	23	473	- 489	485	1094	- 1209	1176	
		D	5	8	218.2	- 224.2	223.5	N/Q	474	- 487	486	1058	- 1087	1084	
		D	2	10	221.2	- 230.2	227.0	23	481	- 500	494	1183	- 1267	1221	
		D	3	7	232.2	- 240.2	236.3	17	474	- 490	482	1242	- 1340	1275	
		DA	D	3	2	233.2	- 233.2	233.2	N/Q	476	- 476	476	1632	- 1632	1632
		D	4	12	244.2	- 258.2	250.6	14	479	- 506	491	1331	- 2308	1465	
		D	5	2	218.2	- 218.2	218.2	N/Q	445	- 445	445	1309	- 1309	1309	
				149	60.0	258.2		136	506		192	2308			
Bulls															
0-450	RS	C	2	4	230.0	- 231.2	230.3	N/Q	-	-	-	656	- 844	703	
	FD	C	3	2	244.2	- 244.2	244.2	N/Q	-	-	-	842	- 842	842	
	RS	D	2	1	187.2	- 187.2	187.2	N/Q	-	-	-	721	- 721	721	
		D	2	2	177.2	- 200.0	188.6	N/Q	322	- 364	343	620	- 900	760	
450-600		C	2	1	200.2	- 200.2	200.2	N/Q	364	- 364	364	1131	- 1131	1131	
	RS	C	2	1	214.2	- 214.2	214.2	N/Q	-	-	-	1039	- 1039	1039	
600+		C	2	1	224.2	- 224.2	224.2	N/Q	400	- 400	400	1457	- 1457	1457	
		C	3	9	229.2	- 269.2	247.0	18	409	- 481	441	1613	- 2177	1889	
				21	177.2	269.2		322	481		620	2177			

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2015. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.