

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 02 Feb 2016

Yarding Change ¹⁶¹³/₃₃₉

comparison date 19/01/2016

Numbers lifted by 27% compared to the sale of two weeks ago. A fair panel of buyers covering all classes was present and operating. Stronger restocker competition lifted prices on lightweight yearling steers.

Medium and heavy weight yearling steers to feed could not maintain the prices of two weeks ago and lost 8c to 14c/kg. Export slaughter lines went against this trend and bullocks lifted in price by 10c and cows improved in price by 4c to 13c/kg.

Calves to restockers averaged 325c and made to 340.2c/kg. A few vealer heifers made to 331.2c with most around 308c/kg. Lightweight yearling steers returning to the paddock averaged close to 347c and made to 391.2c/kg. Medium weight yearling steers to feed averaged 319c and made to 332.2c/kg. Heavyweights to feed mostly sold around 312c with some to 326.2c/kg. Lightweight yearling heifers to feed averaged 314c and made to 330.2c/kg. The largest number of medium weight yearling heifers to feed averaged 289c with a few pens reaching 310c/kg. A fair sample of medium weights to the trade averaged 309c and made to 329.2c/kg.

Heavy grown steers averaged 284c and bullocks averaged 285c and made to 290.2c/kg. Medium weight 2 score cows averaged 213c and made to 225.2c/kg. A fair sample of good heavy cows made to a top of 256.2c to average 247c/kg. Heavy bulls made to 257.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+		C	2	3	295.2	- 295.2	295.2	5	557	- 557	557	546	- 546	546
	RS	C	2	20	295.2	- 340.2	325.2	-30	-	-	-	435	- 663	574
	RS	D	2	1	282.2	- 282.2	282.2	N/Q	-	-	-	353	- 353	353
				24	282.2	340.2			557	557		353	663	
Vealer Steer														
200-280	RS	C	2	8	351.2	- 351.2	351.2	N/Q	-	-	-	790	- 790	790
	FD	C	2	2	311.2	- 311.2	311.2	N/Q	-	-	-	731	- 731	731
280-330	FD	C	2	2	336.2	- 336.2	336.2	N/Q	-	-	-	958	- 958	958
	RS	C	2	2	312.2	- 312.2	312.2	N/Q	-	-	-	890	- 890	890
		C	3	1	323.2	- 323.2	323.2	N/Q	588	- 588	588	921	- 921	921
				15	311.2	351.2			588	588		731	958	
Vealer Heifer														
200-280		C	2	16	300.0	- 310.0	308.0	-1	556	- 574	570	662	- 748	712
		C	3	6	224.2	- 310.2	281.5	N/Q	415	- 574	521	549	- 760	690
280-330		C	2	7	331.2	- 331.2	331.2	N/Q	613	- 613	613	944	- 944	944
		C	3	4	321.2	- 323.2	322.2	2	595	- 599	597	915	- 921	918
				33	224.2	331.2			415	613		549	944	
Yearling Steer														
200-280	FD	C	2	24	318.2	- 345.2	331.7	3	-	-	-	780	- 863	821
	RS	C	2	109	319.2	- 391.2	346.9	14	-	-	-	688	- 883	806
	RS	D	2	13	277.2	- 308.2	293.7	12	-	-	-	639	- 771	703
280-330	RS	C	2	25	315.2	- 335.2	325.5	-5	-	-	-	898	- 955	928
	FD	C	2	28	240.0	- 338.2	329.3	-16	-	-	-	684	- 998	960
	RS	D	1	2	248.2	- 248.2	248.2	N/Q	-	-	-	794	- 794	794

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400	RS	C	2	1	340.2	- 340.2	340.2	N/Q	-			1191	- 1191	1191
	FD	C	2	52	308.2	- 332.2	319.1	-8	-			1085	- 1246	1182
	FD	C	3	12	325.0	- 325.0	325.0	-5	-			1251	- 1251	1251
		C	3	2	300.0	- 330.0	315.0	N/Q	546	- 600	573	1155	- 1185	1170
		D	2	2	225.2	- 225.2	225.2	N/Q	410	- 410	410	788	- 788	788
	FD	D	2	10	270.0	- 299.2	291.0	-12	-			945	- 1182	1086
	RS	D	2	2	281.2	- 281.2	281.2	N/Q	-			984	- 984	984
400+	FD	C	2	57	301.2	- 325.2	312.9	-6	-			1250	- 1431	1343
	FD	C	3	162	287.2	- 326.2	312.1	-14	-			1249	- 1447	1343
		C	3	11	289.2	- 294.2	291.0	-7	526	- 535	529	1324	- 1547	1466
		D	2	1	245.2	- 245.2	245.2	N/Q	446	- 446	446	993	- 993	993
	FD	D	2	11	280.0	- 284.2	283.0	N/Q	-			1175	- 1190	1177
				524	225.2	391.2			410	600		639	1547	
Yearling Heifer														
200-280	FD	C	2	55	290.2	- 330.2	314.7	8	-			682	- 798	728
	RS	C	2	44	281.2	- 320.2	297.6	-2	-			630	- 746	682
		C	2	32	283.2	- 304.2	296.4	-9	524	- 563	549	708	- 817	759
		D	2	3	275.2	- 279.2	277.9	N/Q	510	- 517	515	647	- 656	653
280-330		C	2	26	285.2	- 308.0	301.7	-8	528	- 570	559	813	- 913	874
	RS	C	2	7	290.0	- 307.2	299.8	N/Q	-			827	- 876	855
	FD	C	2	13	295.2	- 298.2	297.0	-16	-			886	- 895	891
	D	2	2	249.2	- 249.2	249.2	N/Q	462	- 462	462	710	- 710	710	
330-400	FD	C	2	74	270.0	- 303.2	289.4	-23	-			972	- 1137	1047
		C	3	61	271.2	- 329.2	309.7	-9	502	- 610	574	986	- 1209	1112
	FD	C	3	26	287.2	- 310.0	295.1	-18	-			1009	- 1163	1069
		C	4	2	256.2	- 256.2	256.2	N/Q	474	- 474	474	1012	- 1012	1012
	RS	D	2	4	241.2	- 245.2	242.2	-5	-			844	- 920	863
		D	2	7	247.2	- 247.2	247.2	N/Q	458	- 458	458	865	- 865	865
400+	FD	C	2	10	269.2	- 280.2	272.9	-7	-			1090	- 1215	1183
		C	3	11	274.2	- 285.2	282.8	-10	508	- 528	524	1234	- 1358	1290
	FD	C	3	7	275.2	- 285.2	282.3	N/Q	-			1238	- 1241	1240
		C	4	7	259.2	- 259.2	259.2	N/Q	480	- 480	480	1257	- 1257	1257
				391	241.2	330.2			458	610		630	1358	
Grown Steer														
400-500	FD	C	2	5	276.2	- 276.2	276.2	-21	-			1174	- 1174	1174
	FD	C	3	5	285.2	- 285.2	285.2	-18	-			1241	- 1241	1241
	RS	D	2	1	267.2	- 267.2	267.2	N/Q	-			1162	- 1162	1162
	D	2	6	236.2	- 236.2	236.2	N/Q	430	- 430	430	1098	- 1098	1098	
500-600		C	3	6	273.2	- 273.2	273.2	9	497	- 497	497	1571	- 1571	1571
		C	4	20	280.2	- 288.2	284.1	10	500	- 515	507	1499	- 1585	1551
		D	3	3	256.2	- 256.2	256.2	N/Q	466	- 466	466	1448	- 1448	1448
600-750		C	4	38	278.2	- 290.2	285.0	10	497	- 518	509	1739	- 1982	1839
750+		C	4	2	287.2	- 287.2	287.2	N/Q	513	- 513	513	2232	- 2232	2232
				86	236.2	290.2			430	518		1098	2232	
Grown Heifer														

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
0-540		C	4	6	263.2	- 273.2	268.0	-7	502	- 516	507	1408	- 1462	1434
	RS	D	1	1	198.2	- 198.2	198.2	N/Q	-			723	- 723	723
	DA	D	2	1	206.2	- 206.2	206.2	N/Q	430	- 430	430	897	- 897	897
		D	3	6	247.2	- 248.2	248.0	8	475	- 477	477	1005	- 1112	1023
540+		C	4	3	265.2	- 273.2	267.9	N/C	500	- 516	505	1544	- 1551	1549
				17	198.2	273.2			430	516		723	1551	
Cows														
0-400		D	1	8	141.2	- 191.2	171.9	10	321	- 435	391	515	- 765	681
	RS	D	1	26	154.2	- 220.2	197.1	N/Q	-			563	- 848	767
	DA	D	1	3	140.0	- 161.2	154.1	N/Q	318	- 366	350	560	- 621	600
		D	2	5	188.2	- 188.2	188.2	N/Q	409	- 409	409	753	- 753	753
400-520		D	1	6	173.2	- 178.2	174.0	-11	394	- 405	396	753	- 775	757
	RS	D	1	8	213.2	- 213.2	213.2	18	-			917	- 917	917
	RS	D	2	1	211.2	- 211.2	211.2	N/C	-			919	- 919	919
	DA	D	2	1	220.0	- 220.0	220.0	N/Q	478	- 478	478	1067	- 1067	1067
		D	2	41	200.2	- 225.2	213.0	4	435	- 490	463	851	- 1070	966
		D	3	55	224.2	- 235.2	230.1	11	458	- 503	471	993	- 1121	1080
		D	4	13	238.0	- 240.0	238.3	6	467	- 471	467	1080	- 1160	1109
520+		D	2	1	227.2	- 227.2	227.2	N/Q	494	- 494	494	1216	- 1216	1216
		D	3	27	229.2	- 239.2	236.1	14	468	- 488	482	1264	- 1346	1304
		D	4	83	241.2	- 256.2	247.3	13	473	- 502	485	1296	- 1975	1443
				278	140.0	256.2			318	503		515	1975	
Bulls														
0-450		C	2	1	300.2	- 300.2	300.2	N/Q	546	- 546	546	796	- 796	796
	FD	C	2	1	239.2	- 239.2	239.2	N/Q	-			1017	- 1017	1017
	RS	C	2	15	279.2	- 318.2	310.0	42	-			656	- 682	670
	FD	C	3	1	297.2	- 297.2	297.2	N/Q	-			1144	- 1144	1144
		C	3	1	245.2	- 245.2	245.2	N/Q	446	- 446	446	1103	- 1103	1103
	RS	D	2	10	257.2	- 257.2	257.2	N/Q	-			939	- 939	939
	FD	D	2	3	200.2	- 247.2	225.9	26	-			811	- 944	873
		E	1	1	169.2	- 169.2	169.2	N/Q	308	- 308	308	592	- 592	592
450-600		C	2	3	229.2	- 229.2	229.2	N/Q	417	- 417	417	1261	- 1261	1261
		C	3	3	245.2	- 290.0	268.4	38	446	- 527	488	1189	- 1407	1284
600+		C	2	2	228.2	- 229.2	228.7	N/Q	415	- 417	416	1563	- 1834	1698
	RS	C	3	1	279.2	- 279.2	279.2	N/Q	-			2317	- 2317	2317
		C	3	12	238.2	- 257.2	249.5	9	425	- 459	446	1672	- 2638	2097
				54	169.2	318.2			308	546		592	2638	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.