

Over the hooks report - cattle

Market information provided by MLA's National Livestock Reporting Service

Queensland

report date

19 Feb 2016

The Queensland over-the-hook cattle indicators were firm week-on-week, with all contributors keeping grids unchanged. In contrast, the indicators in NSW and Victoria edged higher this week. Throughout the eastern states, Queensland cow prices continue to track dearer relative to the south while the spread between yearling and grown steers is far narrower.

Grade	Weight Range (cwt kg)	Dentition	Muscle Score	Fat (mm)	Average (c/kg cwt)	Trend
-------	-----------------------	-----------	--------------	----------	--------------------	-------

- Yearlings						
Steers	220-240	0-2 (YG)	A-C	5-22	495	NC
	240-260	0-2 (YG)	A-C	5-22	500	NC
	260-280	0-2 (YG)	A-C	5-22	505	NC
	280-300	0-2 (YG)	A-C	5-22	510	NC
	300-320	0-2 (YG)	A-C	5-22	515	NC
Heifers	220-240	0-2 (YG)	A-C	5-22	490	NC
	240-260	0-2 (YG)	A-C	5-22	495	NC
	260-280	0-2 (YG)	A-C	5-22	500	NC
	280-300	0-2 (YG)	A-C	5-22	505	NC
	300-320	0-2 (YG)	A-C	5-22	509	NC

MSA Yearlings

Steers	220-240	0-2 (YG)	A-C	5-22	511	NC
	240-260	0-2 (YG)	A-C	5-22	516	NC
	260-280	0-2 (YG)	A-C	5-22	521	NC
	280-300	0-2 (YG)	A-C	5-22	523	NC
	300-320	0-2 (YG)	A-C	5-22	525	NC
Heifers	220-240	0-2 (YG)	A-C	5-22	506	NC
	240-260	0-2 (YG)	A-C	5-22	511	NC
	260-280	0-2 (YG)	A-C	5-22	516	NC
	280-300	0-2 (YG)	A-C	5-22	518	NC
	300-320	0-2 (YG)	A-C	5-22	520	NC

Grown Steers

EU Steer	300 - 340	0 - 4	A-C	5-22	536	NC	
		240-260	0-4 (YP)	A-C	5-22	494	NC
			0-6 (PR)	A-C	5-22	489	NC
	260-280	0-8 (S)	A-C	5-22	482	NC	
		0-4 (YP)	A-C	5-22	499	NC	
		0-6 (PR)	A-C	5-22	494	NC	
	280-300	0-8 (S)	A-C	5-22	487	NC	
		0-4 (YP)	A-C	5-22	504	NC	
		0-6 (PR)	A-C	5-22	499	NC	
	300-400	0-8 (S)	A-C	5-22	492	NC	
		0-4 (YP)	A-C	5-22	510	NC	
		0-6 (PR)	A-C	5-22	505	NC	
			0-8 (S)	A-C	5-22	498	NC

Grade	Weight Range (cwt kg)	Dentition	Muscle Score	Fat (mm)	Average (c/kg cwt)	Trend
Cows						
	180-200	0-8 (C)	A-D	13-22	426	NC
		0-8 (C)	A-D	3-12	432	NC
		0-8 (C)	A-E	0-32	411	NC
	200-220	0-8 (C)	A-D	13-22	436	NC
		0-8 (C)	A-D	3-12	441	NC
		0-8 (C)	A-E	0-32	423	NC
	220-240	0-8 (C)	A-D	13-22	440	NC
		0-8 (C)	A-D	3-12	446	NC
		0-8 (C)	A-E	0-32	431	NC
	240-260	0-8 (C)	A-D	13-22	446	NC
		0-8 (C)	A-D	3-12	451	NC
		0-8 (C)	A-E	0-32	436	NC
	260-280	0-8 (C)	A-D	13-22	451	NC
		0-8 (C)	A-D	3-12	456	NC
		0-8 (C)	A-E	0-32	441	NC
	280-300	0-8 (C)	A-D	13-22	456	NC
		0-8 (C)	A-D	3-12	461	NC
		0-8 (C)	A-E	0-32	446	NC
	300-400	0-8 (C)	A-D	13-22	461	NC
		0-8 (C)	A-D	3-12	466	NC
		0-8 (C)	A-E	0-32	450	NC
Bulls						
	260-280	0-8 (B)	A-E	0-32	408	NC
	280-300	0-8 (B)	A-E	0-32	412	NC
	300-320	0-8 (B)	A-E	0-32	415	NC
	320-440	0-8 (B)	A-E	0-32	420	NC
Grainfed 70 Days						
Steers	220-240	0-2 (YG)	A-C	5-22	510	NC
	240-260	0-2 (YG)	A-C	5-22	514	NC
	260-280	0-2 (YG)	A-C	5-22	519	NC
	280-300	0-2 (YG)	A-C	5-22	522	NC
	300-320	0-2 (YG)	A-C	5-22	523	NC
Heifers	220-240	0-2 (YG)	A-C	5-22	505	NC
	240-260	0-2 (YG)	A-C	5-22	509	NC
	260-280	0-2 (YG)	A-C	5-22	514	NC
	280-300	0-2 (YG)	A-C	5-22	517	NC
	300-320	0-2 (YG)	A-C	5-22	518	NC
MSA Grainfed 70 Days						
Steers	220-240	0-2 (YG)	A-C	5-22	517	NC
	240-260	0-2 (YG)	A-C	5-22	524	NC
	260-280	0-2 (YG)	A-C	5-22	529	NC
	280-300	0-2 (YG)	A-C	5-22	531	NC
	300-320	0-2 (YG)	A-C	5-22	532	NC
Heifers	220-240	0-2 (YG)	A-C	5-22	515	NC
	240-260	0-2 (YG)	A-C	5-22	519	NC

Grade	Weight Range (cwt kg)	Dentition	Muscle Score	Fat (mm)	Average (c/kg cwt)	Trend
	260-280	0-2 (YG)	A-C	5-22	524	NC
	280-300	0-2 (YG)	A-C	5-22	526	NC
	300-320	0-2 (YG)	A-C	5-22	527	NC
Grainfed 100 Days						
Steers	220-240	0-2 (YG)	A-C	5-22	509	NC
	240-260	0-2 (YG)	A-C	5-22	514	NC
	260-280	0-2 (YG)	A-C	5-22	519	NC
	280-300	0-2 (YG)	A-C	5-22	524	NC
	300-320	0-2 (YG)	A-C	5-22	529	NC
Heifers	220-240	0-2 (YG)	A-C	5-22	504	NC
	240-260	0-2 (YG)	A-C	5-22	509	NC
	260-280	0-2 (YG)	A-C	5-22	514	NC
	280-300	0-2 (YG)	A-C	5-22	519	NC
	300-320	0-2 (YG)	A-C	5-22	524	NC
MSA Grainfed 100 Days						
Steers	220-240	0-2 (YG)	A-C	5-22	520	NC
	240-260	0-2 (YG)	A-C	5-22	528	NC
	260-280	0-2 (YG)	A-C	5-22	533	NC
	280-300	0-2 (YG)	A-C	5-22	535	NC
	300-320	0-2 (YG)	A-C	5-22	536	NC
Heifers	220-240	0-2 (YG)	A-C	5-22	515	NC
	240-260	0-2 (YG)	A-C	5-22	523	NC
	260-280	0-2 (YG)	A-C	5-22	528	NC
	280-300	0-2 (YG)	A-C	5-22	530	NC
	300-320	0-2 (YG)	A-C	5-22	531	NC

Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.