

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 14 Jun 2016

Yarding Change $\frac{1078}{506}$

comparison date 07/06/2016

The supply of stock almost doubled the previous week's level. Young cattle were in the largest numbers and only a handful of bullocks were penned, along with a fair selection of cows. Most of the usual buyers competed in a generally dearer market. Light weight yearling steers returning to the paddock averaged 6c/kg dearer. Medium and heavy weight yearling steers to feed improved a further 3c to 8c however yearling heifers to feed lifted in price by over 30c/kg. All classes of cows were in demand and average prices gained 10c to 20c/kg.

A fair sample of mixed sex calves returned to the paddock at an average 324c, with some steer calves reaching 370.2c/kg. A relatively small selection of vealer heifers averaged over 30c dearer at 320c, with sales to 328.2c/kg. Light weight yearling steers to restockers averaged 332c and made to 360.2c/kg. Medium weight yearling steers to feed mostly sold around 332c with sales to 347.2c/kg. Heavy weights to feed averaged 313c and made to 321.2c/kg. Medium weight yearling heifers to feed averaged 307c and made to 326.2c while a few to the trade made to 325c to average 315c/kg.

A handful of full mouth bullocks made to 307.2c/kg. Medium weight 2 score cows made to 227.2c to average 216c/kg. A fair sample of heavy 3 scores averaged 245c while a few good heavy cows made to 262.2c to average 257c/kg. Heavy bulls made to 270.2c/kg.

| Category Weight | Sale Prefix | Muscle Score | Fat Score | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg | | | Estimated \$/Head | | |
|------------------------|-------------|--------------|-----------|------------|------------------|--------------|-------|--------|-------------------------------|------------|-----|-------------------|-------------|------|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg |
| Calves | | | | | | | | | | | | | | |
| 80+ | | C | 2 | 1 | 285.2 | - 285.2 | 285.2 | N/Q | 538 | - 538 | 538 | 471 | - 471 | 471 |
| | RS | C | 2 | 90 | 278.2 | - 370.2 | 324.7 | 11 | - | - | - | 290 | - 685 | 536 |
| | | | | 91 | 278.2 | 370.2 | | | 538 | 538 | | 290 | 685 | |
| Vealer Heifer | | | | | | | | | | | | | | |
| 200-280 | FD | C | 2 | 27 | 309.2 | - 328.2 | 320.6 | 36 | - | - | - | 722 | - 819 | 754 |
| 280-330 | FD | C | 2 | 4 | 294.2 | - 294.2 | 294.2 | -1 | - | - | - | 838 | - 838 | 838 |
| | | C | 2 | 1 | 298.2 | - 298.2 | 298.2 | N/Q | 552 | - 552 | 552 | 850 | - 850 | 850 |
| | | | | 32 | 294.2 | 328.2 | | | 552 | 552 | | 722 | 850 | |
| Yearling Steer | | | | | | | | | | | | | | |
| 200-280 | FD | C | 2 | 3 | 294.2 | - 294.2 | 294.2 | -11 | - | - | - | 780 | - 780 | 780 |
| | RS | C | 2 | 133 | 300.2 | - 360.2 | 332.7 | 6 | - | - | - | 683 | - 834 | 766 |
| | RS | D | 2 | 6 | 279.2 | - 279.2 | 279.2 | 1 | - | - | - | 740 | - 740 | 740 |
| 280-330 | FD | C | 2 | 13 | 300.0 | - 340.2 | 323.0 | N/C | - | - | - | 900 | - 1021 | 965 |
| 330-400 | FD | C | 2 | 132 | 300.0 | - 347.2 | 331.8 | 3 | - | - | - | 1005 | - 1291 | 1156 |
| | FD | C | 3 | 25 | 301.2 | - 335.2 | 321.4 | 34 | - | - | - | 1160 | - 1257 | 1213 |
| 400+ | FD | C | 3 | 45 | 296.2 | - 321.2 | 313.4 | 8 | - | - | - | 1327 | - 1821 | 1536 |
| | | C | 3 | 7 | 315.2 | - 321.2 | 320.3 | 30 | 573 | - 584 | 582 | 1397 | - 1812 | 1457 |
| | | | | 364 | 279.2 | 360.2 | | | 573 | 584 | | 683 | 1821 | |
| Yearling Heifer | | | | | | | | | | | | | | |
| 200-280 | FD | C | 2 | 7 | 201.2 | - 300.0 | 229.4 | -53 | - | - | - | 412 | - 660 | 483 |
| | RS | C | 2 | 10 | 292.2 | - 294.2 | 293.2 | 19 | - | - | - | 662 | - 774 | 718 |
| | | D | 2 | 2 | 255.0 | - 255.0 | 255.0 | N/Q | 472 | - 472 | 472 | 574 | - 574 | 574 |
| 280-330 | FD | C | 2 | 14 | 290.2 | - 302.2 | 294.0 | 17 | - | - | - | 830 | - 907 | 866 |
| | | C | 2 | 4 | 294.2 | - 294.2 | 294.2 | -1 | 545 | - 545 | 545 | 853 | - 853 | 853 |
| 330-400 | FD | C | 2 | 47 | 295.0 | - 321.2 | 307.0 | 31 | - | - | - | 988 | - 1205 | 1088 |

| Category Weight | Sale Prefix | Muscle Score | Fat Score | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg | | | Estimated \$/Head | | | |
|----------------------------|-------------|--------------|-----------|------------|------------------|--------------|---------|--------|-------------------------------|-------|------------|-------------------|--------|-------------|-------------|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg | |
| 400+ | FD | C | 3 | 40 | 290.0 | - 326.2 | 307.5 | 37 | - | - | - | 1026 | - 1178 | 1118 | |
| | | C | 3 | 10 | 306.2 | - 325.0 | 315.6 | 21 | 567 | - 602 | 584 | 1041 | - 1138 | 1089 | |
| | FD | D | 2 | 13 | 240.0 | - 270.0 | 263.1 | 11 | - | - | - | 804 | - 1013 | 923 | |
| | FD | C | 3 | 13 | 300.2 | - 313.2 | 307.0 | 42 | - | - | - | 1276 | - 1347 | 1318 | |
| | | C | 3 | 3 | 280.2 | - 280.2 | 280.2 | 2 | 519 | - 519 | 519 | 1359 | - 1359 | 1359 | |
| | | | | 163 | 201.2 | 326.2 | | | | | 472 | 602 | | 412 | 1359 |
| Grown Steer | | | | | | | | | | | | | | | |
| 0-400 | FD | C | 2 | 4 | 283.2 | - 283.2 | 283.2 | N/Q | - | - | - | 991 | - 991 | 991 | |
| 600-750 | | C | 4 | 1 | 299.2 | - 299.2 | 299.2 | N/Q | 534 | - 534 | 534 | 1870 | - 1870 | 1870 | |
| | | C | 5 | 3 | 285.2 | - 285.2 | 285.2 | N/Q | 519 | - 519 | 519 | 2039 | - 2039 | 2039 | |
| | | | | 8 | 283.2 | 299.2 | | | | | 519 | 534 | | 991 | 2039 |
| Grown Heifer | | | | | | | | | | | | | | | |
| 0-540 | | C | 4 | 1 | 280.0 | - 280.0 | 280.0 | N/Q | 528 | - 528 | 528 | 1498 | - 1498 | 1498 | |
| | | D | 2 | 1 | 228.2 | - 228.2 | 228.2 | N/Q | 475 | - 475 | 475 | 970 | - 970 | 970 | |
| 540+ | RS | D | 2 | 1 | 213.2 | - 213.2 | 213.2 | N/Q | - | - | - | 906 | - 906 | 906 | |
| | | C | 3 | 3 | 262.2 | - 265.2 | 264.2 | N/Q | 504 | - 510 | 508 | 1551 | - 1573 | 1559 | |
| | | C | 4 | 1 | 271.2 | - 271.2 | 271.2 | N/Q | 512 | - 512 | 512 | 1587 | - 1587 | 1587 | |
| | | D | 3 | 2 | 238.2 | - 253.2 | 245.7 | N/Q | 458 | - 487 | 473 | 1393 | - 1481 | 1437 | |
| | | | | 9 | 213.2 | 280.0 | | | | | 458 | 528 | | 906 | 1587 |
| Manufacturing Steer | | | | | | | | | | | | | | | |
| 540+ | | C | 4 | 7 | 307.2 | - 307.2 | 307.2 | 27 | 549 | - 549 | 549 | 2276 | - 2276 | 2276 | |
| | | D | 2 | 1 | 249.2 | - 249.2 | 249.2 | N/Q | 453 | - 453 | 453 | 1620 | - 1620 | 1620 | |
| | | | | 8 | 249.2 | 307.2 | | | | | 453 | 549 | | 1620 | 2276 |
| Cows | | | | | | | | | | | | | | | |
| 0-400 | | D | 1 | 14 | 160.0 | - 211.2 | 186.9 | 31 | 364 | - 480 | 425 | 560 | - 813 | 699 | |
| | | RS | D | 1 | 17 | 145.2 | - 224.2 | 212.7 | 20 | - | - | 530 | - 863 | 824 | |
| | | DA | D | 1 | 3 | 200.2 | - 200.2 | 200.2 | N/Q | 455 | - 455 | 455 | 701 | - 701 | 701 |
| | | | D | 2 | 5 | 190.0 | - 207.2 | 200.3 | N/Q | 413 | - 450 | 436 | 665 | - 829 | 763 |
| 400-520 | | RS | E | 1 | 1 | 137.2 | - 137.2 | 137.2 | N/Q | - | - | 501 | - 501 | 501 | |
| | | DA | D | 1 | 8 | 197.2 | - 203.2 | 201.0 | N/Q | 448 | - 462 | 457 | 887 | - 945 | 923 |
| | | | D | 1 | 8 | 195.0 | - 207.2 | 204.1 | 15 | 443 | - 471 | 464 | 848 | - 945 | 903 |
| | | | D | 2 | 13 | 199.2 | - 227.2 | 216.3 | 11 | 433 | - 494 | 470 | 896 | - 1056 | 982 |
| | | DA | D | 2 | 1 | 226.2 | - 226.2 | 226.2 | N/Q | 492 | - 492 | 492 | 1052 | - 1052 | 1052 |
| | | | D | 3 | 4 | 226.2 | - 239.2 | 233.7 | 14 | 462 | - 488 | 477 | 1097 | - 1136 | 1121 |
| | | | D | 4 | 3 | 247.2 | - 249.2 | 247.9 | N/Q | 485 | - 489 | 486 | 1199 | - 1209 | 1202 |
| 520+ | DA | D | 1 | 3 | 211.2 | - 211.2 | 211.2 | N/Q | 480 | - 480 | 480 | 1236 | - 1236 | 1236 | |
| | DA | D | 2 | 12 | 223.2 | - 239.2 | 230.1 | 17 | 485 | - 544 | 504 | 1194 | - 1543 | 1423 | |
| | | D | 2 | 4 | 227.2 | - 228.2 | 227.5 | 6 | 494 | - 496 | 495 | 1216 | - 1244 | 1223 | |
| | | D | 3 | 41 | 235.2 | - 252.2 | 245.1 | 17 | 480 | - 515 | 500 | 1280 | - 1495 | 1371 | |
| | | D | 4 | 7 | 256.2 | - 262.2 | 257.8 | 20 | 502 | - 514 | 505 | 1499 | - 1534 | 1515 | |
| | | D | 5 | 2 | 218.2 | - 229.2 | 223.7 | N/Q | 445 | - 468 | 457 | 1276 | - 1375 | 1326 | |
| | | | | 146 | 137.2 | 262.2 | | | | | 364 | 544 | | 501 | 1543 |
| Bulls | | | | | | | | | | | | | | | |
| 0-450 | FD | C | 2 | 6 | 275.0 | - 285.2 | 280.1 | N/Q | - | - | - | 856 | - 1004 | 930 | |
| | RS | C | 2 | 7 | 285.2 | - 285.2 | 285.2 | N/Q | - | - | - | 998 | - 998 | 998 | |

| Category Weight | Sale Prefix | Muscle Score | Fat Score | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg | | | Estimated \$/Head | | |
|-----------------|-------------|--------------|-----------|-----------|------------------|--------------|-------|--------|-------------------------------|------------|-----|-------------------|-------------|------|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg |
| 450-600 | | C | 3 | 1 | 273.2 | - 273.2 | 273.2 | N/Q | 497 | - 497 | 497 | 820 | - 820 | 820 |
| | FD | D | 1 | 1 | 216.2 | - 216.2 | 216.2 | N/Q | | - | | 757 | - 757 | 757 |
| | FD | D | 2 | 2 | 213.2 | - 230.0 | 221.6 | N/Q | | - | | 805 | - 927 | 866 |
| | | D | 2 | 2 | 225.2 | - 225.2 | 225.2 | N/Q | 410 | - 410 | 410 | 788 | - 788 | 788 |
| | | C | 3 | 1 | 268.2 | - 268.2 | 268.2 | N/Q | 488 | - 488 | 488 | 1301 | - 1301 | 1301 |
| 600+ | FD | C | 3 | 1 | 271.2 | - 271.2 | 271.2 | N/Q | | - | | 1315 | - 1315 | 1315 |
| | | C | 2 | 1 | 220.0 | - 220.0 | 220.0 | N/Q | 400 | - 400 | 400 | 1430 | - 1430 | 1430 |
| | | C | 3 | 4 | 240.2 | - 270.2 | 257.9 | 19 | 429 | - 483 | 461 | 1561 | - 2634 | 1879 |
| | | | | 26 | 213.2 | 285.2 | | | 400 | 497 | | 757 | 2634 | |

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.