

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 19 Jul 2016

Yarding Change 1087
-153

comparison date 12/07/2016

There was a small reduction in supply, young cattle were in the largest numbers along with a relatively small selection of cows, and virtually no heavy grown steers and bullocks. Restocker feeder operators and trade provided stronger demand and most classes improved in price. Cows also experienced a dearer trend, especially the good heavy classes.

Steer calves returning to the paddock made to 394.2c, to average close to 350c/kg. Vealer heifers to feed made to 340c to average 338c, while a selected few sold to local butchers at a top of 370.2c/kg. Light weight yearling steers to restockers made to 378.2c, to average 369c/kg. Medium weight yearling steers to feed averaged 364c, and made to 375c/kg. Heavy weights to feed mostly sold in the early 350c range, with the occasional sale to 368.2c/kg. Light weight yearling heifers to feed made to 339.2c, to average 326c/kg. Medium weight yearling heifers to feed made in the early 340c range, with sales to 355.2c/kg. Local trade lines made to the occasional 360c, with most around 333c/kg.

Medium weight plain condition cows to restockers averaged 235c and made to 240c, while the medium weight 2 scores to processors averaged 224c/kg. Good heavy cows made to a top of 287.2c, with most close to 281c/kg. Heavy bulls made to 289.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head				
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg		
Calves																
80+		C	2	4	303.2	- 303.2	303.2	N/Q	572	-	572	572	531	-	531	531
	RS	C	2	37	300.2	- 394.2	349.9	6					375	-	729	589
	RS	D	2	3	291.2	- 298.2	293.5	12					373	-	539	483
				44	291.2	394.2			572	572			373	729		
Vealer Steer																
200-280	FD	C	2	1	350.0	- 350.0	350.0	N/Q					875	-	875	875
				1	350.0	350.0			0	0			875	875		
Vealer Heifer																
200-280		C	2	2	330.0	- 330.0	330.0	N/Q	611	-	611	611	776	-	776	776
	FD	C	2	17	330.0	- 340.0	338.8	N/Q					797	-	901	841
280-330	FD	C	2	11	327.2	- 343.2	336.1	N/Q					933	-	1030	986
		C	3	6	338.2	- 370.2	347.8	10	626	-	686	644	964	-	1185	1033
				36	327.2	370.2			611	686			776	1185		
Yearling Steer																
200-280	FD	C	2	12	366.2	- 366.2	366.2	N/Q					861	-	861	861
	RS	C	2	61	340.0	- 378.2	369.0	27					797	-	936	890
	RS	D	2	1	285.2	- 285.2	285.2	N/Q					670	-	670	670
280-330	RS	C	2	6	360.2	- 360.2	360.2	-5					1081	-	1081	1081
	FD	C	2	33	334.2	- 365.0	354.3	N/Q					990	-	1095	1049
	FD	D	2	2	302.2	- 302.2	302.2	N/Q					907	-	907	907
330-400	FD	C	2	223	350.0	- 375.0	364.0	3					1208	-	1474	1319
	FD	C	3	40	343.2	- 365.0	354.0	N/Q					1212	-	1332	1281
		C	3	4	335.2	- 335.2	335.2	N/Q	621	-	621	621	1173	-	1173	1173
	FD	D	2	24	317.2	- 324.2	318.0	N/Q					1085	-	1112	1109
		D	3	3	320.0	- 320.0	320.0	N/Q	582	-	582	582	1232	-	1232	1232
400+	FD	C	2	37	341.2	- 360.2	352.3	8					1450	-	1728	1526

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	FD	C	3	83	342.0	- 368.2	353.1	14	-			1454	- 1642	1531
		C	3	4	319.2	- 347.2	335.2	-6	580	- 631	610	1521	- 1740	1657
				533	285.2	378.2			580	631		670	1740	
Yearling Heifer														
200-280	RS	C	2	6	304.2	- 315.0	306.0	N/Q	-			715	- 788	727
		C	2	7	300.0	- 305.0	302.9	N/Q	556	- 565	561	705	- 717	712
	FD	C	2	42	314.2	- 339.2	326.7	N/Q	-			738	- 888	808
	FD	D	2	2	292.0	- 292.0	292.0	N/Q	-			686	- 686	686
280-330	FD	C	2	6	320.0	- 339.2	332.8	54	-			912	- 1018	982
330-400		B	3	2	360.0	- 360.0	360.0	N/Q	655	- 655	655	1350	- 1350	1350
	FD	C	2	86	310.0	- 355.2	341.3	28	-			1085	- 1368	1247
	FD	C	3	35	326.2	- 354.2	342.8	N/Q	-			1133	- 1313	1225
		C	3	24	318.2	- 341.2	333.4	23	589	- 632	617	1073	- 1268	1161
		D	2	3	284.2	- 284.2	284.2	N/Q	526	- 526	526	1037	- 1037	1037
	FD	D	2	2	310.2	- 310.2	310.2	N/Q	-			1132	- 1132	1132
		D	3	8	308.2	- 308.2	308.2	N/Q	571	- 571	571	1048	- 1048	1048
400+	FD	C	2	4	311.2	- 325.2	321.7	N/Q	-			1354	- 1463	1436
	FD	C	3	3	340.2	- 344.2	342.9	13	-			1378	- 1463	1435
		C	3	5	312.2	- 312.2	312.2	-3	578	- 578	578	1358	- 1358	1358
				235	284.2	360.0			526	655		686	1463	
Grown Steer														
400-500	FD	C	2	5	325.0	- 330.0	329.0	-12	-			1414	- 1601	1563
	FD	C	3	11	319.2	- 342.2	327.6	-15	-			1489	- 1548	1526
500-600	FD	C	3	8	328.0	- 336.2	329.0	N/Q	-			1722	- 1765	1727
		C	3	3	310.2	- 310.2	310.2	N/Q	564	- 564	564	1660	- 1660	1660
600-750		C	3	6	305.0	- 311.2	308.1	N/Q	555	- 566	560	1906	- 1939	1923
		C	4	1	320.2	- 320.2	320.2	N/C	572	- 572	572	2081	- 2081	2081
				34	305.0	342.2			555	572		1414	2081	
Grown Heifer														
0-540	FD	C	3	7	300.0	- 300.0	300.0	N/Q	-			1350	- 1350	1350
		C	4	11	298.2	- 327.2	304.5	N/Q	563	- 617	575	1595	- 1751	1631
		D	3	1	249.2	- 249.2	249.2	N/Q	479	- 479	479	1059	- 1059	1059
540+		C	4	10	292.2	- 306.2	304.8	N/Q	551	- 578	575	1651	- 1837	1819
		D	3	1	279.2	- 279.2	279.2	N/Q	537	- 537	537	1577	- 1577	1577
				30	249.2	327.2			479	617		1059	1837	
Manufacturing Steer														
540+		D	2	4	288.2	- 288.2	288.2	N/Q	524	- 524	524	1628	- 1628	1628
				4	288.2	288.2			524	524		1628	1628	
Cows														
0-400	RS	D	1	2	167.2	- 218.2	192.7	N/Q	-			669	- 873	771
		D	1	9	160.0	- 205.2	180.8	N/Q	364	- 466	411	599	- 821	680
		D	2	4	209.2	- 215.2	212.2	N/Q	455	- 468	461	837	- 861	849
	RS	D	2	5	224.2	- 224.2	224.2	N/Q	-			897	- 897	897
400-520		D	1	2	199.2	- 199.2	199.2	N/Q	453	- 453	453	867	- 867	867
	RS	D	1	13	206.2	- 222.2	213.8	N/Q	-			897	- 967	942

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
520+		D	2	8	216.2	- 231.2	224.3	-1	470	- 503	488	956	- 1063	995
	RS	D	2	15	228.2	- 240.0	235.0	5	-	-	-	993	- 1155	1092
		D	3	9	240.0	- 255.2	247.0	-9	490	- 521	504	1059	- 1238	1154
		D	4	7	253.2	- 279.2	260.9	-10	497	- 548	512	1228	- 1298	1257
	DA	D	1	1	200.0	- 200.0	200.0	N/Q	455	- 455	455	1130	- 1130	1130
	DA	D	2	6	245.2	- 251.2	248.2	N/Q	533	- 546	540	1471	- 1633	1552
		D	4	27	271.2	- 287.2	280.9	16	532	- 563	551	1510	- 1982	1609
		D	5	6	249.2	- 265.2	254.5	N/Q	509	- 541	520	1582	- 1591	1585
				114	160.0	287.2		364	563		599	1982		
Bulls														
0-450		C	2	1	255.2	- 255.2	255.2	N/Q	464	- 464	464	1085	- 1085	1085
	FD	C	2	4	318.2	- 318.2	318.2	N/Q	-	-	-	1114	- 1114	1114
	RS	C	2	3	320.0	- 320.0	320.0	37	-	-	-	720	- 720	720
	FD	C	3	2	274.2	- 287.2	280.7	N/Q	-	-	-	1165	- 1221	1193
		C	3	3	263.2	- 285.2	277.9	N/Q	479	- 519	505	1119	- 1212	1181
		D	2	1	243.2	- 243.2	243.2	N/Q	442	- 442	442	851	- 851	851
450-600		C	3	2	280.0	- 287.2	283.6	N/Q	509	- 513	511	1358	- 1393	1375
600+		C	3	8	250.2	- 289.2	269.9	N/Q	447	- 516	483	1776	- 3254	2217
				24	243.2	320.0		442	519		720	3254		

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.