

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Toowoomba

report date 08 Aug 2016

Yarding Change $\frac{829}{20}$

comparison date 01/08/2016

The supply of stock experienced very little change, and young cattle were in the largest numbers, along the small selection of bullocks and a fair sample of cows. Buyer attendance was good and included some additional buyer activity on the heavy yearling steers to feed. Young light weight cattle sold to strong demand for the quality penned, and medium and heavy weight yearling steers to feed lifted further in price. Bullocks were noticeably dearer and cows gained 3c to 4c/kg.

A few calves returning to the paddock made to 380c to average 353c/kg. Light weight yearling steers to restockers made to 398.2c, with the largest numbers around 373c/kg. Medium weight yearling steers to feed made to 392.2c to average 365c/kg. Heavy weight yearling steers to feed made to a top of 374.2c with most from 365c to 371c/kg. A fair supply of light weight yearling heifers sold to feeder operators at 334c with some returning to the paddock reaching 360.2c/kg. Medium weight yearling heifers to the trade averaged 331c, while a couple of outstanding heavy weights made to 358.2c/kg.

A pen of very well presented bullocks made to 347.2c with most around 338c/kg. Poor condition cows sold to restockers at 246.2c to average 245c/kg. Medium weight 2 scores to processors averaged 232c and good heavy cows made to 278.2c to average close to 272c/kg. Heavy bulls made to 288.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+		C	2	4	316.2	- 326.2	318.7	-4	597	- 616	601	585	- 603	590
	RS	C	2	16	338.2	- 380.0	353.5	9		-		626	- 670	643
				20	316.2	380.0			597	616		585	670	
Vealer Heifer														
200-280		C	2	1	341.2	- 341.2	341.2	N/Q	632	- 632	632	802	- 802	802
	FD	C	2	2	346.2	- 346.2	346.2	N/Q		-		779	- 779	779
	RS	C	2	15	345.2	- 345.2	345.2	N/Q		-		777	- 777	777
280-330	FD	C	2	1	344.2	- 344.2	344.2	N/Q		-		1015	- 1015	1015
				19	341.2	346.2			632	632		777	1015	
Yearling Steer														
200-280	FD	C	2	25	360.0	- 370.0	363.8	-4		-		856	- 981	921
	RS	C	2	44	350.0	- 396.2	372.9	-5		-		734	- 938	884
280-330	RS	C	2	9	350.2	- 398.2	371.5	N/Q		-		998	- 1143	1062
	FD	C	2	24	355.0	- 384.2	375.2	34		-		1012	- 1135	1088
	FD	D	2	2	294.2	- 294.2	294.2	N/Q		-		838	- 838	838
330-400	FD	C	2	83	339.2	- 392.2	365.3	11		-		1187	- 1510	1350
	FD	C	3	15	354.2	- 366.2	362.5	-5		-		1268	- 1410	1300
	FD	D	2	3	328.2	- 328.2	328.2	26		-		1231	- 1231	1231
		D	3	3	332.2	- 332.2	332.2	N/Q	604	- 604	604	1279	- 1279	1279
400+	FD	C	2	28	364.2	- 374.2	371.1	21		-		1628	- 1675	1654
	FD	C	3	31	352.2	- 372.2	365.2	4		-		1497	- 1994	1672
				267	294.2	398.2			604	604		734	1994	
Yearling Heifer														
200-280		C	2	4	336.2	- 336.2	336.2	14	623	- 623	623	790	- 790	790
	FD	C	2	57	320.2	- 344.0	334.2	17		-		743	- 804	773
	RS	C	2	34	320.2	- 360.2	346.3	21		-		656	- 891	800

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	FD	D	2	2	296.2	- 296.2	296.2	N/Q	-			696	- 696	696
280-330	FD	C	2	13	331.2	- 340.0	339.3	18	-			994	- 1020	1018
		C	3	6	342.2	- 342.2	342.2	N/Q	634	- 634	634	1027	- 1027	1027
330-400	FD	C	2	2	344.2	- 344.2	344.2	N/Q	-			1153	- 1153	1153
	FD	C	3	3	324.2	- 324.2	324.2	3	-			1135	- 1135	1135
		C	3	20	324.2	- 337.2	331.0	-5	600	- 624	613	1130	- 1159	1146
400+		B	3	2	358.2	- 358.2	358.2	N/Q	640	- 640	640	2031	- 2031	2031
		C	3	9	311.2	- 319.2	317.4	4	576	- 591	588	1400	- 1436	1428
	FD	C	3	18	305.2	- 338.2	323.6	N/Q	-			1373	- 1505	1453
	FD	D	2	8	290.0	- 290.0	290.0	N/Q	-			1233	- 1233	1233
				178	290.0	360.2			576	640		656	2031	
Grown Steer														
0-400	FD	D	2	3	263.2	- 263.2	263.2	N/Q	-			961	- 961	961
400-500	FD	C	3	4	340.2	- 340.2	340.2	N/Q	-			1531	- 1531	1531
500-600	FD	C	3	9	338.2	- 338.2	338.2	1	-			1799	- 1799	1799
		C	3	1	310.2	- 310.2	310.2	N/Q	564	- 564	564	1753	- 1753	1753
		C	4	5	322.2	- 339.2	331.6	N/Q	575	- 606	592	1740	- 2023	1905
600-750		C	4	23	334.2	- 347.2	338.2	29	579	- 602	597	2039	- 2394	2192
				45	263.2	347.2			564	606		961	2394	
Grown Heifer														
0-540	FD	C	3	2	280.0	- 280.0	280.0	N/Q	-			1358	- 1358	1358
		C	3	4	282.2	- 282.2	282.2	N/Q	533	- 533	533	1270	- 1270	1270
		C	4	4	302.2	- 302.2	302.2	12	570	- 570	570	1466	- 1466	1466
		D	2	4	257.2	- 257.2	257.2	N/Q	536	- 536	536	1093	- 1093	1093
	RS	D	2	5	240.0	- 240.0	240.0	N/Q	-			924	- 924	924
	FD	D	2	3	237.2	- 237.2	237.2	N/Q	-			1032	- 1032	1032
540+		C	4	1	294.2	- 294.2	294.2	N/Q	555	- 555	555	1750	- 1750	1750
				23	237.2	302.2			533	570		924	1750	
Manufacturing Steer														
540+		C	3	5	268.2	- 358.2	304.2	18	488	- 651	553	2079	- 2095	2085
		D	3	4	284.2	- 284.2	284.2	N/Q	517	- 517	517	1927	- 1927	1927
				9	268.2	358.2			488	651		1927	2095	
Cows														
0-400	RS	D	1	16	238.2	- 245.2	243.5	N/Q	-			869	- 895	889
		D	2	5	202.2	- 211.2	204.0	N/Q	440	- 459	444	738	- 845	759
		E	1	1	168.2	- 168.2	168.2	N/Q	382	- 382	382	614	- 614	614
	DA	E	1	1	157.2	- 157.2	157.2	N/Q	357	- 357	357	511	- 511	511
400-520		C	2	5	242.2	- 242.2	242.2	N/Q	527	- 527	527	1054	- 1054	1054
	RS	D	1	28	233.2	- 246.2	245.4	24	-			1014	- 1071	1067
	DA	D	1	2	203.2	- 214.2	208.7	N/Q	462	- 487	474	945	- 1060	1003
	RS	D	2	3	239.2	- 239.2	239.2	N/Q	-			1041	- 1041	1041
		D	2	24	223.2	- 244.2	232.4	-1	485	- 531	505	971	- 1184	1058
		D	3	7	241.2	- 251.2	245.1	-2	492	- 513	500	1085	- 1218	1164
		D	4	1	253.2	- 253.2	253.2	N/Q	497	- 497	497	1228	- 1228	1228
520+		C	2	2	256.2	- 256.2	256.2	N/Q	523	- 523	523	1537	- 1537	1537

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	DA	D	1	3	228.2	- 243.2	238.2	N/Q	519	- 553	541	1221	- 1301	1274
	DA	D	2	1	245.2	- 245.2	245.2	N/Q	533	- 533	533	1312	- 1312	1312
		D	3	11	249.2	- 266.2	261.1	4	509	- 543	533	1333	- 1543	1474
		D	4	19	269.2	- 278.2	271.9	3	528	- 546	533	1440	- 1572	1481
				129	157.2	278.2			357	553		511	1572	
Bulls														
0-450		C	2	2	280.0	- 280.0	280.0	N/Q	509	- 509	509	658	- 658	658
	RS	C	2	16	232.2	- 370.0	330.1	-10	-	-	-	615	- 992	886
	FD	C	3	3	291.2	- 298.2	295.8	N/Q	-	-	-	1194	- 1342	1292
450-600	FD	C	3	1	310.2	- 310.2	310.2	N/Q	-	-	-	1582	- 1582	1582
600+		C	3	6	249.2	- 288.2	266.4	-8	445	- 515	476	1614	- 2450	2005
				28	232.2	370.0			445	515		615	2450	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.