

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Warwick

report date 16 Aug 2016

Yarding Change  $\frac{1335}{506}$

comparison date 02/08/2016

Numbers increased by 27% with Warwick agents penning 1,335 head. Although a little mixed there were some very good quality yearling and vealer cattle present which met with strong competition. The full field of buyers were present although not all export operators were active. Feeder and restocker values improved whilst prime cows eased on last sales.

Steer calves sold to 417c to return an average of 386c/kg. Vealer steers sold from 200kg to 280kg, to average 412.5c for the best, selling to 426c/kg. Vealer heifers ranged from 358c to 383c/kg. Yearling steers returned averages from 382c to 394c/kg, again for the better types.

Grown steers to feed made to 377c and 4 score bullocks averaged 332c/kg. The 2 score PTIC cows returned to the paddock at prices up to 268c with 4 score cows selling to 266c for a 257c/kg average. Slaughter bulls reached 287c and averaged 259c/kg.

Light conditioned cows and calves sold for \$1,300 with the best units selling to \$1,920/unit.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
<b>Calves</b>															
0-80	RS	D	2	4	352.0	- 392.0	378.8	N/Q	-	-	-	174	- 314	228	
	RS	E	2	3	315.0	- 350.0	338.3	N/Q	-	-	-	173	- 263	233	
80+		C	2	1	340.0	- 340.0	340.0	N/Q	654	- 654	654	629	- 629	629	
		D	2	3	370.0	- 370.0	370.0	N/Q	712	- 712	712	389	- 389	389	
		FD	D	2	6	380.0	- 417.0	404.7	N/Q	-	-	-	722	- 730	727
		RS	D	2	45	338.0	- 413.0	386.0	N/Q	-	-	-	330	- 785	638
		RS	E	2	5	350.0	- 350.0	350.0	N/Q	-	-	-	298	- 298	298
		E	2	1	250.0	- 250.0	250.0	N/Q	481	- 481	481	313	- 313	313	
				<b>68</b>	<b>250.0</b>	<b>417.0</b>			<b>481</b>	<b>712</b>		<b>173</b>	<b>785</b>		
<b>Vealer Steer</b>															
0-200	RS	C	2	1	390.0	- 390.0	390.0	N/Q	-	-	-	663	- 663	663	
	RS	D	2	1	368.0	- 368.0	368.0	N/Q	-	-	-	626	- 626	626	
	FD	D	2	1	371.0	- 371.0	371.0	N/Q	-	-	-	742	- 742	742	
200-280	FD	C	2	87	380.0	- 426.0	412.5	N/Q	-	-	-	931	- 1129	1032	
	RS	C	2	18	364.0	- 415.0	403.7	N/Q	-	-	-	872	- 1026	944	
	RS	D	2	31	364.0	- 403.0	388.7	N/Q	-	-	-	746	- 1068	954	
	FD	D	2	16	332.0	- 397.0	379.8	N/Q	-	-	-	896	- 1036	958	
			D	2	5	335.0	- 357.0	348.2	N/Q	644	- 687	670	821	- 928	885
280-330	RS	E	2	6	340.0	- 340.0	340.0	N/Q	-	-	-	833	- 833	833	
	FD	C	2	25	340.0	- 413.0	395.8	N/Q	-	-	-	1088	- 1316	1183	
	RS	C	2	7	389.0	- 410.0	392.0	N/Q	-	-	-	1169	- 1245	1234	
330+	FD	E	2	1	320.0	- 320.0	320.0	N/Q	-	-	-	928	- 928	928	
	FD	C	2	22	401.0	- 408.0	404.9	N/Q	-	-	-	1390	- 1469	1429	
				<b>221</b>	<b>320.0</b>	<b>426.0</b>			<b>644</b>	<b>687</b>		<b>626</b>	<b>1469</b>		
<b>Vealer Heifer</b>															
200-280	FD	C	2	34	350.0	- 385.0	377.8	42	-	-	-	872	- 1023	958	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
	RS	C	2	17	325.0	- 410.0	380.7	N/Q	-				748	- 1068	891
		C	2	4	351.0	- 366.0	357.0	N/Q	675	- 704	687	842	- 895	878	
		C	3	9	390.0	- 390.0	390.0	N/Q	750	- 750	750	1092	- 1092	1092	
		C	4	7	369.0	- 369.0	369.0	N/Q	710	- 710	710	867	- 867	867	
		D	2	2	358.0	- 358.0	358.0	N/Q	689	- 689	689	1002	- 1002	1002	
	FD	D	2	4	307.0	- 358.0	345.3	N/Q	-			783	- 985	934	
	RS	D	2	13	316.0	- 371.0	362.5	N/Q	-			727	- 965	928	
	FD	E	2	1	306.0	- 306.0	306.0	N/Q	-			627	- 627	627	
280-330	FD	C	2	20	365.0	- 400.0	383.4	43	-			1132	- 1242	1211	
	RS	C	2	1	330.0	- 330.0	330.0	N/Q	-			941	- 941	941	
	FD	C	3	3	375.0	- 375.0	375.0	N/Q	-			1069	- 1069	1069	
	FD	D	2	15	326.0	- 362.0	335.3	N/Q	-			990	- 1068	1011	
330+	FD	C	3	5	340.0	- 370.0	352.0	N/Q	-			1139	- 1240	1179	
				<b>135</b>	<b>306.0</b>	<b>410.0</b>			<b>675</b>	<b>750</b>		<b>627</b>	<b>1242</b>		
<b>Yearling Steer</b>															
200-280	FD	D	2	14	384.0	- 394.0	388.3	N/Q	-			1037	- 1044	1040	
	RS	D	2	11	340.0	- 383.0	375.2	N/Q	-			919	- 935	922	
	RS	E	2	6	258.0	- 350.0	307.7	N/Q	-			710	- 963	844	
	FD	E	2	6	370.0	- 370.0	370.0	N/Q	-			981	- 981	981	
280-330	FD	C	2	1	394.0	- 394.0	394.0	N/Q	-			1162	- 1162	1162	
	FD	D	2	10	380.0	- 394.0	382.2	N/Q	-			1200	- 1281	1212	
	FD	E	2	11	348.0	- 348.0	348.0	N/Q	-			1061	- 1061	1061	
330-400	FD	C	2	18	370.0	- 406.0	392.9	18	-			1240	- 1467	1411	
	RS	D	2	11	350.0	- 401.0	372.5	N/Q	-			1226	- 1406	1283	
	FD	D	2	35	329.0	- 407.0	381.6	N/Q	-			1119	- 1526	1402	
	FD	D	3	1	401.0	- 401.0	401.0	N/Q	-			1424	- 1424	1424	
	RS	E	2	2	283.0	- 283.0	283.0	N/Q	-			1033	- 1033	1033	
	FD	E	2	3	278.0	- 278.0	278.0	N/Q	-			931	- 931	931	
400+	FD	C	2	23	330.0	- 381.0	369.2	11	-			1502	- 1981	1814	
	RS	C	3	1	331.0	- 331.0	331.0	N/Q	-			1936	- 1936	1936	
		C	3	2	327.0	- 327.0	327.0	N/Q	629	- 629	629	1651	- 1651	1651	
	FD	C	3	16	365.0	- 387.0	374.4	8	-			1624	- 1877	1716	
	FD	D	2	9	100.0	- 363.0	187.7	N/Q	-			440	- 1543	808	
	FD	D	3	8	341.0	- 341.0	341.0	N/Q	-			1552	- 1552	1552	
				<b>188</b>	<b>100.0</b>	<b>407.0</b>			<b>629</b>	<b>629</b>		<b>440</b>	<b>1981</b>		
<b>Yearling Heifer</b>															
200-280	FD	E	2	2	303.0	- 303.0	303.0	N/Q	-			803	- 803	803	
280-330	RS	D	2	1	307.0	- 307.0	307.0	N/Q	-			906	- 906	906	
	FD	D	2	16	300.0	- 388.0	347.9	N/Q	-			900	- 1242	1041	
	FD	E	2	1	263.0	- 263.0	263.0	N/Q	-			842	- 842	842	
	RS	E	2	1	316.0	- 316.0	316.0	N/Q	-			932	- 932	932	
330-400	FD	C	2	1	360.0	- 360.0	360.0	N/Q	-			1440	- 1440	1440	
	FD	C	3	8	381.0	- 381.0	381.0	24	-			1295	- 1295	1295	
	FD	C	4	2	336.0	- 336.0	336.0	N/Q	-			1159	- 1159	1159	
		C	4	4	337.0	- 337.0	337.0	N/Q	648	- 648	648	1297	- 1297	1297	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+	FD	D	2	8	330.0	- 374.0	348.0	58	-			1139	- 1496	1252
	RS	D	2	3	305.0	- 305.0	305.0	N/Q	-			1052	- 1052	1052
		D	2	7	290.0	- 290.0	290.0	N/Q	558	- 558	558	1015	- 1015	1015
	FD	D	3	2	288.0	- 288.0	288.0	N/Q	-			1094	- 1094	1094
	FD	E	2	3	285.0	- 300.0	295.0	N/Q	-			983	- 1095	1058
		C	4	1	324.0	- 324.0	324.0	N/Q	589	- 589	589	1426	- 1426	1426
				<b>60</b>	<b>263.0</b>	<b>388.0</b>			<b>558</b>	<b>648</b>		<b>803</b>	<b>1496</b>	
<b>Grown Steer</b>														
400-500		C	4	7	342.0	- 342.0	342.0	N/Q	633	- 633	633	1590	- 1590	1590
	FD	D	2	8	353.0	- 370.0	367.9	N/Q	-			1483	- 1721	1691
500-600	FD	C	3	1	331.0	- 331.0	331.0	N/Q	-			1870	- 1870	1870
		C	4	20	327.0	- 342.0	332.3	18	629	- 633	630	1864	- 1915	1882
	FD	D	2	4	290.0	- 374.0	353.0	N/Q	-			1479	- 1945	1828
	FD	D	3	2	377.0	- 377.0	377.0	N/Q	-			1960	- 1960	1960
		D	3	1	259.0	- 259.0	259.0	N/Q	489	- 489	489	1347	- 1347	1347
	FD	E	2	1	268.0	- 268.0	268.0	N/Q	-			1447	- 1447	1447
600-750		C	3	5	260.0	- 360.0	322.6	N/Q	482	- 667	597	1820	- 2592	2183
				<b>49</b>	<b>259.0</b>	<b>377.0</b>			<b>482</b>	<b>667</b>		<b>1347</b>	<b>2592</b>	
<b>Grown Heifer</b>														
0-540	RS	D	2	1	233.0	- 233.0	233.0	N/Q	-			781	- 781	781
		D	2	4	246.0	- 285.0	255.8	N/Q	473	- 548	492	1107	- 1482	1201
	FD	D	2	1	270.0	- 270.0	270.0	N/Q	-			1215	- 1215	1215
		D	3	6	216.0	- 267.0	241.0	-33	432	- 514	469	756	- 1228	996
		D	4	6	264.0	- 284.0	278.7	N/Q	508	- 546	536	1056	- 1456	1363
	FD	E	3	1	295.0	- 295.0	295.0	N/Q	-			929	- 929	929
				<b>19</b>	<b>216.0</b>	<b>295.0</b>			<b>432</b>	<b>548</b>		<b>756</b>	<b>1482</b>	
<b>Cows</b>														
0-400	RS	D	1	1	223.0	- 223.0	223.0	N/Q	-			847	- 847	847
		D	1	2	195.0	- 195.0	195.0	N/Q	443	- 443	443	731	- 731	731
		D	2	6	197.0	- 214.0	205.5	-12	448	- 465	457	788	- 824	806
400-520		D	1	1	219.0	- 219.0	219.0	N/Q	498	- 498	498	964	- 964	964
	RS	D	1	2	191.0	- 191.0	191.0	N/Q	-			840	- 840	840
	RS	D	2	27	170.0	- 268.0	236.0	22	-			765	- 1179	1054
		D	2	29	205.0	- 242.0	227.9	3	446	- 534	504	920	- 1107	1021
	FD	D	3	5	264.0	- 265.0	264.4	N/Q	-			1228	- 1232	1229
	RS	D	3	9	235.0	- 251.0	247.4	N/Q	-			1022	- 1142	1115
		D	3	23	232.0	- 272.0	241.1	-10	483	- 567	502	1125	- 1274	1175
		D	4	33	240.0	- 268.0	253.3	-14	480	- 558	503	1213	- 1368	1312
	RS	E	1	1	120.0	- 120.0	120.0	N/Q	-			570	- 570	570
520+		D	1	1	164.0	- 164.0	164.0	N/Q	373	- 373	373	861	- 861	861
		D	2	3	224.0	- 224.0	224.0	-15	487	- 487	487	1187	- 1187	1187
		D	3	19	234.0	- 255.0	243.8	-18	468	- 513	501	1229	- 1390	1285
		D	4	36	239.0	- 266.0	257.0	-24	460	- 532	513	1315	- 1494	1399
		D	5	2	235.0	- 235.0	235.0	N/Q	470	- 470	470	1340	- 1340	1340

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
					<b>200</b>	<b>120.0</b>	<b>272.0</b>			<b>373</b>	<b>567</b>		<b>570</b>	<b>1494</b>	
<b>Bulls</b>															
0-450	FD	C	3	2	280.0	- 292.0	286.0	N/Q	-				1134	- 1183	1158
	RS	D	2	1	267.0	- 267.0	267.0	N/Q	-				975	- 975	975
	FD	D	2	10	238.0	- 314.0	270.9	N/Q	-				788	- 1036	900
		D	2	1	323.0	- 323.0	323.0	N/Q	621	- 621	621		759	- 759	759
	RS	E	1	1	150.0	- 150.0	150.0	N/Q	-				368	- 368	368
	RS	E	2	1	270.0	- 270.0	270.0	N/Q	-				648	- 648	648
450-600	FD	C	3	1	287.0	- 287.0	287.0	N/Q	-				1507	- 1507	1507
	RS	D	2	1	276.0	- 276.0	276.0	N/Q	-				1532	- 1532	1532
		D	2	2	249.0	- 249.0	249.0	N/Q	470	- 470	470		1295	- 1295	1295
	FD	D	2	2	270.0	- 270.0	270.0	N/Q	-				1418	- 1418	1418
	FD	E	3	1	197.0	- 197.0	197.0	N/Q	-				1152	- 1152	1152
600+		C	2	2	227.0	- 245.0	236.0	N/Q	428	- 446	437		1498	- 1813	1656
		C	3	10	240.0	- 287.0	258.8	-7	436	- 522	471		1609	- 2263	1847
		D	3	2	260.0	- 260.0	260.0	N/Q	473	- 473	473		2132	- 2132	2132
		E	2	1	239.0	- 239.0	239.0	N/Q	451	- 451	451		1637	- 1637	1637
		E	3	1	229.0	- 229.0	229.0	N/Q	416	- 416	416		1695	- 1695	1695
					<b>39</b>	<b>150.0</b>	<b>323.0</b>						<b>368</b>	<b>2263</b>	

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross  
FD: Feeder DP: Dorper

#### Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.