

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Toowoomba Landmark

report date 30 May 2011

Yarding Change 475
110

comparison date 23/05/2011

A few consignments were cancelled due to the rain, nevertheless, there was still a lift in supply. Overall quality was very mixed and a large percentage of the young cattle either sold to restockers or feeder operators, with only a few to the trade. Values for young cattle generally remain close to firm despite the slip in quality, and some well bred lines met improved competition from restockers. Export grades sold to a stronger trend for the quality penned.

Calves to restockers made to 234.2c, with most around 227c/kg. Vealer steers also sold to 234.2c to average 228c/kg. Vealer heifers to feed averaged 212c and slaughter descriptions averaged 209c, with some to 212.2c/kg. A large consignment of lightweight yearling steers sold to restockers at an average of 225c, with some pens reaching 236.2c/kg. A few D muscle yearling heifers sold around 157c/kg.

A handful of heavy steers to export slaughter averaged 173c and bullocks made to 181.2c to average 7c dearer at 176c/kg.

A small number of medium weight 2 score cows averaged 126c/kg. The better end of the cows made to 163.2c to average 155c/kg. Heavy Bulls made to 175c to average 164c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+		C	2	4	207.2	- 207.2	207.2	-1	391	- 391	391	383	- 383	383
	RS	C	2	28	211.2	- 234.2	227.4	7		-		264	- 493	425
				32	207.2	234.2	224.9		391	391	391	264	493	419
Vealer Steer														
200-280	FD	C	2	9	208.2	- 223.2	221.5	1		-		448	- 591	576
	RS	C	2	26	219.2	- 234.2	228.4	1		-		493	- 527	518
280-330	RS	C	2	3	202.2	- 202.2	202.2	N/Q		-		576	- 576	576
				38	202.2	234.2	224.7		0	0		448	591	536
Vealer Heifer														
200-280		C	2	21	201.2	- 212.2	209.7	2	373	- 393	388	441	- 520	470
	FD	C	2	30	210.2	- 216.2	212.4	6		-		452	- 530	478
	RS	C	2	4	200.2	- 200.2	200.2	-9		-		420	- 420	420
		D	2	4	190.0	- 190.0	190.0	-5	352	- 352	352	475	- 475	475
				59	190.0	216.2	209.1		352	393	382	420	530	471
Yearling Steer														
0-330	RS	C	2	70	221.2	- 236.2	225.4	9		-		504	- 664	628
	RS	D	2	5	182.2	- 182.2	182.2	N/Q		-		519	- 519	519
330-400	RS	C	2	6	207.2	- 207.2	207.2	18		-		715	- 715	715
	FD	C	2	3	212.2	- 212.2	212.2	13		-		775	- 775	775
	RS	D	2	3	179.6	- 179.6	179.6	1		-		691	- 691	691
				87	179.6	236.2	219.6		0	0		504	775	635
Yearling Heifer														
0-330	FD	C	2	8	170.0	- 170.0	170.0	N/Q		-		485	- 485	485
	RS	D	2	8	174.2	- 174.2	174.2	N/Q		-		392	- 392	392
		D	2	16	149.2	- 180.0	156.9	-2	276	- 333	291	405	- 442	427
	FD	D	2	8	170.2	- 170.2	170.2	-9		-		485	- 502	489

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
330-400	FD	C	2	4	180.0	- 180.0	180.0	N/Q	-			657	- 657	657	
		C	3	1	187.2	- 187.2	187.2	N/Q	347	- 347	347	721	- 721	721	
400+		C	3	2	170.0	- 170.0	170.0	N/Q	315	- 315	315	740	- 765	752	
				47	149.2	187.2	167.5		276	347	296	392	765	481	
Grown Steer															
0-400	FD	C	3	6	170.2	- 170.2	170.2	N/Q	-			94	- 94	94	
400-500		C	3	6	170.2	- 170.2	170.2	N/Q	310	- 310	310	766	- 766	766	
		D	3	3	155.0	- 155.0	155.0	N/Q	282	- 282	282	698	- 698	698	
500-600		C	3	8	169.2	- 169.2	169.2	9	308	- 308	308	931	- 931	931	
		C	4	2	173.6	- 173.6	173.6	N/Q	310	- 310	310	929	- 929	929	
		D	2	2	147.2	- 147.2	147.2	N/Q	268	- 268	268	861	- 861	861	
600-750	FD	D	3	8	160.0	- 166.2	162.3	N/Q	-			840	- 889	858	
		C	3	10	166.2	- 169.6	167.6	N/Q	302	- 308	305	1006	- 1060	1027	
		C	4	20	173.6	- 181.2	176.1	7	310	- 324	314	1096	- 1207	1151	
		D	3	1	149.2	- 149.2	149.2	N/Q	271	- 271	271	903	- 903	903	
				66	147.2	181.2	168.9		268	324	306	94	1207	899	
Grown Heifer															
0-540		D	3	1	145.0	- 145.0	145.0	N/Q	274	- 274	274	653	- 653	653	
	RS	D	3	4	134.2	- 134.2	134.2	1	-			604	- 604	604	
540+		C	4	1	164.2	- 164.2	164.2	N/Q	316	- 316	316	928	- 928	928	
				6	134.2	164.2	141.0		274	316	295	604	928	666	
Manufacturing Steer															
540+		C	4	2	171.2	- 171.2	171.2	N/Q	311	- 311	311	1198	- 1198	1198	
		D	3	5	145.2	- 153.2	148.8	N/Q	264	- 279	271	908	- 958	918	
				7	145.2	171.2	155.1		264	311	282	908	1198	998	
Cows															
0-400		D	2	4	115.0	- 115.0	115.0	N/Q	274	- 274	274	454	- 454	454	
	RS	E	1	3	55.2	- 55.2	55.2	N/Q	-			207	- 207	207	
400-520		D	1	2	115.0	- 115.0	115.0	N/Q	319	- 319	319	500	- 500	500	
		RS	D	1	4	112.2	- 115.2	113.0	24	-		488	- 501	491	
		RS	D	2	3	118.2	- 118.2	118.2	N/Q	-		502	- 502	502	
			D	2	2	124.2	- 128.6	126.4	N/Q	296	- 306	301	559	- 590	575
			D	3	3	137.2	- 137.2	137.2	2	280	- 280	280	597	- 597	597
			D	4	9	140.0	- 163.2	151.3	N/Q	275	- 320	297	609	- 751	727
520+		D	3	2	130.2	- 130.2	130.2	N/Q	266	- 266	266	697	- 697	697	
		D	4	14	154.2	- 157.2	155.6	-4	302	- 308	305	825	- 983	894	
				46	55.2	163.2	133.2		266	320	296	207	983	659	
Bulls															
0-450	RS	C	3	2	147.2	- 147.2	147.2	N/Q	-			508	- 508	508	
		C	3	1	140.2	- 140.2	140.2	N/Q	255	- 255	255	421	- 421	421	
		D	2	3	140.2	- 140.2	140.2	N/Q	255	- 255	255	498	- 498	498	
600+		C	2	2	120.0	- 130.0	125.0	N/Q	218	- 236	227	750	- 826	788	
		C	3	5	156.2	- 175.2	164.5	7	279	- 313	294	1070	- 1396	1224	
		D	2	1	100.0	- 100.0	100.0	N/Q	182	- 182	182	625	- 625	625	
				14	100.0	175.2	144.9		182	313	261	421	1396	804	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2011. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.