

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 02 Jun 2011

Yarding Change $\frac{2550}{710}$

comparison date 26/05/2011

Numbers lifted and quality overall remained on the plainer side. Good numbers of younger steers and a good yarding of grown steers and cows were offered, while the yearling heifers were limited in number. The usual buyers competed.

Vealer steers remained firm in value as the medium weight pens to restockers ranged from 184c to 243c/kg depending on the breed offered. The same weight heifer portion to the trade lost 10c/kg, with breed the main contributing factor. Yearling steers to lot feeders lost 2c as the heavy weights to the trade slipped back 9c to 10c/kg. The few yearling heifers to the trade also sold at cheaper levels.

Grown steers lost 6c to 8c/kg, with extra older drafts yarded compared to the last market. Heavy weights to slaughter ranged from 170c to 195c/kg with some carrying plenty of weight.

Cows continue to attract strong competition to remain firm to 2c/kg dearer. The plainer D2 cows averaged 137c as the better covered D3 and D4 pens ranged from 139c to 150c, with C muscles reaching 154c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80	RS	C	1	1	250.0	- 250.0	250.0	N/Q	-			125	- 125	125
80+	RS	C	1	2	219.6	- 219.6	219.6	N/Q	-			220	- 220	220
		C	2	10	207.2	- 250.0	232.9	-33	414	- 500	466	249	- 250	249
				13	207.2	250.0	232.2		414	500	466	125	250	235
Vealer Steer														
0-200	RS	C	2	24	230.0	- 253.6	246.7	N/Q	-			400	- 466	436
	RS	D	2	12	170.0	- 213.6	190.7	N/Q	-			272	- 377	305
200-280	RS	C	2	61	184.6	- 243.6	230.8	3	-			388	- 563	525
		C	2	1	211.6	- 211.6	211.6	N/Q	407	- 407	407	455	- 455	455
	FD	C	2	16	209.8	- 212.0	210.4	-3	-			530	- 545	542
	RS	D	2	7	178.0	- 180.0	179.1	-7	-			387	- 481	427
		D	2	20	174.2	- 179.6	175.3	4	348	- 359	351	383	- 467	400
280-330	FD	C	2	36	200.0	- 226.0	213.4	2	-			570	- 645	627
		C	2	5	195.0	- 195.0	195.0	N/Q	375	- 375	375	556	- 556	556
		C	3	1	225.0	- 225.0	225.0	N/Q	417	- 417	417	720	- 720	720
		D	2	14	168.0	- 168.0	168.0	N/Q	336	- 336	336	479	- 479	479
330+		C	3	20	221.6	- 235.0	224.9	-1	396	- 426	402	796	- 931	899
				217	168.0	253.6	213.6		336	426	368	272	931	539
Vealer Heifer														
0-200		C	2	2	200.0	- 200.0	200.0	N/Q	400	- 400	400	320	- 320	320
	RS	C	2	20	189.6	- 219.6	201.6	N/Q	-			341	- 362	350
	RS	D	1	8	186.0	- 186.0	186.0	N/Q	-			335	- 335	335
200-280	FD	C	2	13	185.0	- 185.0	185.0	-13	-			426	- 426	426
	RS	C	2	11	210.6	- 210.6	210.6	N/Q	-			474	- 474	474
		C	2	79	180.0	- 214.2	188.2	-10	358	- 428	374	378	- 481	452
		C	3	1	228.0	- 228.0	228.0	N/Q	422	- 422	422	638	- 638	638

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
280-330		D	2	15	155.0	- 185.6	169.2	-11	310	- 371	341	391	- 476	434
		C	2	22	176.2	- 195.0	184.9	-25	352	- 390	370	502	- 624	556
	RS	C	2	10	171.2	- 205.0	184.7	-15	-	-	-	514	- 584	542
330+		C	3	11	228.0	- 237.2	232.2	10	422	- 439	430	712	- 730	721
		C	3	11	196.2	- 226.0	203.2	-28	363	- 417	376	706	- 788	721
				203	155.0	237.2	192.0		310	439	375	320	788	480
Yearling Steer														
0-330	RS	C	1	47	175.2	- 187.0	181.3	N/Q	-	-	-	499	- 513	506
	RS	C	2	12	212.0	- 212.0	212.0	-3	-	-	-	572	- 572	572
	FD	C	2	78	206.0	- 225.2	214.0	-2	-	-	-	587	- 721	654
	RS	D	2	77	170.0	- 179.2	172.4	-7	-	-	-	538	- 565	551
330-400		D	2	4	155.0	- 175.6	160.2	N/Q	316	- 351	325	442	- 562	472
	FD	C	2	12	204.2	- 215.2	207.4	-6	-	-	-	684	- 795	745
		C	3	3	222.0	- 226.0	224.7	5	396	- 419	411	814	- 844	824
	FD	D	2	1	179.2	- 179.2	179.2	N/Q	-	-	-	609	- 609	609
	RS	D	2	10	168.6	- 175.0	171.2	6	-	-	-	573	- 595	582
400+	FD	C	2	20	186.6	- 205.0	203.2	N/Q	-	-	-	748	- 841	831
	FD	C	3	13	194.0	- 206.0	197.4	-16	-	-	-	834	- 855	842
		C	3	42	186.0	- 223.6	201.0	-12	344	- 399	365	798	- 984	879
					319	155.0	226.0	193.7		316	419	365	442	984
Yearling Heifer														
0-330	FD	C	2	5	190.0	- 190.0	190.0	-9	-	-	-	608	- 608	608
		C	2	4	170.0	- 170.0	170.0	N/Q	340	- 340	340	485	- 485	485
		D	1	1	126.0	- 126.0	126.0	N/Q	280	- 280	280	359	- 359	359
		D	2	20	130.0	- 155.0	148.5	-16	289	- 323	312	351	- 422	400
	FD	D	2	8	157.2	- 157.2	157.2	N/Q	-	-	-	448	- 448	448
	RS	D	2	32	141.0	- 165.0	155.8	-19	-	-	-	437	- 528	492
	RS	D	3	1	170.0	- 170.0	170.0	N/Q	-	-	-	510	- 510	510
330-400		D	3	2	177.6	- 177.6	177.6	N/Q	355	- 355	355	568	- 568	568
		C	2	3	185.0	- 185.0	185.0	N/Q	370	- 370	370	629	- 629	629
	FD	C	2	8	185.0	- 185.0	185.0	-13	-	-	-	620	- 620	620
		C	3	1	222.0	- 222.0	222.0	N/Q	411	- 411	411	777	- 777	777
		D	2	1	150.0	- 150.0	150.0	N/Q	306	- 306	306	510	- 510	510
400+	RS	D	2	11	165.0	- 165.0	165.0	6	-	-	-	578	- 578	578
		D	3	20	164.0	- 175.6	168.6	N/Q	334	- 351	340	585	- 615	600
	400+	C	3	26	180.2	- 210.0	187.2	-22	346	- 389	355	739	- 882	821
	FD	C	3	11	201.2	- 201.2	201.2	N/Q	-	-	-	807	- 807	807
		D	3	1	160.0	- 160.0	160.0	N/C	327	- 327	327	648	- 648	648
				155	126.0	222.0	169.9		280	411	339	351	882	592
Grown Steer														
0-400	FD	C	2	31	167.6	- 191.6	186.3	-12	-	-	-	637	- 738	703
	RS	D	1	2	122.2	- 122.2	122.2	N/Q	-	-	-	403	- 403	403
	RS	D	2	46	152.0	- 170.2	162.5	13	-	-	-	486	- 603	538
400-500	RS	C	2	1	160.0	- 160.0	160.0	N/Q	-	-	-	664	- 664	664
	FD	C	2	62	160.0	- 197.0	179.0	-8	-	-	-	672	- 871	756

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		C	3	38	168.0	- 188.0	178.8	-4	311	- 348	331	706	- 874	815
		D	2	36	150.0	- 158.0	157.5	16	300	- 316	315	630	- 711	697
	FD	D	2	4	160.0	- 160.0	160.0	N/Q	-			672	- 672	672
500-600		C	2	19	178.0	- 178.0	178.0	14	336	- 336	336	997	- 997	997
		C	3	80	185.0	- 194.6	190.5	-11	336	- 349	343	944	- 1129	1049
600-750		C	3	20	170.0	- 192.0	175.2	-9	309	- 343	323	1066	- 1210	1078
		C	4	38	185.0	- 192.0	186.7	N/Q	330	- 343	335	1151	- 1339	1242
750+		C	4	3	185.0	- 185.0	185.0	N/Q	330	- 330	330	1480	- 1480	1480
				380	122.2	197.0	178.0		300	349	333	403	1480	868
Grown Heifer														
0-540		C	2	12	160.0	- 165.0	162.1	6	333	- 344	338	578	- 689	671
		C	3	45	165.0	- 196.0	178.3	-12	330	- 392	357	731	- 902	798
	RS	D	1	6	135.0	- 135.0	135.0	N/Q	-			385	- 385	385
		D	1	8	132.0	- 132.0	132.0	N/Q	330	- 330	330	416	- 416	416
		D	2	9	127.6	- 158.0	143.2	-1	284	- 351	318	459	- 574	493
		D	3	13	140.0	- 164.0	160.9	3	292	- 342	333	630	- 738	724
	RS	D	3	4	130.6	- 130.6	130.6	N/Q	-			444	- 444	444
		D	4	1	165.0	- 165.0	165.0	N/Q	330	- 330	330	858	- 858	858
540+		C	3	6	185.0	- 185.0	185.0	N/Q	370	- 370	370	1092	- 1092	1092
		C	4	6	178.2	- 178.2	178.2	N/Q	356	- 356	356	1158	- 1158	1158
				110	127.6	196.0	164.4		284	392	346	385	1158	723
Manufacturing Steer														
540+		C	3	15	172.0	- 172.0	172.0	N/Q	319	- 319	319	980	- 980	980
		C	4	6	180.0	- 180.0	180.0	N/Q	327	- 327	327	1134	- 1134	1134
				21	172.0	180.0	174.3		319	327	321	980	1134	1024
Cows														
0-400		D	1	22	105.0	- 122.0	116.0	17	276	- 321	305	357	- 415	400
	RS	D	1	39	116.0	- 156.0	137.5	N/Q	-			441	- 530	489
	RS	D	2	14	129.6	- 138.6	138.0	N/Q	-			454	- 527	521
		D	2	30	122.0	- 134.0	126.0	-1	291	- 319	302	464	- 509	477
		E	1	1	85.0	- 85.0	85.0	N/Q	243	- 243	243	293	- 293	293
		E	2	8	104.2	- 104.2	104.2	9	261	- 261	261	386	- 386	386
400-520	RS	D	1	9	133.2	- 133.2	133.2	15	-			539	- 539	539
	RS	D	2	47	135.2	- 140.6	138.5	3	-			568	- 591	580
		D	2	129	125.0	- 144.0	137.6	7	298	- 343	328	513	- 634	604
		D	3	49	139.2	- 148.6	143.6	3	296	- 310	300	606	- 720	654
		E	2	2	122.2	- 122.2	122.2	N/Q	306	- 306	306	513	- 513	513
520+		C	4	2	154.0	- 154.0	154.0	N/Q	308	- 308	308	1001	- 1001	1001
		D	2	3	142.0	- 142.0	142.0	N/Q	330	- 330	330	767	- 767	767
	DA	D	2	11	125.0	- 125.0	125.0	N/Q	298	- 298	298	688	- 688	688
		D	3	77	144.0	- 149.0	147.3	1	300	- 310	307	780	- 818	795
		D	4	24	145.0	- 150.0	148.4	2	302	- 313	307	784	- 975	911
		D	5	8	132.0	- 135.6	135.2	-2	283	- 287	283	759	- 858	772
				475	85.0	156.0	137.6		243	343	311	293	1001	625

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Bulls														
0-450	RS	C	2	6	200.0	- 200.0	200.0	8	-			440	- 440	440
		C	2	28	140.0	- 175.0	154.5	-16	255	- 313	282	480	- 721	567
450-600		C	2	1	158.6	- 158.6	158.6	N/Q	283	- 283	283	872	- 872	872
600+	RS	B	2	1	173.0	- 173.0	173.0	N/Q	-			1384	- 1384	1384
		C	2	1	155.0	- 155.0	155.0	N/Q	277	- 277	277	1271	- 1271	1271
				37	140.0	200.0	162.5		255	313	282	440	1384	596

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2011. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.