

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Wodonga

report date 14 Jun 2011

Yarding Change 1800
200

comparison date 07/06/2011

Numbers increased and quality was fair across all grades. There was a reasonable selection of vealer steers and heifers; however, there was only a small selection of weaner cattle offered. Feeder steers were well supplied, while there was a mixed supply of yearling heifers offered. Heavy grown steers and bullocks were in reduced numbers. The regular gallery of buyers were present and competition was weaker across most grades.

The mixed supply of prime vealers were 6c to 9c cheaper and some exceptional European cross steers sold up to 254.2c/kg. Weaner steers suitable for restocking were 12c cheaper and more in places and most of the better C2 steers purchased by restockers made from 198c to 222c/kg. Yearling heifers suitable for the trade were up to 9c cheaper, with the C3 medium weight lines averaging 190.4c, while the steer portion averaged 192c/kg.

Feeder steers were keenly contested and medium weight grades were firm to 1c/kg cheaper. The C2 medium weight lines averaged 212.5c and topped at 217.2/kg. The mixed selection of feeder heifers sold slightly cheaper and the C muscled medium weight pens sold from 170c to 188c/kg.

The mixed selection of grown steers and bullocks sold to weakened demand, with prices easing 3c to 6c/kg. The C3 and C4 heavy weight pens ranged in price, selling from 164c to 195c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
Vealer Steer															
200-280		B	2	7	220.0	- 230.0	224.9	-14	397	- 411	406	547	- 622	575	
	FD	C	2	6	213.0	- 213.0	213.0	N/Q	-	-	-	571	- 571	571	
	RS	C	2	9	198.0	- 215.2	207.6	N/Q	-	-	-	554	- 564	560	
280-330		B	2	7	238.0	- 254.2	246.2	5	425	- 454	440	738	- 826	795	
	FD	C	2	29	210.0	- 215.0	212.9	18	-	-	-	644	- 703	682	
		C	2	10	210.0	- 216.4	212.6	-11	389	- 401	397	672	- 703	688	
	RS	C	2	30	214.0	- 222.0	219.6	-12	-	-	-	625	- 633	630	
		C	3	5	214.2	- 214.2	214.2	-16	404	- 404	404	666	- 666	666	
330+		B	2	94	220.0	- 251.6	228.5	-6	393	- 441	410	728	- 1053	875	
		C	2	21	210.0	- 218.0	214.6	1	382	- 406	393	745	- 998	850	
	FD	C	2	60	209.2	- 217.2	212.5	-1	-	-	-	701	- 840	759	
		C	3	9	218.8	- 218.8	218.8	-7	405	- 405	405	858	- 858	858	
	RS	D	2	3	194.0	- 194.0	194.0	N/Q	-	-	-	658	- 658	658	
					290	194.0	254.2	219.6		382	454	408	547	1053	767
Vealer Heifer															
200-280		B	2	5	228.2	- 228.2	228.2	6	423	- 423	423	634	- 634	634	
		C	2	11	200.0	- 200.0	200.0	-5	377	- 377	377	506	- 506	506	
280-330		B	2	17	226.0	- 248.0	235.7	-1	404	- 459	424	702	- 762	736	
		C	2	9	205.0	- 214.0	211.0	-8	387	- 404	398	607	- 674	652	
	FD	C	2	14	191.2	- 210.0	202.7	4	-	-	-	564	- 620	598	
		C	3	1	203.2	- 203.2	203.2	N/Q	383	- 383	383	630	- 630	630	
		C	5	2	200.0	- 200.0	200.0	N/Q	377	- 377	377	604	- 604	604	
		D	5	1	174.2	- 174.2	174.2	N/Q	329	- 329	329	557	- 557	557	
330+		B	2	29	225.0	- 250.2	234.5	-9	402	- 447	419	781	- 879	826	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
	FD	C	2	5	196.2	- 196.2	196.2	-6	-				698	- 698	698
		C	2	6	202.0	- 205.0	204.0	N/C	374	- 387	381		697	- 810	770
		C	3	8	208.2	- 212.2	210.6	N/Q	386	- 400	393		739	- 823	774
		D	2	2	194.2	- 194.2	194.2	N/Q	360	- 360	360		715	- 715	715
				110	174.2	250.2	217.6		329	459	405		506	879	705
Yearling Steer															
0-330		C	2	3	195.0	- 195.0	195.0	N/Q	368	- 368	368		527	- 527	527
	RS	C	2	8	187.6	- 187.6	187.6	N/Q	-				546	- 546	546
330-400	FD	C	2	23	202.2	- 210.0	207.9	-3	-				739	- 785	751
400+	FD	C	2	110	187.6	- 217.6	197.3	1	-				835	- 1005	920
	FD	C	3	25	187.6	- 191.2	190.5	N/Q	-				933	- 957	938
		C	3	170	174.0	- 210.0	192.0	-9	328	- 396	362		781	- 1103	920
				339	174.0	217.6	194.6		328	396	362		527	1103	898
Yearling Heifer															
0-330	FD	C	2	25	192.2	- 192.2	192.2	-7	-				617	- 617	617
	RS	C	2	11	193.6	- 193.6	193.6	N/Q	-				499	- 499	499
		C	2	7	180.2	- 180.2	180.2	N/Q	340	- 340	340		519	- 519	519
330-400		B	2	6	185.0	- 185.0	185.0	N/C	343	- 343	343		625	- 625	625
	RS	C	2	3	207.2	- 207.2	207.2	N/Q	-				810	- 810	810
	FD	C	2	44	178.2	- 202.6	193.3	2	-				690	- 756	737
	RS	C	3	2	205.2	- 205.2	205.2	N/Q	-				739	- 739	739
		D	2	3	215.0	- 215.0	215.0	N/Q	398	- 398	398		737	- 737	737
400+	FD	C	2	117	170.0	- 188.0	178.5	-4	-				693	- 1150	799
		C	3	69	170.0	- 206.6	190.4	-9	321	- 390	359		753	- 932	845
	FD	C	3	12	174.0	- 174.0	174.0	N/Q	-				715	- 715	715
		C	4	6	170.0	- 182.0	176.0	N/Q	321	- 337	329		801	- 881	841
				305	170.0	215.0	185.8		321	398	356		499	1150	762
Grown Steer															
400-500		C	2	6	180.0	- 180.0	180.0	N/Q	340	- 340	340		900	- 900	900
		C	3	19	172.0	- 190.0	183.1	N/Q	325	- 359	345		792	- 950	894
500-600		C	2	5	175.0	- 175.0	175.0	N/Q	330	- 330	330		901	- 901	901
	FD	C	2	12	168.2	- 186.6	174.3	N/C	-				957	- 961	958
		C	3	309	164.0	- 195.0	183.2	-3	309	- 368	343		862	- 1088	1012
		D	3	8	164.0	- 164.0	164.0	N/Q	309	- 309	309		976	- 976	976
600-750		C	3	5	174.2	- 174.2	174.2	N/Q	323	- 323	323		1176	- 1176	1176
		C	4	122	172.0	- 185.0	175.4	-6	319	- 343	327		1051	- 1233	1142
750+		C	4	19	165.0	- 172.0	166.5	N/Q	306	- 319	308		1244	- 1324	1261
				505	164.0	195.0	180.0		306	368	337		792	1324	1045
Grown Heifer															
0-540		C	3	3	170.0	- 170.0	170.0	N/Q	321	- 321	321		830	- 830	830
		C	4	31	165.0	- 182.0	175.7	-15	311	- 337	331		886	- 947	940
		D	3	20	143.0	- 162.0	145.9	5	270	- 306	275		538	- 653	555
		D	4	46	150.0	- 153.2	151.7	N/Q	283	- 289	286		665	- 783	696
540+		D	4	27	148.0	- 149.2	149.1	N/Q	279	- 282	281		818	- 1103	839
				127	143.0	182.0	156.5		270	337	295		538	1103	767

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head				
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg		
Manufacturing Steer																
0-540	DA	D	1	1	115.0	- 115.0	115.0	N/Q	221	-	221	221	466	-	466	466
	DA	D	2	3	135.0	- 135.0	135.0	N/Q	260	-	260	260	643	-	643	643
		D	2	3	144.2	- 144.2	144.2	-11	272	-	272	272	461	-	461	461
		D	3	18	130.0	- 165.0	146.3	N/Q	245	-	311	277	560	-	602	584
	FD	D	3	2	162.2	- 162.2	162.2	N/Q		-			730	-	730	730
540+		C	4	3	172.0	- 172.0	172.0	12	319	-	319	319	1041	-	1041	1041
	DA	D	2	13	150.2	- 159.6	153.8	N/Q	289	-	307	296	905	-	973	947
		D	4	2	165.0	- 165.0	165.0	N/Q	311	-	311	311	998	-	998	998
				45	115.0	172.0	150.1		221		319	284	461	1041	737	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2011. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.