

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Pakenham

report date 04 Jul 2011

Yarding Change  $\frac{1127}{239}$

comparison date 27/06/2011

The larger yarding was very mixed in quality, weight, age, and breeding. Competition was mixed and demand was erratic because of these factors. The penning of an increased number of heavy and older cattle, which included a few pens of Bos Indicus cattle originally from the West, coming from NSW, resulted in a larger yarding. Most of the vealers and yearlings sold at prices that were unchanged to 5c dearer, while the other cattle were firm to 5c/kg lower.

Fewer vealers were offered so strong competition for the 220 head yarded saw B muscle vealers make mostly from 245c to 271c, and C muscle vealers 190c to 248c/kg. Both trade and feedlot competition assisted in the higher price trends for 550 yearling steers and heifers. Steers made mostly between 185c and 210c with supplementary fed to 245c/kg. Heifers made mostly from 165c to 195c, and supplementary fed also to 245c/kg.

The balance of the yarding was made up of heavy yearling steers, prime and manufacturing bullocks, and some grown heifers and plainer quality bullocks. The heavy yearlings made to 193c, grown steers to 188c, and prime bullocks 168c to 182c/kg. Manufacturing bullocks made anywhere between 137c and 175c, and females from 138c to 170c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
<b>Vealer Steer</b>															
0-200		C	2	1	230.0	- 230.0	230.0	N/Q	442	- 442	442	460	- 460	460	
200-280		C	1	1	210.0	- 210.0	210.0	N/Q	396	- 396	396	588	- 588	588	
	RS	C	1	10	182.6	- 210.6	201.1	-10	-	-	-	420	- 590	516	
	RS	C	2	7	195.0	- 215.0	206.4	2	-	-	-	500	- 581	546	
	FD	C	2	1	192.0	- 192.0	192.0	N/Q	-	-	-	518	- 518	518	
		C	2	9	190.0	- 239.6	217.2	-3	365	- 428	405	527	- 647	571	
	RS	D	1	1	185.6	- 185.6	185.6	N/Q	-	-	-	464	- 464	464	
	RS	D	2	1	192.2	- 192.2	192.2	N/Q	-	-	-	423	- 423	423	
280-330		B	2	6	255.0	- 263.6	260.3	6	440	- 454	446	782	- 870	837	
		C	1	1	190.6	- 190.6	190.6	N/Q	367	- 367	367	591	- 591	591	
	FD	C	1	1	210.0	- 210.0	210.0	N/Q	-	-	-	651	- 651	651	
	FD	C	2	7	190.0	- 212.6	202.3	-8	-	-	-	551	- 666	630	
	RS	C	2	6	204.2	- 205.0	204.3	-2	-	-	-	582	- 595	584	
		C	2	32	189.6	- 240.0	221.0	-8	351	- 436	403	607	- 776	703	
		C	3	1	200.0	- 200.0	200.0	N/Q	370	- 370	370	570	- 570	570	
		D	2	2	180.0	- 182.6	181.3	N/Q	346	- 351	349	520	- 594	557	
330+		B	1	1	242.0	- 242.0	242.0	N/Q	432	- 432	432	895	- 895	895	
		B	2	33	231.6	- 270.6	252.8	1	397	- 452	431	852	- 1089	951	
		B	3	1	233.2	- 233.2	233.2	N/Q	409	- 409	409	921	- 921	921	
	RS	C	1	1	180.0	- 180.0	180.0	N/Q	-	-	-	675	- 675	675	
	FD	C	1	3	196.0	- 196.0	196.0	N/Q	-	-	-	686	- 686	686	
		C	1	2	200.0	- 200.0	200.0	N/Q	385	- 385	385	740	- 740	740	
		C	2	12	210.0	- 240.0	228.3	7	382	- 429	412	732	- 940	849	
		C	3	3	210.0	- 225.0	220.0	-3	389	- 417	407	714	- 833	793	
					<b>143</b>	<b>180.0</b>	<b>270.6</b>	<b>224.1</b>		<b>346</b>	<b>454</b>	<b>414</b>	<b>420</b>	<b>1089</b>	<b>734</b>

#### Vealer Heifer

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
200-280		C	1	6	184.6	- 210.0	200.9	7	369	- 409	390	462	- 529	497
	RS	C	1	7	183.0	- 193.6	189.8	1	-	-	445	- 510	471	
	RS	C	2	4	189.6	- 207.2	202.8	N/Q	-	-	493	- 518	512	
	FD	C	2	6	190.2	- 190.2	190.2	N/Q	-	-	533	- 533	533	
		C	2	10	192.0	- 246.6	220.1	6	369	- 448	410	413	- 666	561
		C	3	3	200.0	- 222.0	207.3	-4	377	- 411	389	540	- 555	545
		D	2	11	182.2	- 190.0	186.5	-5	356	- 380	362	390	- 500	461
	RS	D	2	12	175.0	- 195.0	191.7	7	-	-	438	- 527	515	
		D	3	1	195.0	- 195.0	195.0	N/Q	375	- 375	375	429	- 429	429
280-330		B	2	11	245.0	- 256.6	251.5	1	430	- 442	436	769	- 821	791
		B	3	1	240.0	- 240.0	240.0	N/Q	421	- 421	421	792	- 792	792
	RS	C	1	1	183.6	- 183.6	183.6	N/Q	-	-	523	- 523	523	
		C	1	3	192.2	- 197.2	195.5	N/Q	370	- 379	376	592	- 634	606
		C	2	23	185.0	- 244.6	223.5	2	356	- 444	410	527	- 795	689
	FD	C	2	1	201.6	- 201.6	201.6	N/Q	-	-	605	- 605	605	
		C	3	23	195.0	- 226.0	213.4	-9	368	- 411	394	585	- 735	667
	RS	D	1	1	172.0	- 172.0	172.0	N/Q	-	-	568	- 568	568	
		D	2	3	172.0	- 190.0	182.3	-6	337	- 359	351	516	- 627	560
	FD	D	2	4	188.6	- 188.6	188.6	7	-	-	581	- 581	581	
	D	3	4	174.2	- 196.0	188.6	-8	342	- 370	359	496	- 588	545	
330+		B	2	5	255.0	- 263.6	257.8	N/C	434	- 440	439	893	- 1002	926
		C	2	7	198.2	- 240.0	214.3	1	374	- 429	393	714	- 912	793
		C	3	6	220.6	- 230.0	228.4	5	394	- 418	414	849	- 874	870
		C	4	1	215.0	- 215.0	215.0	N/Q	391	- 391	391	774	- 774	774
	FD	D	3	3	186.2	- 186.2	186.2	N/Q	-	-	670	- 670	670	
	RS	D	3	1	162.6	- 162.6	162.6	N/Q	-	-	683	- 683	683	
		D	3	1	185.0	- 185.0	185.0	N/Q	343	- 343	343	620	- 620	620
					<b>159</b>	<b>162.6</b>	<b>263.6</b>	<b>210.0</b>		<b>337</b>	<b>448</b>	<b>399</b>	<b>390</b>	<b>1002</b>
<b>Yearling Steer</b>														
0-330	RS	C	1	2	195.0	- 195.0	195.0	N/Q	-	-	527	- 527	527	
	DA	D	1	1	130.0	- 130.0	130.0	N/Q	277	- 277	277	429	- 429	429
	RS	D	1	3	160.0	- 169.6	166.4	28	-	-	416	- 526	489	
	FD	D	2	1	185.0	- 185.0	185.0	N/Q	-	-	592	- 592	592	
		D	2	4	155.6	- 155.6	155.6	N/Q	311	- 311	311	482	- 482	482
330-400		C	1	1	210.0	- 210.0	210.0	N/Q	389	- 389	389	840	- 840	840
	FD	C	1	2	183.6	- 185.0	184.3	N/Q	-	-	643	- 666	654	
	FD	C	2	19	192.6	- 196.0	194.9	3	-	-	666	- 770	704	
		C	2	17	170.0	- 226.0	203.2	3	327	- 404	371	612	- 849	757
	FD	D	1	2	172.0	- 172.0	172.0	N/Q	-	-	619	- 619	619	
	RS	D	1	1	148.6	- 148.6	148.6	N/Q	-	-	572	- 572	572	
	FD	D	2	3	190.0	- 190.0	190.0	10	-	-	703	- 703	703	
		D	2	1	188.0	- 188.0	188.0	N/Q	376	- 376	376	677	- 677	677
	D	3	2	175.0	- 175.0	175.0	N/Q	330	- 330	330	700	- 700	700	
400+		B	2	11	220.0	- 245.0	242.7	25	386	- 415	413	898	- 1054	1039

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		B	3	1	230.0	- 230.0	230.0	N/Q	397	- 397	397	1012	- 1012	1012
		C	2	46	175.0	- 220.0	189.7	7	330	- 393	351	738	- 1021	923
	FD	C	2	4	197.2	- 197.2	197.2	13	-	-	-	1085	- 1085	1085
	RS	C	2	2	195.6	- 195.6	195.6	N/Q	-	-	-	851	- 851	851
		C	3	140	176.6	- 210.0	187.9	N/C	321	- 382	339	774	- 1120	1000
		C	4	1	180.0	- 180.0	180.0	N/Q	327	- 327	327	972	- 972	972
	RS	D	1	1	155.6	- 155.6	155.6	N/Q	-	-	-	654	- 654	654
	RS	D	2	1	155.0	- 155.0	155.0	N/Q	-	-	-	667	- 667	667
	FD	D	2	13	191.2	- 191.2	191.2	N/Q	-	-	-	822	- 822	822
		D	2	5	173.0	- 182.0	177.4	11	330	- 343	336	753	- 823	785
				<b>284</b>	<b>130.0</b>	<b>245.0</b>	<b>190.6</b>		<b>277</b>	<b>415</b>	<b>347</b>	<b>416</b>	<b>1120</b>	<b>907</b>
<b>Yearling Heifer</b>														
0-330	RS	C	1	1	172.0	- 172.0	172.0	N/Q	-	-	-	482	- 482	482
	FD	D	1	3	172.0	- 172.0	172.0	N/Q	-	-	-	516	- 516	516
	RS	D	1	4	133.6	- 156.2	144.9	-22	-	-	-	374	- 422	398
	RS	D	2	4	162.2	- 186.0	174.1	-9	-	-	-	357	- 484	420
	FD	D	2	6	175.0	- 182.0	180.8	-12	-	-	-	555	- 569	557
		D	2	9	155.6	- 155.6	155.6	N/Q	305	- 311	308	51	- 479	242
330-400		C	2	20	187.6	- 198.6	192.4	14	347	- 368	355	679	- 794	725
		C	3	10	170.0	- 212.6	202.1	N/Q	321	- 387	369	680	- 819	776
		D	2	6	152.0	- 174.6	166.7	12	298	- 336	323	592	- 698	658
	FD	D	2	32	185.0	- 188.0	185.9	N/Q	-	-	-	648	- 731	702
		D	3	5	182.0	- 190.2	185.0	-3	337	- 352	347	681	- 732	703
		D	4	4	170.0	- 185.0	181.3	N/Q	315	- 343	336	672	- 694	688
400+		B	2	15	222.0	- 245.0	226.6	N/Q	390	- 415	395	910	- 1078	944
		B	3	2	245.0	- 245.0	245.0	N/Q	422	- 422	422	1078	- 1078	1078
		C	2	4	174.0	- 188.0	177.8	-21	318	- 348	331	837	- 945	915
		C	3	51	175.0	- 215.0	182.4	1	314	- 377	335	774	- 903	839
		D	2	7	147.6	- 182.0	162.7	N/C	289	- 343	312	635	- 791	736
		D	3	29	162.0	- 188.0	173.6	-3	311	- 348	325	718	- 833	774
		D	4	2	161.6	- 165.0	163.3	N/Q	299	- 306	302	825	- 856	841
				<b>214</b>	<b>133.6</b>	<b>245.0</b>	<b>183.7</b>		<b>289</b>	<b>422</b>	<b>341</b>	<b>51</b>	<b>1078</b>	<b>737</b>
<b>Grown Steer</b>														
400-500		C	2	1	175.0	- 175.0	175.0	N/Q	330	- 330	330	753	- 753	753
		C	3	1	186.0	- 186.0	186.0	N/Q	332	- 332	332	930	- 930	930
		D	2	1	177.2	- 177.2	177.2	N/Q	334	- 334	334	859	- 859	859
500-600		C	2	11	174.6	- 182.6	177.0	5	323	- 338	330	943	- 1015	990
		C	3	29	172.0	- 188.0	184.4	9	313	- 336	332	980	- 1089	1044
		C	4	8	183.6	- 188.0	186.9	7	334	- 336	335	1028	- 1128	1103
		D	3	4	180.0	- 180.0	180.0	14	333	- 333	333	981	- 981	981
600-750		C	3	31	174.2	- 181.6	178.7	N/C	318	- 328	325	1097	- 1162	1141
		C	4	21	168.0	- 180.0	176.9	2	311	- 321	316	1176	- 1275	1237
				<b>107</b>	<b>168.0</b>	<b>188.0</b>	<b>180.4</b>		<b>311</b>	<b>338</b>	<b>327</b>	<b>753</b>	<b>1275</b>	<b>1101</b>
<b>Grown Heifer</b>														
0-540		C	4	1	157.6	- 157.6	157.6	N/Q	292	- 292	292	756	- 756	756

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
540+	DA	D	2	3	137.6	- 137.6	137.6	-9	281	- 281	281	688	- 688	688
		D	2	14	137.6	- 154.0	149.9	-5	275	- 305	294	619	- 759	726
		D	3	21	145.0	- 170.0	157.7	7	284	- 321	302	653	- 850	726
		D	5	1	154.0	- 154.0	154.0	N/Q	291	- 291	291	801	- 801	801
	DA	D	2	2	143.2	- 143.2	143.2	N/Q	286	- 286	286	788	- 788	788
		D	3	8	148.0	- 148.0	148.0	-3	285	- 285	285	814	- 814	814
		D	4	2	155.0	- 155.0	155.0	N/Q	293	- 293	293	969	- 969	969
			<b>52</b>	<b>137.6</b>	<b>170.0</b>	<b>152.2</b>		<b>275</b>	<b>321</b>	<b>294</b>	<b>619</b>	<b>969</b>	<b>751</b>	
<b>Manufacturing Steer</b>														
0-540	RS	D	1	1	129.6	- 129.6	129.6	N/Q	-	-	-	544	- 544	544
		D	1	1	166.0	- 166.0	166.0	N/Q	326	- 326	326	697	- 697	697
	DA	D	2	2	150.0	- 150.0	150.0	N/Q	289	- 294	291	728	- 780	754
		D	4	1	155.0	- 155.0	155.0	N/Q	310	- 310	310	775	- 775	775
		D	2	8	159.6	- 167.6	160.6	3	307	- 316	308	955	- 1037	1027
	DA	D	2	18	152.0	- 156.0	153.2	N/Q	298	- 306	300	1034	- 1045	1037
		D	3	9	167.2	- 174.6	172.1	N/Q	316	- 329	325	1091	- 1221	1134
			<b>40</b>	<b>129.6</b>	<b>174.6</b>	<b>158.6</b>		<b>289</b>	<b>329</b>	<b>308</b>	<b>544</b>	<b>1221</b>	<b>1015</b>	
<b>Cows</b>														
520+	D	2	1	1	150.0	- 150.0	150.0	N/Q	300	- 300	300	840	- 840	840
					<b>1</b>	<b>150.0</b>	<b>150.0</b>	<b>150.0</b>		<b>300</b>	<b>300</b>	<b>300</b>	<b>840</b>	<b>840</b>
<b>Bulls</b>														
0-450	B	1	1	1	203.6	- 203.6	203.6	N/Q	357	- 357	357	753	- 753	753
					RS	C	1	19	157.2	- 183.6	176.2	N/Q	-	-
	RS	D	1	4	1	1	1	1	1	1	1	1	1	1
450-600	D	1	1	1	134.6	- 134.6	134.6	N/Q	275	- 275	275	565	- 565	565
					C	1	2	167.6	- 167.6	167.6	N/Q	305	- 305	305
600+	C	1	1	1	169.6	- 169.6	169.6	N/Q	314	- 314	314	1153	- 1153	1153
					<b>28</b>	<b>134.6</b>	<b>203.6</b>	<b>171.5</b>		<b>275</b>	<b>357</b>	<b>311</b>	<b>450</b>	<b>1153</b>

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

#### Disclaimer:

© MLA 2011. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.