

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 07 Jul 2011

Yarding Change ³²⁵⁰
920

comparison date 30/06/2011

Numbers jumped and quality remained mixed with fair runs of vealers the majority suitable for restocker and lot feeder purchases. Yearling steers were well supplied, while the heifer portion was limited in number. Fair numbers of grown steers were penned, while around 400 cows were offered to the usual buying orders.

Medium weight vealer steers returning to the paddock remained firm to average 205c, while the same weight heifer portion to the trade lifted 8c/kg. The heavy weights suitable for the trade were scarce in the pens. Light and medium weight yearling steers to lot feeders remained firm to 5c/kg dearer with an extra feeder order returning to the competition. Those selling to the restockers were mainly mixed breeds and lost ground compared to the previous market. Heavy weight yearling steers and heifers to the trade struggled in the competition with quality lower compared to the previous sale, however B muscles reached 245c/kg.

Grown steers to lot feeders sold well for the better bred pens with these reaching 196c, while the plainer end sold down around the 142c/kg range. Heavy weight steers to slaughter sold 1c to 2c dearer to range from 162c to 192c/kg. The heifer portion improved 4c to reach 179c/kg.

Cows sold firm to 2c dearer as the plainer D2 pens averaged 130c/kg. The better finished D3 and D4 cows ranged from 134c to 152c, while the C muscles reached 154c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80		C	1	11	250.0	- 250.0	250.0	N/Q	481	- 481	481	125	- 125	125
		RS	C	1	8	220.0	- 248.0	243.0	N/Q	-	-	88	- 110	102
			C	2	2	270.0	- 270.0	270.0	N/Q	519	- 519	519	135	- 135
80+		C	2	29	218.0	- 220.0	219.2	N/Q	419	- 423	422	330	- 438	375
		RS	D	4	177.2	- 177.2	177.2	N/Q	-	-	248	- 248	248	
			D	4	190.0	- 190.0	190.0	N/Q	380	- 380	380	247	- 247	247
				58	177.2	270.0	225.2		380	519	436	88	438	264
Vealer Steer														
0-200		C	2	17	190.0	- 218.0	214.7	20	373	- 419	414	342	- 403	396
		RS	C	2	12	227.0	- 227.0	227.0	23	-	-	409	- 409	409
		RS	D	2	1	170.0	- 170.0	170.0	N/Q	-	-	315	- 315	315
			D	2	1	152.0	- 152.0	152.0	N/Q	304	- 304	304	258	- 258
200-280		C	2	3	210.0	- 210.0	210.0	2	404	- 404	404	441	- 441	441
		FD	C	2	124	189.0	- 218.2	205.7	N/C	-	-	416	- 611	526
		RS	C	2	10	175.6	- 209.6	200.8	-19	-	-	386	- 421	410
280-330	FD	C	2	29	194.6	- 210.0	197.7	-16	-	-	556	- 623	570	
		C	3	8	215.0	- 220.0	216.6	-7	398	- 414	401	645	- 692	660
330+		C	3	4	200.0	- 200.0	200.0	-34	370	- 370	370	802	- 802	802
				209	152.0	227.0	206.3		304	419	401	258	802	516
Vealer Heifer														
0-200		D	2	9	147.2	- 162.0	152.1	-12	313	- 331	319	265	- 275	268
		RS	D	2	4	172.0	- 172.0	172.0	N/Q	-	-	258	- 258	258
200-280		C	2	94	170.0	- 211.6	194.6	9	340	- 407	380	374	- 561	456
		FD	C	2	14	174.0	- 204.0	193.0	7	-	-	400	- 526	481

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head				
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg		
280-330	RS	C	2	39	193.2	- 217.0	203.6	25	-	-	-	464	-	562	497	
		C	3	11	218.0	- 218.0	218.0	N/Q	404	-	404	404	469	-	469	469
		D	2	32	130.0	- 170.0	154.2	-3	271	-	340	313	280	-	442	358
		FD	D	2	3	160.0	- 160.0	160.0	N/Q	-	-	-	416	-	416	416
		RS	D	2	4	140.0	- 140.0	140.0	N/Q	-	-	-	378	-	378	378
		FD	C	2	27	200.2	- 206.2	204.3	22	-	-	-	588	-	618	604
330+	RS	C	2	9	180.0	- 191.0	189.8	N/Q	-	-	-	513	-	544	541	
		C	3	12	206.2	- 235.0	218.7	-4	397	-	435	412	619	-	752	686
		C	2	1	215.0	- 215.0	215.0	N/Q	398	-	398	398	753	-	753	753
	FD	C	2	12	202.2	- 202.2	202.2	N/Q	-	-	-	687	-	687	687	
		C	3	1	235.0	- 235.0	235.0	N/Q	435	-	435	435	823	-	823	823
				272	130.0	235.0	191.5		271	435	368	258	823	482		
Yearling Steer																
0-330		C	2	11	195.2	- 195.2	195.2	N/Q	390	-	390	390	625	-	625	625
	FD	C	2	131	184.0	- 216.2	206.1	N/C	-	-	-	552	-	685	634	
	RS	C	2	55	173.2	- 185.2	180.1	-36	-	-	-	445	-	528	497	
		C	3	1	176.2	- 176.2	176.2	N/Q	326	-	326	326	529	-	529	529
	FD	D	2	51	140.0	- 168.2	167.3	-3	-	-	-	448	-	538	515	
		D	2	7	140.0	- 168.0	163.2	N/Q	286	-	343	332	378	-	472	438
	RS	D	2	28	135.2	- 165.0	155.2	5	-	-	-	385	-	495	456	
330-400	FD	C	2	124	177.0	- 221.0	208.5	6	-	-	-	637	-	751	730	
	FD	C	3	24	196.2	- 213.0	209.4	N/Q	-	-	-	687	-	788	755	
		C	3	10	190.0	- 240.0	214.7	3	352	-	429	395	722	-	912	775
	FD	D	2	25	173.2	- 173.2	173.2	18	-	-	-	589	-	589	589	
		D	3	7	175.0	- 175.0	175.0	N/Q	337	-	337	337	613	-	613	613
400+		B	3	1	245.0	- 245.0	245.0	N/Q	438	-	438	438	1005	-	1005	1005
		C	2	1	170.0	- 170.0	170.0	N/Q	327	-	327	327	714	-	714	714
	FD	C	2	19	180.0	- 180.0	180.0	-14	-	-	-	729	-	729	729	
		C	3	47	170.0	- 231.0	198.7	-9	315	-	415	365	682	-	1040	845
				542	135.2	245.0	193.7		286	438	367	378	1040	647		
Yearling Heifer																
0-330		C	2	8	170.0	- 193.0	177.0	N/Q	340	-	386	354	459	-	585	495
	FD	C	2	27	186.2	- 216.2	197.4	11	-	-	-	531	-	649	600	
	RS	C	2	14	173.6	- 215.0	179.5	N/C	-	-	-	486	-	645	509	
		C	3	2	212.2	- 212.2	212.2	N/Q	408	-	408	408	637	-	637	637
	FD	D	2	16	132.0	- 140.0	139.5	-31	-	-	-	406	-	422	407	
	RS	D	2	16	130.0	- 143.0	130.8	-25	-	-	-	390	-	472	395	
		D	2	22	120.0	- 155.0	142.8	-11	259	-	323	298	308	-	403	383
		E	2	2	80.0	- 80.0	80.0	N/Q	191	-	191	191	228	-	228	228
330-400		C	2	1	197.2	- 197.2	197.2	N/Q	394	-	394	394	670	-	670	670
	FD	C	2	5	198.2	- 198.2	198.2	N/Q	-	-	-	664	-	664	664	
		C	3	26	183.2	- 210.0	190.3	-44	366	-	404	379	623	-	735	691
	RS	D	2	1	155.0	- 155.0	155.0	N/Q	-	-	-	527	-	527	527	
		D	3	12	171.6	- 171.6	171.6	N/Q	330	-	330	330	601	-	601	601

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+	RS	C	2	8	160.0	- 160.0	160.0	N/Q	-			672	- 672	672
		C	3	37	180.0	- 203.6	188.1	-12	346	- 392	362	774	- 845	799
		D	3	14	164.0	- 164.0	164.0	N/Q	335	- 335	335	689	- 689	689
				211	80.0	216.2	171.5		191	408	346	228	845	590
Grown Steer														
0-400		C	2	1	157.2	- 157.2	157.2	N/Q	314	- 314	314	597	- 597	597
		FD	C	2	44	151.0	- 185.0	170.0	-4	-		544	- 666	609
		RS	D	2	25	114.2	- 137.2	131.3	-17	-		365	- 466	437
		D	2	1	120.0	- 120.0	120.0	N/Q	250	- 250	250	420	- 420	420
400-500		C	2	51	148.6	- 168.0	160.8	7	297	- 323	316	639	- 756	713
		RS	C	2	1	150.0	- 150.0	150.0	N/Q	-		645	- 645	645
		FD	C	2	97	142.0	- 196.0	167.6	2	-		582	- 853	704
		FD	C	3	36	175.0	- 191.0	182.4	N/Q	-		805	- 840	821
		C	3	30	165.0	- 176.0	173.1	-2	306	- 326	321	743	- 840	790
		D	2	16	138.0	- 138.0	138.0	N/Q	276	- 276	276	553	- 553	553
500-600		C	2	14	156.0	- 156.0	156.0	6	300	- 300	300	858	- 858	858
		C	3	71	175.0	- 192.2	184.5	1	324	- 343	337	908	- 1057	981
600-750		C	1	3	155.0	- 155.0	155.0	N/Q	298	- 298	298	961	- 961	961
		C	3	36	162.0	- 170.0	168.6	2	300	- 315	312	988	- 1075	1044
		C	4	3	170.2	- 170.2	170.2	N/Q	310	- 310	310	1038	- 1038	1038
				429	114.2	196.0	167.7		250	343	318	365	1075	773
Grown Heifer														
0-540		C	2	4	140.0	- 160.0	155.0	-7	292	- 333	323	630	- 672	662
		C	3	60	153.0	- 179.2	165.2	7	306	- 358	330	585	- 896	746
		D	1	5	100.0	- 100.0	100.0	-4	250	- 250	250	300	- 300	300
		D	2	15	138.0	- 145.0	139.4	3	307	- 322	310	469	- 493	474
		RS	D	2	19	147.6	- 151.6	150.8	N/Q	-		472	- 531	518
		D	3	24	142.0	- 158.6	154.0	3	296	- 330	321	562	- 714	669
				127	100.0	179.2	155.0		250	358	321	300	896	645
Manufacturing Steer														
0-540	DA	D	2	3	124.6	- 124.6	124.6	N/Q	260	- 260	260	500	- 500	500
		D	2	18	141.2	- 141.2	141.2	N/Q	294	- 294	294	593	- 593	593
	DA	D	3	1	168.0	- 168.0	168.0	N/Q	350	- 350	350	790	- 790	790
				22	124.6	168.0	140.2		260	350	292	500	790	589
Cows														
0-400		D	1	15	101.6	- 108.0	104.6	-4	267	- 284	275	356	- 389	371
		D	2	23	119.6	- 127.0	122.9	5	292	- 310	300	454	- 483	467
		E	1	8	40.0	- 70.0	51.3	-17	121	- 200	150	128	- 245	167
	RS	E	1	5	65.0	- 65.0	65.0	N/Q	-			195	- 195	195
400-520	RS	D	1	13	128.0	- 128.0	128.0	N/Q	-			525	- 525	525
		D	1	5	90.0	- 90.0	90.0	-28	237	- 237	237	369	- 369	369
		D	2	100	122.0	- 135.2	130.3	1	291	- 322	312	500	- 583	552
		D	3	41	134.0	- 147.2	143.6	5	285	- 307	301	576	- 663	646
		E	2	2	90.0	- 90.0	90.0	N/Q	225	- 225	225	369	- 369	369
520+		C	3	3	151.2	- 154.0	152.1	1	302	- 308	304	907	- 1074	994

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		C	4	1	148.0	- 148.0	148.0	N/Q	296	- 296	296	1036	- 1036	1036
		D	3	72	142.0	- 152.2	146.0	2	296	- 309	304	754	- 870	800
		D	4	80	140.0	- 152.2	145.8	2	292	- 308	303	788	- 934	842
		D	5	3	125.0	- 138.0	133.7	N/C	272	- 294	286	663	- 911	828
		D	6	3	120.0	- 120.0	120.0	-5	267	- 267	267	840	- 840	840
				374	40.0	154.0	133.4		121	322	299	128	1074	652
Bulls														
0-450	RS	C	1	6	120.0	- 120.0	120.0	N/Q	-	-	-	324	- 324	324
	RS	C	2	20	138.0	- 138.0	138.0	2	-	-	-	442	- 442	442
	FD	C	2	14	153.6	- 153.6	153.6	N/Q	-	-	-	461	- 461	461
		C	2	51	148.0	- 191.2	159.8	13	268	- 354	297	452	- 676	591
450-600		B	2	1	166.2	- 166.2	166.2	N/Q	292	- 292	292	914	- 914	914
		C	2	39	142.0	- 167.0	148.3	6	254	- 298	274	781	- 919	802
		D	2	1	144.2	- 144.2	144.2	N/Q	288	- 288	288	750	- 750	750
600+		B	2	5	152.0	- 166.2	161.2	-12	262	- 292	279	1030	- 1368	1114
		C	2	3	137.6	- 154.2	143.3	-3	250	- 275	260	881	- 1079	985
		D	2	2	125.0	- 125.0	125.0	N/Q	236	- 240	238	813	- 813	813
				142	120.0	191.2	150.4		236	354	285	324	1368	637

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2011. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.