

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 12 Jul 2011

Yarding Change 880
65

comparison date 05/07/2011

The supply of stock hovered around the previous week's level. Buyer attendance was generally good, with additional export competition from interstate. Values for young cattle improved in places pushed on by stronger restocker and feeder demand, and local butchers were very keen to purchase a limited supply top in quality slaughter lines. Heavy steers and bullocks sold to a dearer market, and the extra processor demand lifted cow prices by 3c to 5c/kg.

Calves to restockers averaged 208c and sold to 229.2c/kg. Vealer steers also returning to the paddock averaged 217c, with sales to 222.2c, a few heavy grades to local butchers at 251.2c/kg. Vealer heifers to local and southern processors mainly sold around 209c, while the better heavy grades sold to butchers at 249.2c to average 236c/kg. Lightweight yearling steers to restockers made to 234.2c to average 226c/kg. Medium weight lines ideally suited to supermarket feeder specifications averaged from 215c to 223c, while a small sample of heavy feeders averaged 168c/kg. Medium weight yearling heifers to feed averaged close to 180c and sold to 197.2c/kg.

Heavy steers to export slaughter made to a top of 180.2c to average 173c, and bullocks made to 177.2c to average close to 171c/kg. Full mouth bullocks sold to and averaged 162c/kg.

Medium weight 2 score cows averaged 120c and 3 scores 131c/kg. Good heavy cows averaged 5c better at 148c, with some to 153.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80	RS	C	2	1	200.2	- 200.2	200.2	N/Q	-			90	- 90	90
80+	RS	C	2	87	190.2	- 229.2	208.3	-6	-			296	- 447	355
		C	2	2	198.2	- 198.2	198.2	N/Q	374	- 374	374	287	- 287	287
	RS	D	1	3	180.0	- 180.0	180.0	N/Q	-			261	- 261	261
	RS	D	2	22	185.0	- 197.2	192.2	N/Q	-			231	- 340	293
		D	2	4	212.2	- 237.2	218.5	26	400	- 448	412	329	- 391	345
				119	180.0	237.2	204.7		374	448	400	90	447	338
Vealer Steer														
200-280		C	2	8	210.0	- 212.2	211.7	7	382	- 386	385	494	- 541	529
	FD	C	2	27	197.2	- 224.2	208.3	8	-			404	- 617	529
	RS	C	2	26	214.2	- 222.2	217.4	5	-			443	- 489	469
	FD	D	2	3	196.2	- 196.2	196.2	N/Q	-			422	- 422	422
280-330		C	2	4	214.2	- 220.0	217.1	N/Q	390	- 400	395	632	- 649	640
	FD	C	2	5	215.0	- 215.0	215.0	5	-			613	- 613	613
		C	3	14	229.2	- 235.2	231.8	-5	417	- 428	422	676	- 741	714
330+		C	3	4	230.2	- 251.2	240.7	N/Q	419	- 457	438	771	- 842	818
				91	196.2	251.2	216.6		382	457	410	404	842	559
Vealer Heifer														
200-280		C	2	41	196.2	- 227.2	209.4	3	363	- 421	388	478	- 614	529
	FD	C	2	13	196.2	- 204.2	200.0	2	-			481	- 541	515
	RS	C	2	8	206.2	- 206.2	206.2	N/Q	-			464	- 464	464
		C	3	1	216.2	- 216.2	216.2	N/Q	400	- 400	400	595	- 595	595
	RS	D	2	5	180.0	- 180.0	180.0	-12	-			405	- 405	405
		D	2	4	189.2	- 194.2	190.9	N/Q	350	- 360	353	428	- 476	444

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
280-330		C	2	2	198.2	- 200.0	199.1	N/Q	367	- 370	369	570	- 644	607
	FD	C	2	2	199.2	- 199.2	199.2	N/Q	-			568	- 568	568
		C	3	17	204.2	- 249.2	236.3	-4	371	- 462	437	602	- 787	722
				93	180.0	249.2	210.0		350	462	398	405	787	550
Yearling Steer														
0-330	FD	C	2	22	202.2	- 225.2	207.5	-1	-			536	- 676	573
	RS	C	2	45	213.2	- 234.2	226.7	26	-			562	- 586	575
	FD	C	3	11	203.2	- 216.2	209.1	-3	-			599	- 649	622
	RS	D	2	2	184.2	- 184.2	184.2	N/Q	-			470	- 470	470
330-400	FD	C	2	16	205.0	- 226.2	215.6	13	-			687	- 758	722
	FD	C	3	20	205.0	- 228.2	223.2	27	-			687	- 833	799
	RS	C	3	8	174.2	- 208.2	199.7	N/Q	-			636	- 697	682
		C	3	6	207.2	- 227.2	220.9	3	377	- 413	402	756	- 852	832
400+	FD	C	2	17	162.0	- 171.2	168.0	-5	-			705	- 745	731
	FD	C	3	26	163.2	- 174.2	168.0	-18	-			719	- 792	778
		C	3	8	175.2	- 203.2	191.8	15	319	- 370	349	762	- 884	827
				181	162.0	234.2	204.6		319	413	371	470	884	682
Yearling Heifer														
0-330	FD	C	2	9	188.2	- 197.2	193.6	N/C	-			499	- 589	556
	RS	C	2	2	189.2	- 189.2	189.2	N/Q	-			539	- 539	539
	FD	C	3	4	202.2	- 202.2	202.2	N/Q	-			607	- 607	607
	RS	D	1	6	127.2	- 155.2	136.5	N/Q	-			223	- 272	239
	RS	D	2	4	165.0	- 169.2	168.2	N/Q	-			388	- 448	433
		D	2	1	180.0	- 180.0	180.0	N/Q	333	- 333	333	423	- 423	423
330-400		C	3	2	200.0	- 206.2	203.1	N/Q	370	- 375	373	670	- 691	680
	FD	C	3	17	171.2	- 197.2	179.9	-16	-			659	- 690	681
	FD	D	3	5	148.2	- 148.2	148.2	N/Q	-			511	- 511	511
400+		D	3	5	154.0	- 160.0	157.6	-4	285	- 296	292	655	- 696	679
				55	127.2	206.2	174.4		285	375	317	223	696	563
Grown Steer														
0-400	RS	D	2	5	139.2	- 139.2	139.2	N/Q	-			550	- 550	550
400-500	FD	C	3	3	167.2	- 167.2	167.2	N/Q	-			727	- 727	727
		D	2	3	125.2	- 125.2	125.2	N/Q	228	- 228	228	545	- 545	545
500-600		C	3	5	159.2	- 159.2	159.2	1	290	- 290	290	876	- 876	876
	FD	C	3	10	165.0	- 168.2	166.3	N/Q	-			883	- 900	890
		C	4	20	164.2	- 180.2	173.3	N/Q	293	- 322	310	888	- 1036	983
600-750		C	3	1	158.2	- 158.2	158.2	N/C	288	- 288	288	1005	- 1005	1005
		C	4	25	165.0	- 177.2	170.9	-3	295	- 316	305	1072	- 1125	1090
				72	125.2	180.2	165.7		228	322	301	545	1125	941
Grown Heifer														
0-540		C	4	9	157.2	- 168.2	161.2	N/Q	297	- 317	304	801	- 886	836
		D	3	2	132.2	- 132.2	132.2	N/Q	254	- 254	254	535	- 535	535
540+		C	4	1	152.0	- 152.0	152.0	N/Q	287	- 287	287	889	- 889	889
				12	132.2	168.2	155.6		254	317	294	535	889	790
Manufacturing Steer														

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
540+		C	4	11	162.0	- 162.0	162.0	N/Q	289	- 289	289	1011	- 1085	1079
		D	2	2	132.2	- 132.2	132.2	N/Q	240	- 240	240	839	- 839	839
				13	132.2	162.0	157.4		240	289	282	839	1085	1042
Cows														
0-400		D	1	16	79.2	- 85.0	81.4	N/C	220	- 236	226	289	- 319	300
	RS	D	1	33	80.0	- 123.2	109.6	N/Q		-		292	- 487	432
		D	2	2	118.2	- 118.2	118.2	N/Q	281	- 281	281	467	- 467	467
		E	1	1	60.0	- 60.0	60.0	N/Q	167	- 167	167	219	- 219	219
400-520		D	1	10	86.2	- 103.2	100.7	-5	239	- 287	280	375	- 480	444
	DA	D	1	9	95.0	- 115.0	101.6	10	264	- 319	282	423	- 531	466
		D	2	12	113.2	- 125.0	120.0	1	270	- 298	286	492	- 610	543
		D	3	6	130.2	- 136.2	131.5	3	266	- 278	268	587	- 618	609
		D	4	3	147.2	- 148.0	147.5	N/Q	289	- 290	289	729	- 733	730
520+	DA	D	1	3	122.2	- 122.2	122.2	5	339	- 339	339	654	- 654	654
	DA	D	2	3	121.2	- 121.2	121.2	-6	289	- 289	289	685	- 685	685
	DA	D	3	2	137.2	- 137.2	137.2	N/Q	280	- 280	280	823	- 823	823
		D	3	1	140.2	- 140.2	140.2	N/Q	286	- 286	286	764	- 764	764
		D	4	29	142.0	- 153.2	148.4	5	278	- 300	291	753	- 913	831
				130	60.0	153.2	117.4		167	339	276	219	913	552
Bulls														
0-450	FD	C	2	1	124.2	- 124.2	124.2	N/Q		-		491	- 491	491
	RS	C	2	2	175.0	- 175.0	175.0	N/Q		-		464	- 464	464
	RS	C	3	2	163.2	- 163.2	163.2	N/Q		-		596	- 596	596
	FD	C	3	2	133.2	- 155.2	144.2	N/Q		-		579	- 698	639
		C	3	2	148.2	- 148.2	148.2	N/Q	265	- 265	265	667	- 667	667
	RS	D	1	3	118.2	- 123.2	119.9	N/Q		-		431	- 450	438
450-600	FD	C	3	1	140.2	- 140.2	140.2	N/Q		-		680	- 680	680
		C	3	13	127.2	- 155.2	143.4	-1	227	- 277	256	670	- 869	777
600+		C	3	7	120.8	- 145.0	136.0	-2	216	- 259	243	825	- 1087	966
				33	118.2	175.0	142.4		216	277	253	431	1087	730

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2011. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.