

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Dubbo

report date 14 Jul 2011

Yarding Change 3110  
-140

comparison date 07/07/2011

A similar size yarding of mixed quality cattle was offered to the usual buyers with good runs of vealers penned. The yearlings were reduced in number, while heavy grown steers suitable for slaughter were also lower in number compared to the last market. There were around 400 cows yarded and competition was solid for the better end of the market.

Medium weight vealer steers returning to the paddock and selling to lot feeder orders remained firm to average 205c with the best reaching 226c/kg. The same weight heifer portion to the trade also remained firm to range from 170c to 207c as the best heavyweight vealers to the trade reached 247c/kg. Lightweight yearling steers to feeders remained firm, as the better end of the medium weights reached 224c/kg. Heavy weight yearling steers to the trade slipped back on average, however the tops reached 232c/kg. Lightweight yearling heifers to feed eased 6c, while the medium and heavy weights to the trade lifted 5c/kg in value.

Grown steers to lot feeders improved 7c, while the heavy weights to slaughter sold according to age and quality with some high yielding bullocks reaching 194c/kg. The heifer portion remained firm reaching 180c/kg.

Cows sold to solid competition to lift 1c to 3c/kg. The plainer D2 pens averaged 135c as the better finished D3 and D4 cows ranged from 135c to 152c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
<b>Calves</b>															
0-80	RS	C	1	1	210.0	- 210.0	210.0	N/Q	-	-	-	105	-	105	105
		C	2	13	210.0	- 282.0	244.8	-25	420	- 542	477	138	-	168	158
80+		C	2	4	185.0	- 220.0	211.3	-8	370	- 440	423	198	-	296	223
					<b>18</b>	<b>185.0</b>	<b>282.0</b>	<b>235.4</b>		<b>370</b>	<b>542</b>	<b>464</b>	<b>105</b>	<b>296</b>	<b>169</b>
<b>Vealer Steer</b>															
0-200	RS	C	1	3	180.0	- 180.0	180.0	N/Q	-	-	-	270	-	270	270
		C	2	75	186.0	- 224.0	208.1	-19	-	-	-	298	-	396	366
		C	2	4	200.0	- 200.0	200.0	-15	400	- 400	400	370	-	370	370
200-280		C	2	39	170.0	- 191.6	189.3	-21	333	- 382	367	402	-	460	449
		FD	C	2	55	197.2	- 216.2	206.5	1	-	-	458	-	597	542
		RS	C	2	184	169.2	- 226.0	205.0	4	-	-	357	-	583	490
		D	1	2	126.6	- 126.6	126.6	N/Q	258	- 258	258	266	-	266	266
280-330		D	2	4	140.0	- 150.0	145.5	N/Q	280	- 306	293	315	-	387	360
		RS	D	2	2	140.0	- 140.0	140.0	N/Q	-	-	350	-	350	350
		FD	C	2	14	201.0	- 220.6	208.1	10	-	-	603	-	662	615
		C	2	1	180.0	- 180.0	180.0	N/Q	346	- 346	346	513	-	513	513
		RS	C	2	3	217.0	- 217.0	217.0	N/Q	-	-	618	-	618	618
		FD	C	3	9	219.6	- 219.6	219.6	N/Q	-	-	659	-	659	659
330+		C	3	4	245.2	- 245.2	245.2	29	438	- 438	438	785	-	785	785
		B	3	2	247.2	- 247.2	247.2	N/Q	441	- 441	441	939	-	939	939
		C	3	1	220.0	- 220.0	220.0	N/Q	400	- 400	400	902	-	902	902
			<b>402</b>	<b>126.6</b>	<b>247.2</b>	<b>203.8</b>		<b>258</b>	<b>441</b>	<b>368</b>	<b>266</b>	<b>939</b>	<b>479</b>		
<b>Vealer Heifer</b>															
0-200		C	2	4	170.0	- 202.2	190.4	N/Q	340	- 397	377	306	-	364	345
		RS	C	2	38	187.0	- 207.0	201.3	N/Q	-	-	309	-	368	341

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
200-280		D	2	1	145.6	- 145.6	145.6	N/Q	297	- 297	297	269	- 269	269	
		C	2	164	170.0	- 207.6	194.8	N/C	340	- 399	378	350	- 513	448	
	RS	C	2	20	170.0	- 206.6	201.1	-3	-	-	-	415	- 425	417	
	FD	C	2	98	165.2	- 216.2	193.3	N/C	-	-	-	363	- 562	491	
		C	3	1	243.0	- 243.0	243.0	N/Q	450	- 450	450	656	- 656	656	
	FD	D	2	3	155.0	- 155.0	155.0	-5	-	-	-	434	- 434	434	
280-330		D	2	1	140.2	- 140.2	140.2	N/Q	286	- 286	286	336	- 336	336	
	RS	D	2	5	155.2	- 155.2	155.2	15	-	-	-	404	- 404	404	
	FD	C	2	20	165.2	- 194.0	186.8	-18	-	-	-	471	- 553	532	
		C	3	43	217.2	- 239.2	229.4	11	411	- 443	431	652	- 762	710	
330+		C	3	36	218.2	- 245.0	231.1	-4	404	- 450	426	742	- 873	800	
					<b>434</b>	<b>140.2</b>	<b>245.0</b>	<b>200.5</b>		<b>286</b>	<b>450</b>	<b>393</b>	<b>269</b>	<b>873</b>	<b>504</b>
<b>Yearling Steer</b>															
0-330	FD	C	1	28	205.0	- 205.0	205.0	N/Q	-	-	-	584	- 584	584	
	FD	C	2	104	186.2	- 220.0	207.7	2	-	-	-	531	- 696	644	
330-400	RS	C	2	9	198.0	- 198.0	198.0	18	-	-	-	515	- 515	515	
	RS	C	2	16	181.0	- 181.0	181.0	N/Q	-	-	-	615	- 615	615	
		C	2	8	175.0	- 175.0	175.0	N/Q	337	- 337	337	586	- 648	594	
	FD	C	2	47	185.0	- 216.2	198.4	-10	-	-	-	629	- 746	714	
	FD	C	3	31	218.2	- 224.2	222.5	13	-	-	-	742	- 778	765	
400+		C	3	3	229.2	- 242.2	237.2	23	417	- 433	426	825	- 872	846	
		D	2	1	155.0	- 155.0	155.0	N/Q	310	- 310	310	589	- 589	589	
	FD	C	2	6	180.0	- 180.0	180.0	N/C	-	-	-	747	- 747	747	
	FD	C	3	6	190.0	- 190.0	190.0	N/Q	-	-	-	817	- 817	817	
		C	3	116	170.0	- 232.0	189.3	-9	315	- 414	350	713	- 944	806	
					<b>375</b>	<b>155.0</b>	<b>242.2</b>	<b>199.2</b>		<b>310</b>	<b>433</b>	<b>350</b>	<b>515</b>	<b>944</b>	<b>709</b>
<b>Yearling Heifer</b>															
0-330	FD	C	1	38	171.0	- 175.0	173.6	N/Q	-	-	-	479	- 499	492	
	FD	C	2	96	180.6	- 200.2	190.4	-7	-	-	-	518	- 620	592	
		C	2	22	168.0	- 180.0	172.3	-5	336	- 360	345	485	- 544	518	
	FD	D	2	7	141.0	- 155.0	153.0	14	-	-	-	451	- 465	463	
		D	2	1	130.0	- 130.0	130.0	N/Q	283	- 283	283	312	- 312	312	
330-400	RS	D	2	20	138.0	- 140.0	139.1	8	-	-	-	392	- 435	411	
	FD	C	2	4	168.6	- 168.6	168.6	-30	-	-	-	582	- 582	582	
		C	2	16	170.0	- 176.2	173.2	-24	340	- 352	346	595	- 613	602	
	FD	C	3	3	194.5	- 194.5	194.5	N/Q	-	-	-	681	- 681	681	
		C	3	26	193.2	- 215.8	208.9	19	372	- 415	402	657	- 798	758	
		D	3	13	160.0	- 174.0	172.9	1	320	- 348	346	576	- 609	606	
400+	RS	D	3	1	150.0	- 150.0	150.0	N/Q	-	-	-	570	- 570	570	
		C	3	23	175.0	- 223.0	202.1	14	337	- 421	383	735	- 946	850	
		C	4	1	178.0	- 178.0	178.0	N/Q	342	- 342	342	819	- 819	819	
	D	3	1	160.2	- 160.2	160.2	N/Q	320	- 320	320	673	- 673	673		
					<b>272</b>	<b>130.0</b>	<b>223.0</b>	<b>182.0</b>		<b>283</b>	<b>421</b>	<b>367</b>	<b>312</b>	<b>946</b>	<b>595</b>
<b>Grown Steer</b>															
0-400	FD	C	2	34	156.0	- 194.6	178.5	8	-	-	-	515	- 681	610	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400-500	RS	C	2	24	151.6	- 158.0	155.1	N/Q	-			537	- 576	555
	RS	C	2	33	153.6	- 158.6	157.8	8	-			622	- 650	646
	FD	C	2	64	160.0	- 193.6	176.1	9	-			672	- 788	740
		C	2	12	155.2	- 169.2	168.0	7	310	- 325	324	698	- 761	756
	FD	C	3	19	172.6	- 180.0	175.3	-7	-			759	- 774	764
500-600		C	3	44	160.0	- 181.0	174.4	1	296	- 335	323	720	- 815	789
		C	3	65	165.0	- 185.2	173.9	-11	306	- 341	321	842	- 1030	958
600-750		C	3	22	165.0	- 169.6	167.2	-1	306	- 314	310	998	- 1056	1034
		C	4	37	183.0	- 193.2	190.6	20	327	- 345	340	1198	- 1318	1251
				<b>354</b>	<b>151.6</b>	<b>194.6</b>	<b>173.2</b>		<b>296</b>	<b>345</b>	<b>324</b>	<b>515</b>	<b>1318</b>	<b>826</b>
<b>Grown Heifer</b>														
0-540	RS	C	2	5	180.0	- 180.0	180.0	N/Q	-			630	- 630	630
		C	2	12	145.0	- 160.0	153.8	-1	302	- 333	320	595	- 672	642
	RS	C	3	8	161.6	- 161.6	161.6	N/Q	-			663	- 663	663
		C	3	124	158.0	- 180.0	167.4	2	316	- 352	335	646	- 900	775
	RS	D	1	1	110.0	- 110.0	110.0	N/Q	-			341	- 341	341
	RS	D	2	14	125.0	- 133.2	130.9	-20	-			438	- 466	458
		D	2	19	123.2	- 124.0	123.5	-16	276	- 280	278	397	- 419	410
		D	3	17	142.0	- 155.0	146.5	-7	296	- 323	305	555	- 596	580
540+		C	4	11	176.2	- 176.2	176.2	N/Q	339	- 339	339	987	- 987	987
		D	4	4	153.2	- 153.2	153.2	N/Q	319	- 319	319	919	- 919	919
				<b>215</b>	<b>110.0</b>	<b>180.0</b>	<b>158.7</b>		<b>276</b>	<b>352</b>	<b>325</b>	<b>341</b>	<b>987</b>	<b>703</b>
<b>Manufacturing Steer</b>														
0-540		D	2	2	140.0	- 140.0	140.0	N/Q	280	- 280	280	539	- 539	539
				<b>2</b>	<b>140.0</b>	<b>140.0</b>	<b>140.0</b>		<b>280</b>	<b>280</b>	<b>280</b>	<b>539</b>	<b>539</b>	<b>539</b>
<b>Cows</b>														
0-400		D	1	7	112.0	- 112.0	112.0	7	295	- 295	295	426	- 426	426
		D	2	11	121.2	- 130.0	124.3	1	296	- 317	303	448	- 494	470
400-520		D	2	89	126.0	- 142.0	135.0	5	307	- 330	322	523	- 639	573
	RS	D	2	3	129.6	- 129.6	129.6	N/Q	-			531	- 531	531
520+		D	3	71	135.0	- 146.0	142.5	-1	287	- 305	302	596	- 729	640
		C	3	10	152.6	- 152.6	152.6	N/C	305	- 305	305	916	- 916	916
		C	4	6	152.0	- 152.0	152.0	4	304	- 304	304	988	- 988	988
		D	3	104	142.0	- 150.0	147.1	1	297	- 313	307	772	- 913	817
		D	4	77	144.0	- 152.2	148.7	3	300	- 310	304	759	- 1064	943
		D	5	1	142.6	- 142.6	142.6	N/Q	303	- 303	303	998	- 998	998
		D	6	1	120.0	- 120.0	120.0	N/C	261	- 261	261	660	- 660	660
				<b>380</b>	<b>112.0</b>	<b>152.6</b>	<b>142.4</b>		<b>261</b>	<b>330</b>	<b>309</b>	<b>426</b>	<b>1064</b>	<b>738</b>
<b>Bulls</b>														
0-450		C	2	9	130.0	- 165.0	153.6	-6	232	- 307	280	415	- 693	554
	FD	C	2	11	155.0	- 155.0	155.0	1	-			434	- 434	434
		D	2	1	120.0	- 120.0	120.0	N/Q	231	- 231	231	528	- 528	528
600+		B	2	10	155.0	- 169.2	161.2	N/C	267	- 292	278	990	- 1424	1222
		C	2	9	131.2	- 162.0	153.4	10	239	- 289	275	1004	- 1181	1083
				<b>40</b>	<b>120.0</b>	<b>169.2</b>	<b>155.0</b>		<b>231</b>	<b>307</b>	<b>276</b>	<b>415</b>	<b>1424</b>	<b>806</b>

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

#### Disclaimer:

© MLA 2011. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.