

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Pakenham

report date 18 Jul 2011

Yarding Change ⁹⁹²
-33

comparison date 11/07/2011

The supply of cattle was reduced slightly and the quality was varied with a large mixture of breeds penned. Because of the lower numbers, most cattle sold to strong demand to be 2c to 6c/kg dearer. However, the poor quality did affect price for some categories. All of the regular buyers were present, and the demand from feedlots was improved.

Only 370 vealers were penned, and there was few top quality lots. The best quality vealers made from 235c to 265c, as most sold between 190c and 238c/kg. The penning of 385 yearlings included some very good quality supplementary fed steers and heifers that made between 225c and 254c/kg. Most other better quality yearlings sold from 185c to 222c/kg. The plainer yearlings ranged from 116c to 178c/kg.

There were only 160 grown cattle penned, which included some good quality lots. These made from 185c to 195.2c, while most others sold from 150c and 183c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
200-280		C	1	3	180.0	- 191.6	185.1	-35	353	- 369	363	414	- 498	445
	FD	C	1	2	201.6	- 201.6	201.6	N/Q	-			564	- 564	564
	RS	C	1	8	208.0	- 210.6	208.7	7	-			562	- 579	566
	RS	C	2	18	214.6	- 217.6	217.4	2	-			558	- 566	565
		C	2	5	206.2	- 228.0	217.7	5	389	- 418	404	474	- 638	564
280-330		B	2	5	242.6	- 264.6	251.7	-4	426	- 449	435	698	- 870	798
	FD	C	1	4	195.6	- 215.0	209.0	4	-			557	- 710	636
	RS	C	1	3	185.0	- 212.0	203.0	-6	-			537	- 668	624
	FD	C	2	3	212.0	- 213.6	213.1	-1	-			641	- 678	653
	RS	C	2	15	203.6	- 215.0	206.5	-8	-			580	- 645	598
		C	2	14	210.0	- 248.6	226.5	6	394	- 444	416	630	- 796	686
	FD	C	3	1	212.0	- 212.0	212.0	N/Q	-			636	- 636	636
330+		B	1	2	224.2	- 245.0	234.6	N/Q	400	- 438	419	762	- 919	841
		B	2	31	240.0	- 265.0	249.9	-4	414	- 442	430	886	- 1032	962
		C	1	1	219.6	- 219.6	219.6	N/Q	407	- 407	407	747	- 747	747
	FD	C	1	3	215.0	- 216.6	216.1	7	-			731	- 758	749
	FD	C	2	17	205.0	- 211.2	209.0	N/Q	-			697	- 777	738
		C	2	44	210.0	- 250.0	227.4	3	389	- 446	413	725	- 933	836
		C	3	6	180.0	- 233.6	222.1	-11	333	- 417	399	657	- 893	843
	DA	D	2	1	150.0	- 150.0	150.0	N/Q	300	- 300	300	503	- 503	503
					186	150.0	265.0	223.5	300	449	415	414	1032	747
Vealer Heifer														
0-200		C	2	1	201.6	- 201.6	201.6	N/Q	388	- 388	388	403	- 403	403
	RS	D	1	1	220.0	- 220.0	220.0	N/Q	-			407	- 407	407
200-280	RS	C	1	2	189.6	- 189.6	189.6	N/Q	-			512	- 512	512
		C	2	14	180.0	- 245.0	214.1	1	346	- 438	400	468	- 686	562
		C	3	2	226.6	- 230.0	228.3	N/Q	412	- 422	417	612	- 644	628

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
280-330		D	1	1	180.0	- 180.0	180.0	N/Q	360	- 360	360	486	- 486	486	
	DA	D	1	2	145.6	- 145.6	145.6	N/Q	303	- 303	303	364	- 364	364	
	RS	D	2	7	180.0	- 200.0	189.4	-3	-	-	-	468	- 521	489	
		D	2	4	166.2	- 175.0	171.3	-18	332	- 344	341	366	- 438	399	
		B	2	1	246.6	- 246.6	246.6	N/Q	433	- 433	433	814	- 814	814	
	RS	C	1	1	185.6	- 185.6	185.6	N/Q	-	-	-	575	- 575	575	
	FD	C	1	10	186.0	- 195.6	191.8	2	-	-	-	597	- 645	608	
	RS	C	2	1	200.0	- 200.0	200.0	N/Q	-	-	-	570	- 570	570	
		C	2	31	200.0	- 240.0	214.8	-6	370	- 436	398	595	- 792	670	
		C	3	14	205.0	- 210.0	207.1	-10	380	- 389	386	611	- 693	656	
330+		C	4	1	215.0	- 215.0	215.0	N/Q	391	- 391	391	645	- 645	645	
		D	1	1	176.6	- 176.6	176.6	N/Q	346	- 346	346	530	- 530	530	
		D	2	1	200.0	- 200.0	200.0	N/Q	385	- 385	385	570	- 570	570	
	FD	D	2	12	186.0	- 198.0	193.0	N/Q	-	-	-	542	- 644	585	
	RS	D	2	4	186.0	- 186.0	186.0	-12	-	-	-	530	- 530	530	
		B	2	8	235.0	- 254.0	247.8	-8	412	- 442	430	842	- 940	904	
	FD	C	1	1	195.0	- 195.0	195.0	N/Q	-	-	-	692	- 692	692	
		C	1	1	214.0	- 214.0	214.0	N/Q	396	- 396	396	770	- 770	770	
		C	2	34	195.0	- 240.0	222.7	N/C	361	- 436	406	666	- 945	815	
	FD	C	3	5	206.0	- 206.0	206.0	N/Q	-	-	-	700	- 700	700	
Yearling Steer		C	3	5	194.2	- 218.0	213.2	-19	360	- 404	393	660	- 807	771	
		C	4	1	194.6	- 194.6	194.6	N/Q	360	- 360	360	701	- 701	701	
	FD	D	2	1	200.0	- 200.0	200.0	N/Q	-	-	-	700	- 700	700	
		D	2	1	183.6	- 183.6	183.6	N/Q	353	- 353	353	643	- 643	643	
		D	3	3	177.2	- 182.2	178.9	-18	341	- 344	342	638	- 638	638	
				171	145.6	254.0	208.6		303	442	395	364	945	666	
	0-330	RS	C	1	2	205.6	- 210.0	207.8	N/Q	-	-	-	536	- 617	576
		FD	C	2	14	205.6	- 208.6	206.7	13	-	-	-	678	- 688	682
		RS	D	1	16	141.6	- 189.6	164.0	N/Q	-	-	-	392	- 540	454
		DA	D	1	1	136.6	- 136.6	136.6	N/Q	285	- 285	285	437	- 437	437
	DA	D	2	2	158.0	- 158.0	158.0	N/Q	310	- 310	310	521	- 521	521	
330-400		B	2	3	242.0	- 246.0	244.7	N/Q	417	- 417	417	861	- 871	864	
	FD	C	1	4	198.6	- 204.0	202.7	7	-	-	-	675	- 816	781	
	RS	C	1	6	188.6	- 188.6	188.6	N/Q	-	-	-	736	- 736	736	
	RS	C	2	3	196.6	- 196.6	196.6	-3	-	-	-	708	- 708	708	
	FD	C	2	14	186.6	- 218.6	205.0	2	-	-	-	718	- 762	749	
		C	2	25	185.6	- 215.0	199.5	-10	349	- 389	363	730	- 828	766	
	RS	D	1	3	161.6	- 161.6	161.6	N/Q	-	-	-	582	- 582	582	
	FD	D	1	1	185.0	- 185.0	185.0	N/Q	-	-	-	666	- 666	666	
	FD	D	2	2	200.0	- 200.0	200.0	N/Q	-	-	-	680	- 680	680	
	RS	D	2	5	185.0	- 185.0	185.0	6	-	-	-	666	- 666	666	
400+		D	4	1	190.0	- 190.0	190.0	N/Q	352	- 352	352	760	- 760	760	
	B	2	3	215.0	- 250.0	236.7	N/Q	377	- 417	403	914	- 1100	1014		

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		C	2	39	180.0	- 215.0	196.1	6	333	- 384	358	845	- 965	886
	FD	C	2	14	200.0	- 208.0	205.7	N/Q	-			860	- 884	877
	FD	C	3	10	183.6	- 183.6	183.6	N/Q	-			973	- 973	973
		C	3	69	182.6	- 210.0	194.7	-4	332	- 375	349	850	- 1192	1068
		C	4	1	197.6	- 197.6	197.6	N/Q	359	- 359	359	869	- 869	869
		D	2	4	170.0	- 175.0	171.7	N/C	327	- 337	330	738	- 782	766
		D	3	5	180.0	- 180.0	180.0	N/C	340	- 340	340	774	- 774	774
				247	136.6	250.0	194.3		285	417	354	392	1192	851
Yearling Heifer														
0-330	DA	D	1	3	148.6	- 148.6	148.6	N/Q	303	- 303	303	401	- 401	401
	RS	D	1	19	115.6	- 186.0	145.9	-22	-			309	- 566	408
		D	1	1	160.0	- 160.0	160.0	N/C	320	- 320	320	528	- 528	528
		D	2	3	164.6	- 170.0	168.2	N/Q	327	- 329	328	485	- 543	504
	DA	D	2	2	132.6	- 158.2	145.4	N/Q	271	- 310	290	438	- 475	456
330-400		B	2	1	242.6	- 242.6	242.6	N/Q	418	- 418	418	873	- 873	873
	FD	C	1	9	201.6	- 201.6	201.6	12	-			726	- 726	726
	FD	C	2	52	203.6	- 206.2	205.0	10	-			733	- 810	759
		C	2	7	192.0	- 213.6	200.7	9	356	- 382	367	710	- 840	764
		C	3	2	215.0	- 215.0	215.0	N/Q	384	- 384	384	828	- 828	828
		D	1	2	138.6	- 147.6	143.1	N/Q	295	- 301	298	471	- 568	520
	FD	D	1	5	182.0	- 186.2	185.4	9	-			633	- 673	641
	RS	D	1	3	156.0	- 156.0	156.0	-12	-			577	- 577	577
	FD	D	2	8	183.6	- 185.6	185.4	N/C	-			679	- 687	686
	DA	D	2	1	155.0	- 155.0	155.0	N/Q	298	- 298	298	574	- 574	574
		D	2	3	184.6	- 185.0	184.7	16	348	- 349	349	620	- 711	680
		D	3	1	187.6	- 187.6	187.6	N/Q	347	- 347	347	722	- 722	722
		D	4	3	171.2	- 182.0	178.4	N/Q	323	- 337	332	685	- 701	695
400+		B	2	10	225.0	- 245.0	236.0	N/Q	388	- 415	398	990	- 1094	1065
		C	2	9	185.0	- 210.0	191.3	-3	330	- 375	346	861	- 958	906
		C	3	11	198.6	- 208.6	200.3	2	357	- 373	360	854	- 939	898
		C	4	16	191.6	- 192.0	191.6	N/Q	348	- 349	348	814	- 864	817
		D	2	7	165.6	- 183.6	174.8	N/C	319	- 346	334	708	- 789	753
		D	3	8	175.0	- 190.0	179.1	-2	329	- 346	335	764	- 836	789
		D	4	1	160.0	- 160.0	160.0	N/Q	308	- 308	308	712	- 712	712
				187	115.6	245.0	189.8		271	418	349	309	1094	731
Grown Steer														
400-500		C	3	7	185.0	- 185.0	185.0	N/Q	343	- 343	343	925	- 925	925
		D	2	3	174.2	- 184.0	177.5	N/Q	329	- 347	335	819	- 883	840
500-600		C	2	4	185.0	- 188.0	186.5	4	343	- 355	349	962	- 1090	1026
		C	3	28	182.0	- 196.2	188.2	3	330	- 357	344	981	- 1128	1065
		D	2	2	172.0	- 172.0	172.0	N/Q	331	- 331	331	898	- 898	898
600-750		C	3	50	187.2	- 195.2	191.1	10	334	- 355	344	1188	- 1291	1234
		C	4	1	184.6	- 184.6	184.6	N/Q	330	- 330	330	1181	- 1181	1181
		D	4	3	175.2	- 175.2	175.2	N/Q	319	- 319	319	1288	- 1288	1288
				98	172.0	196.2	188.3		319	357	343	819	1291	1138

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Grown Heifer														
0-540		D	1	1	131.6	- 131.6	131.6	N/Q	280	- 280	280	415	- 415	415
	RS	D	1	7	116.2	- 151.6	136.4	N/Q	-			416	- 637	542
		D	2	5	148.6	- 162.6	151.4	-16	297	- 307	302	624	- 764	676
	DA	D	2	4	145.6	- 156.0	152.4	N/Q	286	- 300	296	655	- 842	769
		D	3	3	150.6	- 170.0	161.9	4	290	- 317	307	640	- 858	769
		D	4	3	165.0	- 180.0	173.2	24	306	- 327	319	792	- 825	810
540+		C	3	2	172.6	- 172.6	172.6	N/Q	314	- 314	314	984	- 984	984
		C	4	2	161.6	- 170.0	165.8	N/Q	294	- 309	302	1020	- 1099	1059
	DA	D	4	1	145.0	- 145.0	145.0	N/Q	279	- 279	279	870	- 870	870
		D	4	1	161.2	- 161.2	161.2	N/Q	304	- 304	304	967	- 967	967
		D	5	1	154.6	- 154.6	154.6	N/Q	292	- 292	292	997	- 997	997
				30	116.2	180.0	153.3		279	327	302	415	1099	744
Manufacturing Steer														
0-540	RS	D	1	1	148.0	- 148.0	148.0	N/Q	-			622	- 622	622
	DA	D	1	2	157.6	- 157.6	157.6	N/Q	315	- 315	315	693	- 693	693
	RS	D	2	3	143.0	- 143.0	143.0	N/Q	-			598	- 598	598
		D	2	1	167.2	- 167.2	167.2	N/Q	328	- 328	328	719	- 719	719
540+		C	4	1	168.6	- 168.6	168.6	N/Q	307	- 307	307	1324	- 1324	1324
		C	5	3	162.0	- 162.0	162.0	N/Q	289	- 289	289	1247	- 1247	1247
		D	2	6	176.6	- 176.6	176.6	11	333	- 333	333	1130	- 1130	1130
		D	3	8	184.2	- 184.2	184.2	6	341	- 341	341	1160	- 1160	1160
				25	143.0	184.2	169.9		289	341	327	598	1324	1026
Cows														
400-520		D	3	2	152.6	- 152.6	152.6	N/Q	294	- 294	294	763	- 763	763
				2	152.6	152.6	152.5		294	294	294	763	763	763
Bulls														
0-450		C	1	3	148.0	- 175.6	157.2	5	290	- 344	308	492	- 666	608
	RS	D	1	5	147.6	- 173.6	163.2	8	-			499	- 556	533
450-600		C	2	3	166.0	- 166.0	166.0	N/Q	296	- 296	296	830	- 830	830
				11	147.6	175.6	162.4		290	344	302	492	830	634

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2011. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.