

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Naracoorte

report date 19 Jul 2011

Yarding Change <sup>755</sup>  
135

comparison date 12/07/2011

A larger mixed quality yarding sold to steady trade and processor competition from most of the regular Victorian buyers. Feeder and restocker orders were also active over a wide range of weights.

Vealer steers to the trade sold from 215c to 243c at rates generally unchanged to 3c/kg cheaper. Feeder and restocker orders sourced mainly C1 and C2 lightweight steers from 195c to 212c/kg at dearer levels. Vealer heifers to the trade sold from 186c to 246c to be unchanged to 18c/kg cheaper. Small numbers sold to feeder and restockers from 145c to 205c, with C2 sales 5c/kg dearer.

Yearling C2 and C3 steer sales of medium and heavyweights sold from 157c to 214c/kg. Isolated C2 yearling steer sales were dearer where quality suited however most others 6c/kg cheaper. Yearling heifer C3 and C4 sales of mainly supplementary fed medium and heavyweights sold from 165c to 200c/kg. Medium weight yearling heifers were up to 14c dearer, however the heavier heifers finished 13c to 15c/kg cheaper. A few pastoral bred heifers sold from 135c to 158c/kg.

Grown C3 medium weight steers mainly ranged between 178c and 188c/kg, to be 3c less and averaging just below 340c/kg cwt. Grown heifers also in small numbers sold from 136c to 160c/kg at unchanged rates.

The D3 to C6 medium and heavyweight beef cows sold from 128c to 155c to be unchanged to 9c/kg cheaper and generally in a 275c to 290c/kg cwt price range. Light bulls to wholesale, feeder and restocker activity sold from 158c to 190c, with the medium and heavyweights to Victorian processors generally 144c to 162c, or 3c to 6c/kg cheaper overall.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Vealer Steer</b>														
200-280	RS	C	1	3	195.0	- 195.0	195.0	N/Q	-			546	- 546	546
280-330		B	2	1	243.0	- 243.0	243.0	N/Q	430	- 430	430	802	- 802	802
	FD	C	1	6	199.0	- 199.0	199.0	5	-			647	- 647	647
	RS	C	1	12	212.0	- 212.0	212.0	28	-			636	- 636	636
	RS	C	2	9	202.0	- 208.0	204.0	-9	-			606	- 666	626
	FD	C	2	16	203.0	- 206.0	204.9	N/Q	-			660	- 680	672
		C	2	5	225.0	- 225.0	225.0	5	417	- 417	417	743	- 743	743
		C	3	5	226.0	- 226.0	226.0	N/Q	415	- 415	415	735	- 735	735
330+		B	1	1	220.0	- 220.0	220.0	N/C	400	- 400	400	814	- 814	814
		B	2	2	236.0	- 236.0	236.0	N/Q	421	- 421	421	885	- 885	885
		C	2	40	215.0	- 235.0	224.0	-1	391	- 431	415	759	- 828	784
	FD	C	2	4	195.0	- 195.0	195.0	N/Q	-			702	- 702	702
				<b>104</b>	<b>195.0</b>	<b>243.0</b>	<b>215.1</b>		<b>391</b>	<b>431</b>	<b>415</b>	<b>546</b>	<b>885</b>	<b>716</b>
<b>Vealer Heifer</b>														
200-280		C	3	8	205.0	- 205.0	205.0	N/Q	387	- 387	387	574	- 574	574
	RS	D	1	1	145.0	- 145.0	145.0	N/Q	-			305	- 305	305
	RS	D	2	6	185.0	- 185.0	185.0	N/Q	-			518	- 518	518
280-330		C	2	9	190.0	- 205.0	198.3	-17	376	- 391	384	595	- 618	605
	FD	C	2	5	198.0	- 200.0	199.2	5	-			620	- 653	633
		C	3	10	230.0	- 246.0	238.0	25	426	- 451	438	690	- 800	753
		D	3	3	185.0	- 185.0	185.0	N/Q	370	- 370	370	555	- 555	555
330+		C	2	8	206.0	- 215.0	212.8	N/Q	392	- 406	402	700	- 806	780

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	RS	C	2	4	205.0	- 205.0	205.0	N/Q	-			687	- 687	687
		C	3	15	225.0	- 228.0	226.6	N/C	413	- 418	416	788	- 798	793
		C	4	6	202.0	- 202.0	202.0	-18	374	- 374	374	707	- 707	707
		D	3	5	186.0	- 186.0	186.0	N/Q	351	- 351	351	632	- 632	632
				<b>80</b>	<b>145.0</b>	<b>246.0</b>	<b>208.4</b>		<b>351</b>	<b>451</b>	<b>398</b>	<b>305</b>	<b>806</b>	<b>676</b>
<b>Yearling Steer</b>														
0-330	FD	C	2	2	183.0	- 183.0	183.0	N/Q	-			604	- 604	604
330-400		B	2	1	211.0	- 211.0	211.0	N/Q	377	- 377	377	844	- 844	844
	RS	C	1	2	186.0	- 186.0	186.0	N/Q	-			670	- 670	670
	RS	C	2	7	190.0	- 192.0	191.1	N/Q	-			694	- 720	709
	FD	C	2	13	185.0	- 186.0	185.5	-9	-			632	- 716	693
		C	2	39	157.0	- 214.0	204.4	N/Q	302	- 393	377	628	- 781	752
		C	3	10	185.0	- 195.0	193.0	N/Q	343	- 348	347	712	- 780	766
	RS	D	1	6	135.0	- 135.0	135.0	N/Q	-			459	- 459	459
		D	2	8	154.0	- 154.0	154.0	N/Q	321	- 321	321	562	- 562	562
400+		B	2	6	198.0	- 198.0	198.0	N/Q	354	- 354	354	1030	- 1030	1030
	FD	C	1	2	165.0	- 165.0	165.0	N/Q	-			710	- 710	710
	FD	C	2	12	185.0	- 185.0	185.0	N/Q	-			777	- 777	777
	PC	C	3	1	185.0	- 185.0	185.0	N/Q	343	- 343	343	814	- 814	814
		C	3	12	185.0	- 202.0	195.2	-6	343	- 367	357	884	- 939	918
				<b>121</b>	<b>135.0</b>	<b>214.0</b>	<b>189.3</b>		<b>302</b>	<b>393</b>	<b>362</b>	<b>459</b>	<b>1030</b>	<b>747</b>
<b>Yearling Heifer</b>														
330-400	FD	C	2	2	186.0	- 186.0	186.0	N/Q	-			632	- 632	632
		C	3	42	193.0	- 200.0	198.4	14	357	- 370	368	733	- 796	774
	FD	D	2	5	161.0	- 161.0	161.0	N/Q	-			564	- 564	564
		D	3	3	155.0	- 155.0	155.0	N/Q	298	- 298	298	558	- 558	558
	PC	D	4	6	148.0	- 148.0	148.0	N/Q	274	- 274	274	592	- 592	592
400+		C	3	45	170.0	- 186.0	179.8	-15	315	- 344	332	756	- 800	788
	PC	C	3	13	158.0	- 158.0	158.0	N/Q	298	- 298	298	735	- 735	735
		C	4	12	165.0	- 179.0	172.0	-13	311	- 320	316	710	- 868	789
	PC	D	2	12	135.0	- 138.0	136.8	N/Q	290	- 291	290	580	- 594	586
		D	3	11	145.0	- 155.0	152.3	-9	290	- 298	296	674	- 682	680
	PC	D	3	3	145.0	- 145.0	145.0	N/Q	302	- 302	302	609	- 609	609
				<b>154</b>	<b>135.0</b>	<b>200.0</b>	<b>174.2</b>		<b>274</b>	<b>370</b>	<b>328</b>	<b>558</b>	<b>868</b>	<b>731</b>
<b>Grown Steer</b>														
400-500		C	2	2	172.0	- 172.0	172.0	N/Q	325	- 325	325	860	- 860	860
500-600		C	2	3	175.0	- 175.0	175.0	-15	333	- 333	333	928	- 928	928
		C	3	49	178.0	- 188.0	184.3	-3	329	- 345	338	957	- 1030	1006
				<b>54</b>	<b>172.0</b>	<b>188.0</b>	<b>183.3</b>		<b>325</b>	<b>345</b>	<b>337</b>	<b>860</b>	<b>1030</b>	<b>996</b>
<b>Grown Heifer</b>														
0-540		C	4	1	160.0	- 160.0	160.0	N/Q	294	- 294	294	832	- 832	832
		D	3	9	136.0	- 140.0	137.8	N/Q	283	- 292	287	680	- 700	689
		D	4	7	148.0	- 148.0	148.0	N/Q	296	- 296	296	799	- 799	799
540+		D	4	13	152.0	- 155.0	153.4	N/Q	279	- 298	288	868	- 874	871
				<b>30</b>	<b>136.0</b>	<b>160.0</b>	<b>147.7</b>		<b>279</b>	<b>298</b>	<b>290</b>	<b>680</b>	<b>874</b>	<b>798</b>

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
<b>Cows</b>															
400-520		D	2	9	115.0	- 128.0	123.7	N/C	258	- 278	272	535	- 595	575	
		D	3	12	128.0	- 136.0	130.0	-5	272	- 281	280	595	- 680	613	
		E	1	2	75.0	- 75.0	75.0	N/Q	188	- 188	188	315	- 315	315	
	DA	E	2	1	98.0	- 98.0	98.0	N/Q	233	- 233	233	500	- 500	500	
520+		C	2	2	145.0	- 145.0	145.0	N/Q	290	- 290	290	870	- 870	870	
		C	3	3	152.0	- 152.0	152.0	-4	292	- 292	292	942	- 942	942	
		C	5	32	148.0	- 155.0	151.9	-2	279	- 289	286	945	- 1132	1024	
		C	6	4	148.0	- 148.0	148.0	N/Q	274	- 274	274	977	- 977	977	
		DA	D	2	4	125.0	- 125.0	125.0	N/Q	275	- 275	275	688	- 688	688
		D	2	13	128.0	- 132.0	129.5	2	278	- 281	279	691	- 739	710	
		D	3	15	130.0	- 144.0	134.9	-9	277	- 282	280	728	- 907	794	
		D	4	18	144.0	- 148.0	145.8	-4	277	- 285	280	828	- 888	873	
		D	5	12	146.0	- 150.0	149.0	1	281	- 289	287	964	- 990	983	
		D	6	24	135.0	- 146.0	141.0	-3	257	- 276	265	870	- 1108	986	
				<b>151</b>	<b>75.0</b>	<b>155.0</b>	<b>139.9</b>		<b>188</b>	<b>292</b>	<b>278</b>	<b>315</b>	<b>1132</b>	<b>861</b>	
<b>Bulls</b>															
0-450		B	1	1	160.0	- 160.0	160.0	N/Q	296	- 296	296	600	- 600	600	
		B	2	1	190.0	- 190.0	190.0	N/Q	339	- 339	339	627	- 627	627	
		RS	C	1	9	158.0	- 165.0	159.6	N/Q	-	-	569	- 635	584	
		PC	D	2	3	135.0	- 135.0	135.0	N/Q	281	- 281	281	520	- 520	520
450-600		C	1	1	122.0	- 122.0	122.0	N/Q	235	- 235	235	610	- 610	610	
		RS	C	3	1	158.0	- 158.0	158.0	N/Q	-	-	885	- 885	885	
		D	2	2	131.0	- 131.0	131.0	N/Q	262	- 262	262	786	- 786	786	
600+		B	1	2	155.0	- 157.0	156.0	N/Q	274	- 275	275	1649	- 1674	1661	
		B	2	2	155.0	- 160.0	157.5	N/Q	274	- 276	275	1240	- 1280	1260	
		B	3	1	162.0	- 162.0	162.0	N/Q	270	- 270	270	1669	- 1669	1669	
		C	1	4	127.0	- 136.0	133.8	-3	240	- 262	255	1034	- 1314	1172	
		C	2	5	144.0	- 148.0	146.0	-6	264	- 269	266	1102	- 1512	1388	
		C	3	6	146.0	- 160.0	154.2	2	266	- 276	270	1402	- 1654	1578	
		C	4	1	152.0	- 152.0	152.0	N/Q	264	- 264	264	1520	- 1520	1520	
		D	2	2	115.0	- 115.0	115.0	N/Q	240	- 240	240	920	- 1035	978	
				<b>41</b>	<b>115.0</b>	<b>190.0</b>	<b>148.6</b>		<b>235</b>	<b>339</b>	<b>268</b>	<b>520</b>	<b>1674</b>	<b>1053</b>	

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

#### Disclaimer:

© MLA 2011. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.