

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Warwick

report date 19 Jul 2011

Yarding Change  $\frac{917}{37}$

comparison date 12/07/2011

Despite some useful falls of rain in the supply area the number of stock penned experienced a small increase. Young cattle continued to dominate the selling pens, and a relatively small number of heavy steers bullocks and cows came forward. Buyer attendance was good and all major export buyers were present and operating. Values for young cattle continued on a strong trend, while bullocks averaged 7c better, and cows improved by around 2c to 4c/kg.

Calves to the trade averaged 206c while those returning to the paddock made to 228.2c to average close to 214c/kg. Vealer steers also returned to the paddock at an average of 233c with some to butchers at 249.2c/kg. Vealer heifers to slaughter averaged 205c, and a small selection of heavy grades sold to local butchers at 231c with sales to 245.2c/kg. A good sample of medium weight yearling steers to feed averaged 214c and made to 223.2c/kg. A couple to the trade made to 225.2c/kg. Medium weight yearling heifers to feed also were well supplied and made to 194.2c to average 188c, while D muscle lines sold around 162c/kg.

Heavy steers to export slaughter made to 179.2c, and bullocks averaged 178c and sold to 182.2c/kg.

Medium weight 2 score cows averaged 2c better at 122c and sold to 127.2c/kg. Good heavy cows made to 158.2c to average 150c/kg. Heavy Bulls to slaughter sold to 166.2c and one returned to the paddock at 175c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>														
80+		C	2	22	199.2	- 210.0	206.0	8	376	- 396	389	269	- 408	356
	RS	C	2	33	199.2	- 228.2	213.9	6	-	-	-	388	- 445	413
	RS	D	1	1	179.2	- 179.2	179.2	N/Q	-	-	-	296	- 296	296
				<b>56</b>	<b>179.2</b>	<b>228.2</b>	<b>210.2</b>		<b>376</b>	<b>396</b>	<b>389</b>	<b>269</b>	<b>445</b>	<b>388</b>
<b>Vealer Steer</b>														
200-280	FD	C	2	38	210.2	- 227.2	215.5	7	-	-	-	482	- 625	523
	RS	C	2	38	220.2	- 236.2	233.1	16	-	-	-	531	- 584	539
		C	3	1	249.2	- 249.2	249.2	N/Q	453	- 453	453	660	- 660	660
280-330	FD	C	2	3	207.2	- 215.0	209.8	-5	-	-	-	591	- 634	605
330+		C	3	1	241.2	- 241.2	241.2	N/Q	439	- 439	439	905	- 905	905
				<b>81</b>	<b>207.2</b>	<b>249.2</b>	<b>224.3</b>		<b>439</b>	<b>453</b>	<b>446</b>	<b>482</b>	<b>905</b>	<b>540</b>
<b>Vealer Heifer</b>														
200-280		C	2	36	197.2	- 220.2	205.0	-4	365	- 408	380	415	- 584	471
	FD	C	2	10	194.2	- 194.2	194.2	-6	-	-	-	515	- 515	515
		D	2	10	190.0	- 193.2	191.3	N/C	352	- 358	354	447	- 512	490
280-330		C	2	6	202.2	- 210.0	205.3	6	374	- 389	380	576	- 599	585
		C	3	15	212.2	- 245.2	231.4	-5	393	- 454	428	665	- 751	703
				<b>77</b>	<b>190.0</b>	<b>245.2</b>	<b>207.0</b>		<b>352</b>	<b>454</b>	<b>387</b>	<b>415</b>	<b>751</b>	<b>533</b>
<b>Yearling Steer</b>														
0-330	FD	C	2	52	193.2	- 217.2	208.9	1	-	-	-	456	- 631	542
	RS	C	2	15	190.0	- 205.2	196.2	-30	-	-	-	441	- 545	498
	FD	C	3	3	212.2	- 212.2	212.2	3	-	-	-	637	- 637	637
		D	2	1	175.2	- 175.2	175.2	N/Q	319	- 319	319	359	- 359	359
	RS	E	2	3	143.2	- 143.2	143.2	N/Q	-	-	-	337	- 337	337

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400	RS	C	2	2	185.2	- 185.2	185.2	N/Q	-			676	- 676	676
	FD	C	2	87	186.2	- 223.2	214.0	-2	-			670	- 818	744
		C	3	15	198.2	- 225.2	210.5	-10	360	- 410	383	751	- 867	798
	FD	C	3	44	200.0	- 220.0	214.8	-8	-			753	- 811	787
	FD	D	2	15	170.0	- 184.2	180.0	N/Q	-			621	- 682	649
	RS	D	2	4	160.2	- 179.2	172.0	N/Q	-			585	- 654	630
	FD	D	3	2	176.2	- 176.2	176.2	N/Q	-			678	- 678	678
400+	FD	C	3	8	170.0	- 174.2	171.1	3	-			740	- 775	748
		C	3	6	169.2	- 195.0	178.4	-13	308	- 355	324	821	- 842	832
		D	3	2	162.2	- 162.2	162.2	N/Q	295	- 295	295	754	- 754	754
				<b>259</b>	<b>143.2</b>	<b>225.2</b>	<b>205.2</b>		<b>295</b>	<b>410</b>	<b>358</b>	<b>337</b>	<b>867</b>	<b>686</b>
<b>Yearling Heifer</b>														
0-330	FD	C	2	25	185.0	- 195.2	190.8	-3	-			453	- 568	510
	RS	C	2	8	184.2	- 187.2	185.0	-4	-			440	- 488	476
		C	2	12	185.0	- 190.2	187.9	N/Q	343	- 352	348	435	- 542	473
	FD	D	2	12	165.2	- 183.2	174.4	N/Q	-			431	- 511	484
	RS	D	2	2	156.2	- 156.2	156.2	N/Q	-			367	- 367	367
	RS	E	2	4	139.2	- 139.2	139.2	N/Q	-			327	- 327	327
330-400	RS	C	2	3	183.2	- 183.2	183.2	N/Q	-			687	- 687	687
	FD	C	2	80	170.0	- 194.2	188.3	N/Q	-			604	- 713	661
	RS	C	3	2	183.2	- 183.2	183.2	N/Q	-			687	- 687	687
	FD	C	3	3	185.2	- 194.2	188.2	8	-			695	- 709	699
		C	3	9	180.0	- 210.0	196.6	-6	333	- 389	364	676	- 751	711
	FD	D	2	27	139.2	- 170.0	162.6	N/Q	-			480	- 672	583
		D	2	1	141.2	- 141.2	141.2	N/Q	262	- 262	262	558	- 558	558
400+	FD	D	3	3	165.0	- 165.0	165.0	17	-			602	- 602	602
		C	3	8	160.2	- 190.0	171.0	N/Q	297	- 352	317	721	- 789	743
	FD	C	3	3	188.2	- 188.2	188.2	N/Q	-			819	- 819	819
		D	3	4	147.2	- 166.2	156.7	-1	273	- 308	290	626	- 706	666
				<b>206</b>	<b>139.2</b>	<b>210.0</b>	<b>181.4</b>		<b>262</b>	<b>389</b>	<b>336</b>	<b>327</b>	<b>819</b>	<b>602</b>
<b>Grown Steer</b>														
400-500	FD	D	3	5	161.2	- 161.2	161.2	N/Q	-			701	- 701	701
500-600		C	3	4	164.2	- 165.0	164.8	6	299	- 300	300	862	- 982	952
		C	4	15	169.6	- 179.2	171.9	-1	303	- 320	307	992	- 1066	1010
600-750		C	4	22	169.2	- 182.2	178.4	7	302	- 325	319	1059	- 1225	1147
		D	2	1	137.2	- 137.2	137.2	N/Q	254	- 254	254	871	- 871	871
		D	3	2	163.2	- 163.2	163.2	N/Q	297	- 297	297	1036	- 1036	1036
				<b>49</b>	<b>137.2</b>	<b>182.2</b>	<b>172.1</b>		<b>254</b>	<b>325</b>	<b>310</b>	<b>701</b>	<b>1225</b>	<b>1033</b>
<b>Grown Heifer</b>														
0-540		C	4	1	169.2	- 169.2	169.2	N/Q	319	- 319	319	905	- 905	905
				<b>1</b>	<b>169.2</b>	<b>169.2</b>	<b>169.0</b>		<b>319</b>	<b>319</b>	<b>319</b>	<b>905</b>	<b>905</b>	<b>905</b>
<b>Cows</b>														
0-400	RS	D	1	2	85.2	- 85.2	85.2	N/Q	-			320	- 320	320
		D	1	3	84.2	- 105.0	91.1	10	234	- 292	253	320	- 383	341
400-520		D	1	8	103.2	- 114.2	110.0	9	287	- 317	306	449	- 497	480

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
520+	RS	D	1	6	118.2	- 124.2	119.7	N/Q	-			519	- 546	524	
	DA	D	1	14	90.0	- 113.2	104.3	3	250	- 314	290	423	- 560	491	
		D	2	19	117.2	- 127.2	122.0	2	279	- 303	291	532	- 630	564	
		D	3	8	130.0	- 138.2	135.2	4	265	- 282	276	597	- 644	618	
		D	4	6	142.2	- 144.2	142.9	-5	279	- 283	280	699	- 704	702	
		C	3	3	158.2	- 158.2	158.2	N/Q	304	- 304	304	1194	- 1194	1194	
		DA	D	1	6	118.2	- 122.2	120.9	-1	328	- 339	336	632	- 715	687
		DA	D	2	1	133.2	- 133.2	133.2	N/Q	317	- 317	317	799	- 799	799
		D	2	5	131.2	- 132.0	131.7	N/Q	292	- 314	305	702	- 746	728	
		D	3	10	133.2	- 139.2	136.0	-4	272	- 284	278	713	- 800	766	
		D	4	11	145.2	- 156.2	150.1	2	285	- 306	294	777	- 883	846	
				<b>102</b>	<b>84.2</b>	<b>158.2</b>	<b>125.1</b>		<b>234</b>	<b>339</b>	<b>292</b>	<b>320</b>	<b>1194</b>	<b>632</b>	
<b>Bulls</b>															
0-450		C	2	2	128.2	- 128.2	128.2	N/Q	233	- 233	233	545	- 545	545	
	FD	C	3	1	172.2	- 172.2	172.2	N/Q	-			732	- 732	732	
		C	3	2	145.0	- 145.0	145.0	N/Q	259	- 259	259	653	- 653	653	
450-600		C	3	3	131.2	- 137.2	134.2	-9	239	- 245	241	649	- 731	691	
600+		C	2	1	120.0	- 120.0	120.0	N/Q	218	- 218	218	762	- 762	762	
	RS	C	3	1	175.0	- 175.0	175.0	N/Q	-			1339	- 1339	1339	
		C	3	9	141.2	- 166.2	156.0	20	252	- 297	279	960	- 1664	1152	
				<b>19</b>	<b>120.0</b>	<b>175.0</b>	<b>148.4</b>		<b>218</b>	<b>297</b>	<b>261</b>	<b>545</b>	<b>1664</b>	<b>930</b>	

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

#### Disclaimer:

© MLA 2011. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.