

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 20 Sep 2011

Yarding Change ¹⁰⁰⁰
180

comparison date 13/09/2011

The number of cattle yarded increased consisting of a good supply of light young cattle and a larger number of yearlings, while grown cattle numbers remained steady. Quality of the young cattle was mixed with several lines of well finished yearlings off crop and supplementary fed, along with increased numbers of well bred cattle suitable for feeder buyers.

Competition remained strong with vealer heifers holding firm toping at 225.2c, while restocker vealer steers ranged from 216c to a top of 270.2c/kg for light weights. Trade yearling steers sold firm to slightly dearer with medium weights selling to 225c and heavy steers averaged around 198c/kg. Feeder steers held firm with the better bred steers making the premium prices. Trade yearling heifers were slightly dearer ranging from 190c to 223.2c/kg.

The yarding of export cattle was made up of a good supply of bullocks and steers, a few pens of grown heifers however there was a smaller yarding of cows. There was a good quality yarding of bullocks and steers with several runs crop fattened or supplementary fed, while there was a mixed yarding of cows. Bullocks and steers held firm, grown heifers firm to slightly dearer, while the cow market was firm to 4c/kg dearer.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+		C	2	3	216.2	- 216.2	216.2	-4	400	- 400	400	411	- 411	411
	RS	D	2	40	201.2	- 250.2	224.2	-3	-	-	-	275	- 444	365
				43	201.2	250.2	223.7		400	400	400	275	444	369
Vealer Steer														
0-200	RS	D	2	54	220.2	- 270.2	242.1	-13	-	-	-	396	- 486	433
200-280	RS	C	2	79	216.6	- 240.2	229.3	-9	-	-	-	565	- 638	599
		C	2	5	217.2	- 217.2	217.2	-9	402	- 402	402	500	- 500	500
	RS	D	2	56	201.2	- 239.2	220.9	N/Q	-	-	-	443	- 543	495
280-330	RS	C	2	6	224.2	- 224.2	224.2	4	-	-	-	673	- 673	673
		C	3	1	226.2	- 226.2	226.2	N/Q	411	- 411	411	724	- 724	724
				201	201.2	270.2	229.9		402	411	404	396	724	526
Vealer Heifer														
200-280		C	2	83	207.2	- 225.2	217.2	-1	384	- 417	403	473	- 565	515
	RS	C	2	38	199.2	- 219.2	215.4	-1	-	-	-	495	- 578	563
	RS	D	2	16	191.2	- 205.2	193.0	-27	-	-	-	402	- 431	405
		D	2	4	209.2	- 209.2	209.2	N/Q	418	- 418	418	439	- 439	439
280-330		C	2	13	219.2	- 224.2	221.1	N/Q	399	- 408	402	636	- 673	650
				154	191.2	225.2	214.4		384	418	403	402	673	525
Yearling Steer														
0-330	FD	C	2	34	211.2	- 233.2	223.9	-4	-	-	-	554	- 766	686
	RS	C	2	17	223.2	- 233.2	229.9	15	-	-	-	670	- 746	698
330-400	FD	C	2	45	190.0	- 232.2	217.2	-8	-	-	-	735	- 871	807
		C	3	9	215.2	- 225.2	219.6	6	391	- 410	399	861	- 901	879
	FD	D	2	5	188.2	- 188.2	188.2	63	-	-	-	753	- 753	753
	RS	D	2	8	178.2	- 178.2	178.2	N/Q	-	-	-	624	- 624	624
400+	FD	C	2	3	212.2	- 212.2	212.2	22	-	-	-	891	- 891	891

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	FD	C	3	3	192.0	- 192.0	192.0	N/Q	-			902	- 902	902
		C	3	27	195.0	- 211.2	204.3	2	355	- 384	372	819	- 1041	987
		C	4	11	189.2	- 194.2	191.5	-4	344	- 353	348	971	- 1060	1019
				162	178.2	233.2	212.8		344	410	371	554	1060	811
Yearling Heifer														
0-330	RS	C	2	31	190.2	- 201.6	200.6	-2	-			552	- 665	656
	FD	C	2	1	200.2	- 200.2	200.2	N/Q	-			661	- 661	661
		C	3	2	203.2	- 209.2	206.2	N/Q	376	- 387	382	650	- 690	670
	RS	D	2	29	164.2	- 208.2	203.0	-6	-			542	- 616	577
330-400	FD	C	2	16	202.2	- 214.2	207.6	12	-			753	- 825	781
		C	2	4	221.2	- 221.2	221.2	35	410	- 410	410	796	- 796	796
		C	3	8	223.2	- 223.2	223.2	15	406	- 406	406	893	- 893	893
400+		C	3	27	187.2	- 210.2	202.5	1	347	- 389	375	786	- 1036	914
				118	164.2	223.2	204.9		347	410	385	542	1036	734
Grown Steer														
400-500	RS	C	2	13	170.0	- 182.2	178.4	-11	-			714	- 875	792
	FD	C	3	13	183.2	- 187.6	186.5	N/Q	-			824	- 861	845
		C	3	10	179.2	- 189.2	180.4	-12	332	- 350	334	826	- 908	839
500-600		C	4	96	188.2	- 199.6	195.2	-1	345	- 360	355	1016	- 1198	1076
600-750		C	4	8	186.6	- 193.2	188.3	-9	339	- 351	342	1194	- 1198	1195
				140	170.0	199.6	191.4		332	360	352	714	1198	1018
Grown Heifer														
0-540		C	3	4	175.2	- 175.2	175.2	-6	337	- 337	337	806	- 806	806
		C	4	4	167.2	- 175.2	169.7	N/Q	324	- 337	328	869	- 946	908
		D	4	4	172.2	- 172.2	172.2	N/Q	344	- 344	344	895	- 895	895
540+		C	3	1	187.2	- 187.2	187.2	N/Q	353	- 353	353	1030	- 1030	1030
				13	167.2	187.2	173.5		324	353	338	806	1030	882
Cows														
0-400	RS	D	2	7	105.2	- 144.2	138.6	11	-			421	- 577	555
		D	2	1	129.2	- 129.2	129.2	N/Q	281	- 281	281	517	- 517	517
		E	1	5	99.2	- 99.2	99.2	N/Q	248	- 248	248	377	- 377	377
400-520	RS	D	2	14	129.2	- 145.2	142.8	2	-			607	- 639	636
		D	2	14	115.0	- 148.2	138.9	4	256	- 309	296	483	- 711	657
		D	3	17	143.2	- 154.2	150.3	4	298	- 319	313	673	- 771	731
		D	4	16	155.0	- 163.2	159.6	1	310	- 326	319	806	- 833	822
520+		D	3	8	149.2	- 158.2	152.9	-2	300	- 330	314	806	- 900	838
		D	4	10	145.0	- 168.0	160.3	5	290	- 336	321	798	- 924	877
				92	99.2	168.0	146.5		248	336	307	377	924	711
Bulls														
0-450	RS	C	2	3	189.2	- 189.2	189.2	N/Q	-			757	- 757	757
	RS	D	2	4	129.2	- 143.2	139.7	N/Q	-			568	- 616	604
450-600		C	2	5	148.2	- 184.2	169.6	N/Q	274	- 335	312	741	- 1105	988
600+		C	2	6	147.2	- 179.2	163.9	7	273	- 328	300	1030	- 1280	1200
	RS	C	2	4	202.2	- 202.2	202.2	N/Q	-			1375	- 1375	1375
		D	2	1	140.0	- 140.0	140.0	N/Q	259	- 259	259	980	- 980	980

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
				23	129.2	202.2	169.9			259	335	301	568	1375	1013

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2011. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.