

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

CTLX

report date 04 Oct 2011

Yarding Change 1330
-260

comparison date 27/09/2011

Numbers eased back and quality remained mixed with few vealers in the yarding. Fair numbers of yearlings and grown steers were offered with the majority suitable for restocker and lot feeder purchases. Heifers were reduced in number and only 120 cows were offered. The usual buyers competed in the competition.

Light and medium weight yearling steers to restockers and lot feeders lost 2c to 3c, while the heavyweights improved 8c to 10c/kg. The best B muscle pens to the trade reached 248c/kg. Yearling heifers sold a few cents either side of firm as those to restockers and lot feeders ranged from 190c to 214c, while the best B muscles to the trade reached 255.6c/kg.

Steers to lot feeders remained similar in value, while the heavy weights to slaughter also remained firm as the best reached 210c/kg. The heifer portion sold to solid competition to top at 200c/kg.

The plainer D2 cows lost 4c/kg, however the better finished D3 and D4 pens remained firm in value. The plainer D2 cows averaged 141c, while the D3 and D4 lots ranged from 146c to 162c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80	RS	C	2	1	300.0	- 300.0	300.0	N/Q	-	-	-	150	- 150	150
				1	300.0	300.0	300.0		0	0		150	150	150
Vealer Steer														
0-200	RS	C	1	4	222.0	- 222.0	222.0	N/Q	-	-	-	400	- 400	400
	RS	C	2	12	245.2	- 260.2	257.7	N/Q	-	-	-	416	- 441	420
200-280	RS	C	1	18	207.6	- 215.2	211.8	-18	-	-	-	441	- 457	448
	FD	C	2	7	226.2	- 226.2	226.2	N/Q	-	-	-	599	- 599	599
	RS	D	1	2	190.2	- 190.2	190.2	N/Q	-	-	-	418	- 418	418
	RS	D	2	2	149.0	- 182.6	165.8	N/Q	-	-	-	328	- 457	392
280-330	RS	C	2	2	225.0	- 225.0	225.0	N/Q	-	-	-	641	- 641	641
	RS	C	3	2	223.0	- 223.0	223.0	N/Q	-	-	-	669	- 669	669
		C	3	1	212.0	- 212.0	212.0	N/Q	393	- 393	393	636	- 636	636
330+		C	3	7	225.0	- 237.2	228.5	-17	409	- 424	413	788	- 878	813
				57	149.0	260.2	224.5		393	424	411	328	878	517
Vealer Heifer														
0-200	RS	D	2	1	165.0	- 165.0	165.0	N/Q	-	-	-	297	- 297	297
200-280	RS	C	2	2	197.0	- 197.0	197.0	N/Q	-	-	-	512	- 512	512
	FD	C	2	1	200.0	- 200.0	200.0	N/Q	-	-	-	500	- 500	500
		C	2	8	205.0	- 229.2	209.9	N/Q	394	- 441	404	472	- 582	542
	FD	D	2	2	170.0	- 170.0	170.0	N/Q	-	-	-	374	- 374	374
280-330		C	2	6	200.0	- 210.0	206.7	N/Q	385	- 404	397	570	- 599	589
		C	3	6	220.0	- 222.2	220.7	11	415	- 419	417	660	- 733	684
330+		C	3	14	222.0	- 236.0	230.7	N/Q	419	- 430	427	777	- 875	802
				40	165.0	236.0	214.3		385	441	414	297	875	644
Yearling Steer														
0-330	RS	C	2	57	219.0	- 234.2	228.1	-3	-	-	-	642	- 749	691

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400	FD	C	2	3	206.0	- 206.0	206.0	-16	-			639	- 639	639
	FD	C	2	58	216.0	- 223.2	219.8	-3	-			734	- 803	756
	RS	C	2	105	218.2	- 232.6	227.4	-2	-			753	- 850	791
	RS	C	3	5	229.0	- 229.0	229.0	6	-			824	- 824	824
400+		C	3	3	241.0	- 245.2	242.4	N/Q	430	- 438	433	858	- 892	881
	FD	D	2	1	170.0	- 170.0	170.0	N/Q	-			629	- 629	629
		B	3	4	242.2	- 248.2	245.2	18	433	- 435	434	1041	- 1090	1054
	RS	C	2	32	215.6	- 217.4	216.4	26	-			865	- 891	877
	FD	C	3	76	204.0	- 219.2	212.5	8	-			830	- 968	897
		C	3	30	190.0	- 235.0	211.9	-13	352	- 427	386	855	- 993	921
		C	4	1	245.0	- 245.0	245.0	N/Q	438	- 438	438	1225	- 1225	1225
				375	170.0	248.2	221.2		352	438	396	629	1225	813
Yearling Heifer														
0-330	FD	C	2	55	196.0	- 214.2	209.5	7	-			588	- 685	652
	RS	C	2	56	190.0	- 208.2	200.1	-10	-			573	- 631	591
	RS	D	2	10	143.2	- 143.2	143.2	N/Q	-			358	- 358	358
330-400	FD	D	2	3	170.0	- 170.0	170.0	N/C	-			493	- 493	493
	RS	C	2	15	203.6	- 205.6	205.2	N/Q	-			689	- 713	694
	FD	C	2	66	200.6	- 206.2	204.4	2	-			687	- 722	701
400+		C	3	26	195.0	- 236.0	208.1	-3	375	- 437	396	670	- 897	725
		B	3	3	255.6	- 255.6	255.6	17	448	- 448	448	1176	- 1176	1176
		C	3	70	185.0	- 236.0	201.3	4	356	- 429	385	770	- 991	856
	FD	C	3	28	190.0	- 205.0	203.4	N/Q	-			770	- 857	844
				332	143.2	255.6	202.4		356	448	390	358	1176	713
Grown Steer														
400-500		C	2	1	170.0	- 170.0	170.0	N/Q	327	- 327	327	816	- 816	816
	FD	C	2	49	189.0	- 210.0	201.3	1	-			758	- 935	874
	RS	C	3	8	196.0	- 196.0	196.0	N/Q	-			833	- 833	833
500-600	FD	C	3	100	193.0	- 208.2	200.7	-5	-			839	- 954	899
		C	3	8	178.2	- 188.2	183.2	-4	330	- 349	339	802	- 852	836
		C	3	17	190.0	- 197.2	196.5	4	346	- 359	357	970	- 1104	1093
600-750		C	4	16	195.0	- 210.0	201.6	N/Q	348	- 375	360	1092	- 1102	1097
		C	3	5	193.6	- 193.6	193.6	12	359	- 359	359	1164	- 1164	1164
		C	4	17	182.0	- 192.0	190.6	-5	331	- 343	341	1110	- 1188	1175
				221	170.0	210.0	198.7		327	375	351	758	1188	945
Grown Heifer														
0-540	FD	C	2	11	165.8	- 185.0	169.3	-1	-			580	- 703	603
	FD	C	3	1	170.0	- 170.0	170.0	N/Q	-			714	- 714	714
		C	3	15	168.0	- 200.0	181.7	4	336	- 400	363	740	- 936	864
	RS	D	2	1	115.0	- 115.0	115.0	N/Q	-			391	- 391	391
	DA	D	2	4	146.0	- 146.0	146.0	N/Q	332	- 332	332	672	- 672	672
	DA	D	3	3	162.0	- 162.0	162.0	N/Q	360	- 360	360	875	- 875	875
540+		D	3	2	165.0	- 165.0	165.0	N/Q	344	- 344	344	710	- 710	710
		C	4	5	193.2	- 193.2	193.2	17	372	- 372	372	1063	- 1063	1063
					42	115.0	200.0	172.4		332	400	358	391	1063

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Manufacturing Steer														
0-540	DA	D	2	6	145.0	- 158.0	155.8	1	302	- 322	319	609	- 790	760
				6	145.0	158.0	155.8		302	322	319	609	790	760
Cows														
0-400		D	1	5	132.2	- 132.2	132.2	N/C	348	- 348	348	463	- 463	463
400-520		C	3	3	157.0	- 157.0	157.0	-3	314	- 314	314	816	- 816	816
		D	2	25	134.2	- 148.0	140.9	-6	320	- 352	336	564	- 681	615
		D	3	27	146.2	- 158.0	151.3	1	305	- 329	317	645	- 775	721
520+		C	3	11	162.0	- 162.0	162.0	N/Q	324	- 324	324	907	- 907	907
		D	3	19	155.6	- 159.6	157.4	2	324	- 333	328	856	- 934	888
		D	4	18	150.0	- 161.6	156.1	N/C	313	- 330	323	853	- 1003	919
		D	5	3	145.0	- 150.0	146.7	-1	309	- 319	312	783	- 900	822
		D	6	1	125.6	- 125.6	125.6	N/Q	279	- 279	279	879	- 879	879
				112	125.6	162.0	150.8		279	352	325	463	1003	771
Bulls														
0-450	RS	C	2	1	138.2	- 138.2	138.2	N/Q		-		484	- 484	484
	DA	E	2	1	110.0	- 110.0	110.0	N/Q	220	- 220	220	495	- 495	495
600+		B	2	4	157.6	- 176.6	166.5	6	272	- 305	287	1544	- 1602	1561
		C	2	1	152.6	- 152.6	152.6	N/Q	273	- 273	273	1114	- 1114	1114
				7	110.0	176.6	152.4		220	305	273	484	1602	1191

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2011. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.