

Over the hooks report - cattle

Market information provided by MLA's National Livestock Reporting Service

Queensland

report date

11 Nov 2011

Demand was stable, with almost no rates changes for grass and grain fed cattle, although 100 day grain fed rates were slightly lower. Cattle throughput was back slightly with the rain last week, however a good number of heavy prime stock have been consigned for the coming weeks.

| Grade | Weight Range (cwt kg) | Dentition | Muscle Score | Fat Score | Low Price (c/kg cwt) | High Price (c/kg cwt) | Average (c/kg cwt) | Trend | |
|---------------------|--------------------------|-----------|-----------------|--------------|-------------------------|--------------------------|-----------------------|-------|----|
| North | | | | | | | | | |
| Yearlings | | | | | | | | | |
| Steers | 180 - 220 | 0 - 2 | A-C | 2-3 | 310 | 320 | 315 | NC | |
| | 220 - 260 | 0 - 2 | A-C | 2-3 | 300 | 330 | 314 | NC | |
| | 260 - 280 | 0 - 2 | A-C | 2-3 | 300 | 340 | 320 | NC | |
| Heifers | 180 - 220 | 0 - 2 | A-C | 2-3 | 305 | 315 | 310 | NC | |
| | 220 - 260 | 0 - 2 | A-C | 2-3 | 298 | 320 | 310 | NC | |
| | 260 - 280 | 0 - 2 | A-C | 2-3 | 298 | 335 | 317 | NC | |
| Grown Steers | | | | | | | | | |
| Steers | < 260 | 0 - 2 | A-C | 3-4 | 290 | 325 | 312 | NC | |
| | | 2 - 4 | A-C | 3-4 | 305 | 320 | 313 | NC | |
| | 260 - 300 | 0 - 2 | A-C | 3-4 | 300 | 335 | 322 | NC | |
| | | 2 - 4 | A-C | 3-4 | 295 | 330 | 317 | NC | |
| | | 5 - 6 | A-C | 3-4 | 325 | 330 | 328 | NC | |
| | 300 - 420 | 8 | A-C | 3-4 | 317 | 327 | 322 | NC | |
| | | 0 - 2 | A-C | 3-4 | 315 | 335 | 328 | NC | |
| | | 2 - 4 | A-C | 3-4 | 310 | 330 | 323 | NC | |
| | | 5 - 6 | A-C | 3-4 | 305 | 330 | 322 | NC | |
| Manufacturing Steer | 250 - 400 | 8 | A-C | 3-4 | 300 | 327 | 318 | NC | |
| | | 0 - 8 | A-D | 2-4 | 263 | 290 | 278 | NC | |
| | | | | | | | | | |
| Cows | | | | | | | | | |
| Cows | 160 - 200 | 8 | A-D | 2-4 | 225 | 282 | 259 | NC | |
| | | 8 | D-E | 1-4 | 240 | 287 | 270 | NC | |
| | 200 - 240 | 8 | A-D | 2-4 | 260 | 295 | 280 | NC | |
| | | 8 | D-E | 1-4 | 275 | 300 | 289 | NC | |
| | 240 - 280 | 8 | A-E | 2-4 | 280 | 315 | 299 | NC | |
| | | 8 | A-E | 5+ | 280 | 295 | 288 | NC | |
| | 280 - 320 | 8 | A-E | 2-4 | 295 | 320 | 312 | NC | |
| | | 8 | A-E | 5+ | 280 | 300 | 293 | NC | |
| | 320 + | 8 | A-E | 2-4 | 300 | 320 | 313 | NC | |
| | | 8 | A-E | 5+ | 290 | 300 | 297 | NC | |
| | Bulls | | | | | | | | |
| | Bulls | 200 - 300 | 0 - 8 | A-E | ALL | 208 | 255 | 226 | NC |
| 300 - 400 | | 0 - 8 | A-E | ALL | 230 | 270 | 249 | NC | |
| 400 + | | 0 - 8 | A-E | ALL | 230 | 270 | 251 | NC | |

| Grade | Weight Range (cwt kg) | Dentition | Muscle Score | Fat Score | Low Price (c/kg cwt) | High Price (c/kg cwt) | Average (c/kg cwt) | Trend |
|---------------------------|--------------------------|-----------|-----------------|--------------|-------------------------|--------------------------|-----------------------|-------|
| South Yearlings | | | | | | | | |
| Steers | 180 - 220 | 0 - 2 | A-C | 2-3 | 325 | 335 | 330 | NC |
| | 220 - 260 | 0 - 2 | A-C | 2-3 | 335 | 345 | 340 | NC |
| | 260 - 280 | 0 - 2 | A-C | 2-3 | 350 | 355 | 353 | NC |
| Heifers | 180 - 220 | 0 - 2 | A-C | 2-3 | 320 | 330 | 327 | NC |
| | 220 - 260 | 0 - 2 | A-C | 2-3 | 335 | 335 | 335 | NC |
| | 260 - 280 | 0 - 2 | A-C | 2-3 | 345 | 350 | 348 | NC |
| Grown Steers | | | | | | | | |
| Steers | < 260 | 0 - 2 | A-C | 3-4 | 335 | 340 | 338 | NC |
| | | 2 - 4 | A-C | 3-4 | 330 | 335 | 333 | NC |
| | | 5 - 6 | A-C | 3-4 | 330 | 335 | 333 | NC |
| | | 8 | A-C | 3-4 | 322 | 327 | 325 | NC |
| | 260 - 300 | 0 - 2 | A-C | 3-4 | 345 | 350 | 348 | NC |
| | | 2 - 4 | A-C | 3-4 | 340 | 345 | 343 | NC |
| | | 5 - 6 | A-C | 3-4 | 340 | 345 | 343 | NC |
| | | 8 | A-C | 3-4 | 332 | 342 | 337 | NC |
| | 300 - 420 | 0 - 2 | A-C | 3-4 | 350 | 355 | 352 | NC |
| | | 2 - 4 | A-C | 3-4 | 345 | 350 | 347 | NC |
| | | 5 - 6 | A-C | 3-4 | 345 | 345 | 345 | NC |
| | | 8 | A-C | 3-4 | 342 | 342 | 342 | NC |
| EU Steer | 240 - 330 | 0 - 4 | A-C | 3-4 | 365 | 375 | 370 | NC |
| Manufacturing Steer | 250 - 400 | 0 - 8 | A-D | 2-4 | 278 | 288 | 283 | NC |
| Cows | | | | | | | | |
| 160 - 200 | 8 | A-D | 2-4 | 294 | 302 | 298 | NC | |
| | | D-E | 1-4 | 289 | 297 | 293 | NC | |
| 200 - 240 | 8 | A-D | 2-4 | 310 | 315 | 313 | NC | |
| | | D-E | 1-4 | 305 | 310 | 308 | NC | |
| 240 - 280 | 8 | A-E | 2-4 | 325 | 330 | 328 | NC | |
| | | A-E | 5+ | 305 | 310 | 308 | NC | |
| 280 - 320 | 8 | A-E | 2-4 | 335 | 335 | 335 | NC | |
| | | A-E | 5+ | 315 | 315 | 315 | NC | |
| 320 + | 8 | A-E | 2-4 | 335 | 335 | 335 | NC | |
| | | A-E | 5+ | 315 | 315 | 315 | NC | |
| Bulls | | | | | | | | |
| 200 - 300 | 0 - 8 | A-E | ALL | 223 | 270 | 247 | NC | |
| | | A-E | ALL | 275 | 285 | 280 | NC | |
| | | A-E | ALL | 285 | 285 | 285 | NC | |
| Grainfed Yearlings | | | | | | | | |
| Steers | 180 - 220 | 0 - 2 | A-C | 2-3 | 350 | 355 | 353 | NC |
| | 220 - 260 | 0 - 2 | A-C | 2-3 | 360 | 365 | 363 | NC |
| | 260 - 280 | 0 - 2 | A-C | 2-3 | 370 | 370 | 370 | NC |
| Heifers | 180 - 220 | 0 - 2 | A-C | 2-3 | 345 | 355 | 350 | NC |
| | 220 - 260 | 0 - 2 | A-C | 2-3 | 355 | 365 | 360 | NC |
| | 260 - 280 | 0 - 2 | A-C | 2-3 | 365 | 365 | 365 | NC |

| Grade | Weight Range (cwt kg) | Dentition | Muscle Score | Fat Score | Low Price (c/kg cwt) | High Price (c/kg cwt) | Average (c/kg cwt) | Trend |
|--------------------------|--------------------------|-----------|-----------------|--------------|-------------------------|--------------------------|-----------------------|-------|
| Grainfed 100 Days | | | | | | | | |
| Steers | 300 - 420 | 0 - 2 | A-C | 3-4 | 365 | 385 | 372 | -1 |
| | | 2 - 4 | A-C | 3-4 | 360 | 370 | 363 | NC |
| | | 5 - 6 | A-C | 3-4 | 355 | 355 | 355 | NC |
| MSA Yearlings | | | | | | | | |
| Heifers | 180 - 220 | 0 - 2 | A-C | 3-4 | 358 | 373 | 366 | NC |
| | | 220 - 260 | 0 - 2 | A-C | 378 | 383 | 381 | NC |
| | | 260 - 280 | 0 - 2 | A-C | 383 | 383 | 383 | NC |
| | 180 - 220 | 0 - 2 | A-C | 3-4 | 348 | 368 | 358 | NC |
| | | 220 - 260 | 0 - 2 | A-C | 373 | 378 | 376 | NC |
| | | 260 - 280 | 0 - 2 | A-C | 378 | 378 | 378 | NC |

Disclaimer:

© MLA 2011. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.