

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 24 Nov 2011

Yarding Change 1772
-1884

comparison date 17/11/2011

Substantial rainfall around the supply area reduced numbers for an overall better quality offering of cattle. Vealers were limited in number with a good selection of yearlings and grown steers in the market. There were around 250 cows in the penning and competition was very strong across most categories.

Medium weight vealer heifers to processors lifted 9c to sell from 229c to 236c/kg. Light and medium weight yearling steers to lot feeders and restockers gained 6c to 8c as heavy weights to the same purchases lifted 10c/kg. The best B muscle heavy weight yearling steer to the trade reached 240c/kg. Yearling heifers to lot feeders gained 4c, with the better selection of heavy weights to the trade also selling to solid competition with the best reaching 220c/kg.

Grown steers to lot feeders sold at fully firm prices with the heavy weight steers and bullocks to slaughter improving 5c to 6c to top at 203c/kg. The heifer portion lifted 5c/kg in value.

Cows continued the dearer trend to gain 10c to 12c/kg. The plainer D2 cows averaged 156c as the better finished 3 and 4 scores ranged from 145c to 173c/kg. The best heavy weight bull reached 177c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80	RS	C	1	1	238.0	- 238.0	238.0	N/Q	-			143	- 143	143
		C	2	1	300.0	- 300.0	300.0	N/Q	577	- 577	577	180	- 180	180
				2	238.0	300.0	269.0		577	577	577	143	180	162
Vealer Steer														
0-200	RS	C	2	4	250.0	- 250.0	250.0	N/Q	-			463	- 463	463
200-280	RS	C	2	19	220.0	- 244.6	240.0	-2	-			453	- 563	543
		C	2	16	230.0	- 231.2	230.5	11	442	- 445	443	483	- 506	496
	FD	C	2	2	227.2	- 227.2	227.2	N/Q	-			591	- 591	591
280-330		C	3	6	227.0	- 240.0	229.2	N/Q	413	- 436	417	726	- 768	733
		D	2	1	158.2	- 158.2	158.2	N/Q	316	- 316	316	451	- 451	451
				48	158.2	250.0	234.1		316	445	431	451	768	544
Vealer Heifer														
0-200		C	2	5	220.0	- 225.6	224.5	-5	423	- 442	439	352	- 406	395
	RS	D	2	1	218.0	- 218.0	218.0	N/Q	-			392	- 392	392
200-280	FD	C	2	19	206.0	- 218.0	214.2	17	-			556	- 567	563
		C	2	25	229.2	- 236.0	234.2	13	441	- 454	448	463	- 642	546
		C	3	9	228.6	- 228.6	228.6	N/Q	423	- 423	423	640	- 640	640
		D	2	1	200.0	- 200.0	200.0	N/Q	400	- 400	400	420	- 420	420
280-330		C	2	4	197.2	- 197.2	197.2	-16	379	- 379	379	562	- 562	562
		C	3	7	220.0	- 230.0	227.7	8	415	- 426	424	660	- 759	722
330+		C	3	5	215.6	- 230.0	218.5	3	399	- 426	405	755	- 782	760
				76	197.2	236.0	223.7		379	454	431	352	782	579
Yearling Steer														
0-330	FD	C	2	25	210.0	- 227.6	218.5	-19	-			643	- 726	671
	RS	C	2	62	210.0	- 243.0	235.3	6	-			588	- 746	707
	RS	D	2	5	158.0	- 212.0	194.0	-2	-			521	- 678	564

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		D	2	1	202.0	- 202.0	202.0	N/Q	404	- 404	404	566	- 566	566
330-400	FD	C	2	70	208.0	- 234.2	223.5	10	-	-	-	734	- 844	781
	FD	C	3	9	210.0	- 228.2	221.5	-3	-	-	-	735	- 815	790
		C	3	4	210.0	- 210.0	210.0	N/Q	389	- 389	389	714	- 714	714
400+		D	2	1	160.0	- 160.0	160.0	N/Q	320	- 320	320	560	- 560	560
		B	3	2	240.0	- 240.0	240.0	N/Q	429	- 429	429	984	- 984	984
	FD	C	2	28	211.2	- 220.0	217.7	12	-	-	-	887	- 925	908
	FD	C	3	43	190.0	- 221.6	215.2	9	-	-	-	817	- 945	908
		C	3	25	190.0	- 224.2	215.6	25	352	- 408	393	817	- 1010	915
				275	158.0	243.0	222.1		320	429	393	521	1010	795
Yearling Heifer														
0-330	FD	C	2	41	191.0	- 217.2	206.4	4	-	-	-	544	- 652	615
	RS	C	2	14	208.2	- 208.2	208.2	11	-	-	-	666	- 666	666
		C	2	2	210.0	- 210.0	210.0	N/Q	404	- 404	404	599	- 599	599
	FD	C	3	3	204.0	- 204.0	204.0	N/Q	-	-	-	663	- 663	663
	RS	D	2	19	170.0	- 211.0	175.5	-16	-	-	-	510	- 573	521
		D	2	2	182.0	- 185.0	183.5	N/Q	364	- 370	367	473	- 592	533
330-400		C	2	4	200.6	- 204.0	203.2	N/Q	386	- 392	391	682	- 714	706
	FD	C	2	10	190.0	- 210.0	201.6	4	-	-	-	637	- 756	716
	RS	C	2	6	208.0	- 208.0	208.0	N/Q	-	-	-	707	- 707	707
		C	3	4	214.0	- 214.6	214.3	6	404	- 405	404	749	- 751	750
	RS	D	2	3	177.0	- 186.0	180.0	N/Q	-	-	-	620	- 651	630
		D	3	5	175.0	- 180.0	176.0	N/Q	350	- 360	352	613	- 648	620
400+		B	3	1	220.0	- 220.0	220.0	N/Q	407	- 407	407	946	- 946	946
	FD	C	2	1	185.0	- 185.0	185.0	N/Q	-	-	-	742	- 742	742
	RS	C	2	1	188.0	- 188.0	188.0	N/Q	-	-	-	761	- 761	761
	RS	C	3	1	187.0	- 187.0	187.0	N/Q	-	-	-	785	- 785	785
		C	3	84	190.0	- 220.0	206.3	18	365	- 407	390	779	- 903	858
				201	170.0	220.0	201.9		350	407	389	473	946	727
Grown Steer														
0-400	FD	C	2	29	190.2	- 213.2	200.5	-10	-	-	-	704	- 789	742
	RS	C	2	3	184.0	- 184.0	184.0	N/Q	-	-	-	699	- 699	699
		D	2	2	193.2	- 193.2	193.2	N/Q	386	- 386	386	696	- 696	696
400-500		C	2	61	170.0	- 185.0	177.3	5	327	- 356	341	705	- 874	777
	RS	C	2	5	185.0	- 185.0	185.0	1	-	-	-	870	- 870	870
	FD	C	2	129	181.2	- 214.2	204.3	-2	-	-	-	743	- 945	857
	FD	C	3	30	193.6	- 210.0	200.4	N/C	-	-	-	839	- 996	896
		C	3	24	186.0	- 190.0	186.2	2	344	- 352	345	837	- 950	888
		D	2	33	155.0	- 165.0	162.4	N/Q	310	- 324	319	636	- 668	658
500-600		C	3	147	186.0	- 201.6	195.9	5	342	- 363	356	991	- 1169	1112
		C	4	10	203.0	- 203.0	203.0	8	363	- 363	363	1177	- 1177	1177
600-750		C	3	60	185.0	- 198.0	193.2	4	342	- 360	352	1147	- 1262	1200
		C	4	84	196.0	- 200.4	199.3	5	350	- 359	356	1205	- 1300	1250
		C	5	3	165.0	- 165.0	165.0	N/Q	300	- 300	300	1238	- 1238	1238

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
750+		C	4	2	185.0	- 185.0	185.0	N/Q	336	- 336	336	1536	- 1536	1536
				622	155.0	214.2	194.1		300	386	350	636	1536	991
Grown Heifer														
0-540		C	2	12	165.0	- 178.0	170.9	9	344	- 371	356	662	- 801	750
	RS	C	2	15	178.2	- 181.6	180.5	10	-	-	-	659	- 728	705
	RS	C	3	12	188.0	- 188.0	188.0	4	-	-	-	799	- 799	799
		C	3	62	170.0	- 191.6	181.2	5	340	- 372	360	761	- 999	848
		D	2	31	135.0	- 165.0	159.6	-2	300	- 367	355	459	- 677	618
	RS	D	2	1	155.0	- 155.0	155.0	N/Q	-	-	-	496	- 496	496
		D	3	1	160.0	- 160.0	160.0	N/Q	333	- 333	333	688	- 688	688
540+		C	3	5	178.0	- 178.0	178.0	-1	356	- 356	356	1068	- 1068	1068
		C	4	2	185.0	- 185.0	185.0	N/Q	370	- 370	370	1018	- 1018	1018
				141	135.0	191.6	175.7		300	372	358	459	1068	776
Manufacturing Steer														
0-540	DA	D	1	8	156.0	- 160.0	156.5	N/Q	348	- 355	354	512	- 640	624
				8	156.0	160.0	156.5		348	355	354	512	640	624
Cows														
0-400	RS	D	1	24	140.0	- 150.2	145.1	10	-	-	-	518	- 571	541
		D	1	1	125.0	- 125.0	125.0	N/Q	329	- 329	329	438	- 438	438
	RS	D	2	6	145.0	- 149.2	146.0	N/Q	-	-	-	537	- 559	550
400-520		D	1	8	122.0	- 132.0	127.8	N/Q	321	- 347	336	489	- 541	521
		D	2	55	140.0	- 160.0	156.2	15	333	- 364	359	574	- 736	689
		D	3	47	145.0	- 165.2	157.2	10	309	- 344	333	638	- 826	746
		D	4	1	149.0	- 149.0	149.0	N/Q	310	- 310	310	745	- 745	745
520+		C	3	2	170.6	- 173.0	171.8	N/Q	328	- 333	330	1125	- 1126	1125
		C	4	1	160.2	- 160.2	160.2	N/Q	308	- 308	308	1169	- 1169	1169
		D	3	36	158.0	- 169.2	164.9	14	329	- 353	344	853	- 976	933
		D	4	28	157.0	- 168.0	164.3	10	327	- 350	338	832	- 1058	973
		D	5	1	148.0	- 148.0	148.0	N/C	315	- 315	315	858	- 858	858
		D	6	1	130.0	- 130.0	130.0	N/Q	283	- 283	283	780	- 780	780
				211	122.0	173.0	156.2		283	364	343	438	1169	760
Bulls														
0-450		B	2	1	180.0	- 180.0	180.0	N/Q	316	- 316	316	756	- 756	756
		C	2	29	155.0	- 199.2	174.8	18	287	- 376	325	503	- 682	572
	RS	C	2	5	159.0	- 159.0	159.0	-17	-	-	-	604	- 604	604
450-600		C	1	7	144.0	- 144.0	144.0	N/Q	288	- 288	288	792	- 792	792
600+		B	2	9	168.0	- 177.2	173.5	6	290	- 306	299	1210	- 1514	1374
		C	2	2	160.0	- 167.2	163.6	N/Q	286	- 299	292	1037	- 1040	1038
				53	144.0	199.2	168.7		286	376	313	503	1514	761

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2011. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.