

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 13 Dec 2011

Yarding Change ⁹⁴³
-421

comparison date 06/12/2011

Rain in the supply area reduced numbers and overall quality was good to useful. A full panel of buyers was present and all were operating. Values improved for a number of classes with heavy yearling steers to feed and the trade gaining 5c to 6c, and medium weight yearling heifers to feed and local butchers improved 3c to 9c/kg. Bullocks lifted 7c and a better quality line-up of cows gained 1c to 5c/kg.

Calves to restockers averaged 239c and sold to 247.2c/kg. Vealer steers to feed to 249.2c and some to local butchers made to 247.2c/kg. Vealer heifers sold to the local trade market at 236c with some to 244.2c/kg. A relatively large line-up of medium weight yearling steers to feed generally sold from 232c to 240c with some to 247.2c/kg. Heavy yearling steers to wholesalers and supermarkets as well as feed averaged 214c with some to 221.2c/kg. Medium weight yearling heifers to feed averaged 224c, and slaughter classes averaged 221c and sold to 232c/kg.

Bullocks mostly sold around 211c with sales to 212.2c and full mouth bullocks made to 208.6c/kg.

Medium weight 2 score cows averaged 146c and 3 scores 156c/kg. Good heavy cows made to a top of 186.2c with a fairly large sample at 180c/kg. Heavy bulls made to 185.6c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head				
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg		
Calves																
80+		C	2	2	231.2	- 231.2	231.2	N/Q	436	-	436	436	289	-	289	289
	RS	C	2	24	230.0	- 247.2	239.5	19					297	-	424	338
				26	230.0	247.2	238.8		436	436	436	289	424	334		
Vealer Steer																
200-280		C	2	1	230.0	- 230.0	230.0	N/Q	418	-	418	418	610	-	610	610
	FD	C	2	7	234.2	- 249.2	241.6	13					574	-	650	599
	RS	C	2	2	248.2	- 248.2	248.2	N/Q					583	-	583	583
		C	3	4	247.2	- 247.2	247.2	17	450	-	450	450	680	-	680	680
	FD	D	2	1	215.2	- 215.2	215.2	N/C					506	-	506	506
280-330	FD	C	2	4	238.2	- 238.2	238.2	8					715	-	715	715
				19	215.2	249.2	240.7		418	450	443	506	715	634		
Vealer Heifer																
200-280		C	2	10	225.2	- 237.2	232.2	6	417	-	439	430	480	-	652	569
		C	3	8	230.0	- 240.0	233.7	-3	426	-	444	433	541	-	634	564
		D	2	2	217.2	- 217.2	217.2	N/Q	402	-	402	402	467	-	467	467
280-330		C	2	3	225.0	- 225.0	225.0	N/Q	417	-	417	417	641	-	641	641
		C	3	9	232.0	- 244.2	236.2	N/Q	430	-	452	437	679	-	733	695
		D	2	1	210.0	- 210.0	210.0	N/Q	389	-	389	389	620	-	620	620
				33	210.0	244.2	231.4		389	452	428	467	733	604		
Yearling Steer																
0-330	FD	C	2	10	243.2	- 243.2	243.2	-1					644	-	644	644
	RS	C	2	15	235.2	- 250.2	245.2	-5					623	-	626	625
		C	3	21	233.2	- 235.2	234.6	N/Q	424	-	428	427	576	-	700	611
330-400	FD	C	2	70	215.2	- 247.2	239.8	2					801	-	902	869
	FD	C	3	61	215.2	- 245.2	231.8	-6					746	-	944	861

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+		C	3	5	218.2	- 236.2	222.0	-2	397	- 430	404	818	- 862	828
	FD	D	2	12	206.2	- 216.2	211.0	7	-			725	- 794	753
	RS	D	3	1	205.0	- 205.0	205.0	N/Q	-			748	- 748	748
	FD	D	3	2	214.2	- 214.2	214.2	N/Q	-			803	- 803	803
	FD	C	2	5	200.0	- 200.0	200.0	N/Q	-			930	- 930	930
	FD	C	3	27	200.0	- 221.2	214.0	5	-			870	- 958	888
		C	3	65	198.0	- 219.2	214.8	6	360	- 399	391	859	- 1030	905
				294	198.0	250.2	227.8		360	430	400	576	1030	833
Yearling Heifer														
0-330	RS	C	2	26	219.2	- 229.2	223.8	-2	-			515	- 607	558
		C	2	4	220.0	- 229.2	222.4	2	407	- 424	412	517	- 688	582
	FD	C	2	1	224.2	- 224.2	224.2	N/Q	-			549	- 549	549
	FD	C	3	2	230.2	- 230.2	230.2	N/Q	-			691	- 691	691
		C	3	6	227.2	- 227.2	227.2	N/Q	421	- 421	421	682	- 682	682
		D	2	4	215.0	- 230.2	218.8	6	398	- 426	405	541	- 570	563
	RS	D	2	24	210.0	- 218.2	215.2	N/Q	-			482	- 574	523
		E	2	5	148.2	- 148.2	148.2	N/Q	285	- 285	285	445	- 445	445
330-400	FD	C	2	11	205.2	- 227.2	218.7	11	-			708	- 829	771
	RS	C	2	6	176.2	- 176.2	176.2	N/Q	-			643	- 643	643
	FD	C	3	68	211.2	- 231.2	224.4	3	-			708	- 867	801
		C	3	31	190.0	- 232.0	221.1	9	352	- 430	410	690	- 870	781
		D	2	1	132.2	- 132.2	132.2	N/Q	245	- 245	245	483	- 483	483
	FD	D	2	1	194.2	- 194.2	194.2	N/Q	-			670	- 670	670
		D	3	4	189.2	- 189.2	189.2	N/Q	350	- 350	350	728	- 728	728
400+		C	3	1	186.2	- 186.2	186.2	N/Q	345	- 345	345	810	- 810	810
	FD	C	3	6	205.0	- 205.0	205.0	15	-			830	- 892	851
		D	3	1	187.2	- 187.2	187.2	N/Q	347	- 347	347	796	- 796	796
				202	132.2	232.0	216.8		245	430	390	445	892	701
Grown Steer														
500-600		C	3	7	187.6	- 190.2	188.2	8	341	- 346	342	1012	- 1075	1028
		C	4	15	198.0	- 200.0	198.6	-6	354	- 357	355	1060	- 1119	1074
		D	2	2	153.2	- 153.2	153.2	N/Q	284	- 284	284	881	- 881	881
		D	3	4	184.2	- 184.2	184.2	N/Q	335	- 335	335	1059	- 1059	1059
600-750		C	3	2	189.6	- 189.6	189.6	N/Q	345	- 345	345	1204	- 1204	1204
		C	4	20	198.0	- 212.2	211.0	7	354	- 379	377	1257	- 1379	1322
				50	153.2	212.2	198.8		284	379	357	881	1379	1163
Grown Heifer														
0-540		C	4	1	183.2	- 183.2	183.2	N/Q	346	- 346	346	852	- 852	852
	RS	D	2	2	138.2	- 138.2	138.2	N/Q	-			567	- 567	567
		D	3	5	160.2	- 178.2	174.6	5	327	- 343	340	775	- 849	801
		E	2	6	117.2	- 117.2	117.2	N/Q	279	- 279	279	352	- 352	352
				14	117.2	183.2	145.4		279	346	310	352	852	578
Manufacturing Steer														
540+		C	3	2	180.0	- 185.0	182.5	N/Q	327	- 336	332	1170	- 1360	1265
		C	4	14	208.6	- 208.6	208.6	N/Q	373	- 373	373	1366	- 1366	1366

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
				16	180.0	208.6	205.3		327	373	367	1170	1366	1354
Cows														
0-400		D	1	1	88.2	- 88.2	88.2	N/Q	245	- 245	245	322	- 322	322
	RS	D	1	2	134.2	- 134.2	134.2	N/Q		-		517	- 517	517
	DA	E	2	3	103.2	- 103.2	103.2	N/Q	246	- 246	246	377	- 377	377
400-520	RS	D	1	10	140.0	- 150.2	144.1	N/Q		-		595	- 653	618
		D	1	1	120.0	- 120.0	120.0	N/Q	333	- 333	333	522	- 522	522
	DA	D	1	7	112.2	- 133.2	117.1	2	312	- 370	325	488	- 566	517
	DA	D	2	3	135.0	- 135.0	135.0	7	321	- 321	321	668	- 668	668
		D	2	16	140.0	- 151.2	146.5	4	333	- 360	349	595	- 713	670
	RS	D	2	4	148.2	- 148.2	148.2	-1		-		645	- 645	645
		D	3	24	150.0	- 160.0	156.4	N/C	306	- 327	319	653	- 788	710
		D	4	35	160.0	- 175.2	170.6	1	314	- 344	335	680	- 867	797
520+	DA	D	3	5	153.2	- 155.0	153.6	N/Q	313	- 316	313	820	- 845	825
		D	3	4	160.0	- 169.2	166.9	5	327	- 345	341	904	- 905	905
		D	4	60	170.2	- 186.2	180.2	5	334	- 365	353	911	- 1117	983
				175	88.2	186.2	162.1		245	370	337	322	1117	799
Bulls														
0-450	RS	C	2	10	200.0	- 234.2	203.4	N/Q		-		600	- 621	602
	FD	C	3	2	170.2	- 176.2	173.2	N/Q		-		613	- 634	624
	RS	C	3	6	189.2	- 189.2	189.2	-13		-		691	- 691	691
		C	3	1	194.2	- 194.2	194.2	N/Q	347	- 347	347	874	- 874	874
450-600		C	3	2	180.2	- 185.2	182.7	N/Q	322	- 331	326	964	- 991	977
600+		C	2	1	146.2	- 146.2	146.2	N/Q	266	- 266	266	914	- 914	914
		C	3	18	164.6	- 185.6	179.4	7	294	- 331	320	1120	- 1578	1288
				40	146.2	234.2	186.2		266	347	320	600	1578	958

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2011. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.