

Over the hooks report - cattle

Market information provided by MLA's National Livestock Reporting Service

Queensland

report date 27 Jan 2012

Rates were significantly lower across the board, with several processors adjusting rates by up to 15c/kg cwt. The higher \$A and initial slow export enquiry has contracted demand for prime cattle. Additionally, several processors have commenced their annual maintenance breaks, further lowering competition.

No trend is provided on some categories due to contributors commencing annual maintenance breaks.

Grade	Weight Range (cwt kg)	Dentition	Muscle Score	Fat Score	Low Price (c/kg cwt)	High Price (c/kg cwt)	Average (c/kg cwt)	Trend
North Yearlings								
Steers	180 - 220	0 - 2	A-C	2-3	305	315	310	NQ
	220 - 260	0 - 2	A-C	2-3	320	325	323	NQ
	260 - 280	0 - 2	A-C	2-3	330	335	333	NQ
Heifers	180 - 220	0 - 2	A-C	2-3	300	310	305	NQ
	220 - 260	0 - 2	A-C	2-3	315	315	315	NQ
	260 - 280	0 - 2	A-C	2-3	325	330	328	NQ
Grown Steers								
Steers	< 260	0 - 2	A-C	3-4	315	320	318	NQ
		2 - 4	A-C	3-4	310	315	313	NQ
		5 - 6	A-C	3-4	310	315	313	NQ
		8	A-C	3-4	302	307	305	NQ
	260 - 300	0 - 2	A-C	3-4	325	330	328	NQ
		2 - 4	A-C	3-4	320	325	323	NQ
		5 - 6	A-C	3-4	320	325	323	NQ
		8	A-C	3-4	312	322	317	NQ
	300 - 420	0 - 2	A-C	3-4	330	330	330	NQ
		2 - 4	A-C	3-4	325	325	325	NQ
		5 - 6	A-C	3-4	325	325	325	NQ
		8	A-C	3-4	322	322	322	NQ
Manufacturing Steer	250 - 400	0 - 8	A-D	2-4	258	268	263	NQ
Cows								
	160 - 200	8	A-D	2-4	269	277	273	NQ
		8	D-E	1-4	274	282	278	NQ
	200 - 240	8	A-D	2-4	285	290	288	NQ
		8	D-E	1-4	290	295	293	NQ
	240 - 280	8	A-E	2-4	305	310	308	NQ
		8	A-E	5+	285	290	288	NQ
	280 - 320	8	A-E	2-4	315	315	315	NQ
		8	A-E	5+	295	295	295	NQ
	320 +	8	A-E	2-4	315	315	315	NQ
		8	A-E	5+	295	295	295	NQ

Grade	Weight Range (cwt kg)	Dentition	Muscle Score	Fat Score	Low Price (c/kg cwt)	High Price (c/kg cwt)	Average (c/kg cwt)	Trend
Bulls								
	200 - 300	0 - 8	A-E	ALL	226	278	252	NQ
	300 - 400	0 - 8	A-E	ALL	283	293	288	NQ
	400 +	0 - 8	A-E	ALL	293	293	293	NQ
South Yearlings								
Steers	180 - 220	0 - 2	A-C	2-3	320	340	331	-15
	220 - 260	0 - 2	A-C	2-3	335	345	340	-14
	260 - 280	0 - 2	A-C	2-3	345	350	348	-15
Heifers	180 - 220	0 - 2	A-C	2-3	315	340	329	-15
	220 - 260	0 - 2	A-C	2-3	330	345	336	-15
	260 - 280	0 - 2	A-C	2-3	340	350	345	-15
Grown Steers								
Steers	< 260	0 - 2	A-C	3-4	330	335	333	-20
		2 - 4	A-C	3-4	325	330	328	-20
		5 - 6	A-C	3-4	325	330	328	-20
		8	A-C	3-4	317	322	320	-20
	260 - 300	0 - 2	A-C	3-4	335	345	340	-20
		2 - 4	A-C	3-4	335	340	338	-20
		5 - 6	A-C	3-4	330	340	335	-20
		8	A-C	3-4	320	337	327	-20
	300 - 420	0 - 2	A-C	3-4	335	345	341	-23
		2 - 4	A-C	3-4	335	340	339	-20
		5 - 6	A-C	3-4	330	340	336	-20
		8	A-C	3-4	325	337	332	-23
Manufacturing Steer	250 - 400	0 - 8	A-D	2-4	273	300	288	-19
Cows								
	160 - 200	8	A-D	2-4	289	305	295	-11
		8	D-E	1-4	284	295	289	-11
	200 - 240	8	A-D	2-4	300	310	305	-12
		8	D-E	1-4	295	305	300	-11
	240 - 280	8	A-E	2-4	305	325	316	-11
		8	A-E	5+	295	305	301	-11
	280 - 320	8	A-E	2-4	310	330	323	-11
		8	A-E	5+	305	310	309	-11
	320 +	8	A-E	2-4	315	330	325	-11
		8	A-E	5+	305	315	310	-11
Bulls								
	200 - 300	0 - 8	A-E	ALL	241	293	267	NC
	300 - 400	0 - 8	A-E	ALL	298	308	303	NC
	400 +	0 - 8	A-E	ALL	308	308	308	NC
Grainfed Yearlings								
Steers	180 - 220	0 - 2	A-C	2-3	345	350	348	NQ
	220 - 260	0 - 2	A-C	2-3	355	360	358	NQ

Grade	Weight Range (cwt kg)	Dentition	Muscle Score	Fat Score	Low Price (c/kg cwt)	High Price (c/kg cwt)	Average (c/kg cwt)	Trend
Heifers	260 - 280	0 - 2	A-C	2-3	365	390	373	NQ
	180 - 220	0 - 2	A-C	2-3	340	345	343	NQ
	220 - 260	0 - 2	A-C	2-3	350	355	353	NQ
	260 - 280	0 - 2	A-C	2-3	360	390	370	NQ
Grainfed 100 Days								
Steers	300 - 420	0 - 2	A-C	3-4	360	390	370	NQ
		2 - 4	A-C	3-4	355	355	355	NQ
		5 - 6	A-C	3-4	350	350	350	NQ
MSA Yearlings								
Heifers	180 - 220	0 - 2	A-C	3-4	360	365	363	NC
	220 - 260	0 - 2	A-C	3-4	370	390	382	4
	260 - 280	0 - 2	A-C	3-4	380	390	385	NC
	180 - 220	0 - 2	A-C	3-4	355	365	360	NC
	220 - 260	0 - 2	A-C	3-4	365	390	378	6
	260 - 280	0 - 2	A-C	3-4	375	385	380	NC

Disclaimer:

© MLA 2012. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.