

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Wodonga

report date 07 Feb 2012

Yarding Change $\frac{1753}{768}$

comparison date 31/01/2012

Numbers almost doubled and the quality was good with only a small tail of secondary cattle. Vealers were well supplied as were the yearlings with almost twice the amount of heifers to steers. There were plenty of well finished grown steers and a handy run of bullocks. Not all the usual buyers attended or operated in the dearer market.

Vealers sold dearer with the medium weights lifting 6c and the heavy weights 11c to 14c/kg. The better B and C muscles ranged from 182c to 232c/kg. Light weight steers returning to the paddock averaged 235c and the heifers reached 261c/kg. Medium weight yearling trade steers were in strong demand and sold up to 15c better in some sales while the heavy weights gained 2c/kg. Feeder steers remained firm averaging 186c and the trade heifers were 5c stronger for medium weights and 4c/kg easier for the heavy weights having plenty of fat cover.

Grown steers and bullocks ranged from 167c to 192c/kg. A large number of younger steers were offered and averaged 182c and the mixed aged bullocks averaged 177c/kg. Grown heifers gained 3c however there was a more of a mixed offering to pick from while heifers ranged from 140c to 173c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80	RS	C	2	2	250.2	- 280.2	265.2	N/Q	-	-	-	140	- 188	164
	RS	E	1	1	222.2	- 222.2	222.2	N/Q	-	-	-	144	- 144	144
80+	RS	C	2	1	236.2	- 236.2	236.2	N/Q	-	-	-	272	- 272	272
		C	2	23	200.0	- 250.0	236.7	3	400	- 500	471	189	- 434	284
				27	200.0	280.2	238.2		400	500	471	140	434	270
Vealer Steer														
200-280	RS	B	2	12	230.0	- 241.2	234.7	N/Q	-	-	-	555	- 593	577
		C	2	13	197.2	- 220.0	211.1	N/Q	372	- 407	394	482	- 609	524
	RS	C	2	21	206.0	- 260.2	234.3	N/Q	-	-	-	501	- 636	595
	280-330	B	2	1	200.0	- 200.0	200.0	N/Q	370	- 370	370	580	- 580	580
		B	3	3	226.0	- 226.0	226.0	N/Q	411	- 411	411	728	- 728	728
	RS	C	2	10	187.2	- 216.2	210.0	N/Q	-	-	-	599	- 641	614
		C	2	4	205.0	- 215.2	209.6	-3	380	- 399	388	646	- 690	675
	RS	C	3	8	200.0	- 205.0	204.4	N/Q	-	-	-	590	- 672	662
		C	3	5	210.0	- 213.2	212.3	N/Q	389	- 395	393	620	- 697	679
330+	B	3	30	195.0	- 236.2	220.4	N/Q	361	- 430	406	712	- 974	808	
		C	2	18	190.2	- 226.2	213.4	11	352	- 419	396	667	- 961	855
	FD	C	2	1	218.0	- 218.0	218.0	N/Q	-	-	-	937	- 937	937
	RS	C	2	10	200.0	- 209.0	204.1	N/Q	-	-	-	698	- 716	708
		C	3	81	194.0	- 227.6	214.9	N/Q	359	- 422	398	664	- 991	818
		D	2	4	150.0	- 180.0	165.0	N/Q	283	- 340	311	545	- 684	614
				221	150.0	260.2	216.2		283	430	396	482	991	737
Vealer Heifer														
0-200	RS	D	1	1	182.2	- 182.2	182.2	N/Q	-	-	-	237	- 237	237
200-280	B	2	9	230.0	- 230.0	230.0	N/Q	426	- 426	426	564	- 564	564	
	C	2	3	185.0	- 210.0	196.7	N/Q	343	- 396	369	473	- 481	477	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
280-330	RS	C	2	7	261.0	- 261.0	261.0	N/Q	-			579	- 579	579
		C	3	6	196.0	- 220.0	215.0	N/Q	363	- 407	398	529	- 606	586
	RS	D	2	2	140.0	- 170.0	155.0	N/Q	-			385	- 391	388
		B	3	8	210.0	- 226.0	224.0	N/Q	396	- 419	416	662	- 723	715
		C	2	19	180.0	- 212.0	200.4	6	333	- 400	376	558	- 657	599
		RS	C	2	14	190.0	- 194.2	190.6	N/Q	-			580	- 641
330+		C	3	18	200.0	- 232.2	214.0	N/Q	377	- 430	398	600	- 755	672
		D	3	15	178.0	- 195.0	189.3	17	336	- 368	357	556	- 579	571
		B	2	2	196.2	- 218.2	207.2	N/Q	363	- 404	384	786	- 853	820
		B	3	2	213.6	- 229.2	221.4	N/Q	396	- 417	406	802	- 833	818
	RS	C	2	6	190.0	- 214.2	201.4	N/Q	-			656	- 739	690
		C	2	18	182.0	- 218.0	209.7	14	343	- 404	389	680	- 769	723
	RS	C	3	1	217.2	- 217.2	217.2	N/Q	-			815	- 815	815
		C	3	40	192.0	- 218.0	205.1	N/Q	356	- 404	380	710	- 854	762
	D	3	13	155.0	- 230.0	207.4	N/Q	293	- 426	387	566	- 771	727	
				184	140.0	261.0	207.5		293	430	386	237	854	665
Yearling Steer														
0-330	RS	C	2	1	213.4	- 213.4	213.4	N/Q	-			694	- 694	694
	DA	D	1	1	132.0	- 132.0	132.0	N/Q	287	- 287	287	383	- 383	383
	RS	D	2	5	166.0	- 172.2	171.0	N/Q	-			515	- 536	531
330-400		D	2	1	145.0	- 145.0	145.0	N/Q	290	- 290	290	450	- 450	450
		B	3	6	207.2	- 207.2	207.2	N/Q	384	- 384	384	808	- 808	808
	RS	C	2	22	176.2	- 215.2	201.8	N/Q	-			665	- 738	712
	FD	C	2	13	182.0	- 198.2	189.4	-6	-			716	- 780	736
		C	3	13	185.0	- 214.0	204.9	19	343	- 396	380	740	- 795	771
		RS	D	2	10	147.2	- 165.0	156.2	N/Q	-			500	- 627
400+		D	3	1	165.0	- 165.0	165.0	N/Q	317	- 317	317	635	- 635	635
	RS	C	2	4	151.2	- 174.2	162.5	N/Q	-			680	- 893	783
	FD	C	2	84	166.0	- 206.2	187.5	-5	-			737	- 955	860
		C	2	29	173.0	- 195.0	186.0	N/Q	328	- 375	357	770	- 878	854
	FD	C	3	10	186.0	- 186.0	186.0	N/Q	-			844	- 844	844
		C	3	75	174.0	- 210.0	191.3	2	322	- 389	355	748	- 1029	917
		C	4	1	188.0	- 188.0	188.0	N/Q	348	- 348	348	1034	- 1034	1034
	FD	C	4	4	194.0	- 194.0	194.0	N/Q	-			1001	- 1001	1001
	RS	D	2	1	165.0	- 165.0	165.0	N/Q	-			718	- 718	718
		D	2	1	158.2	- 158.2	158.2	N/Q	316	- 316	316	704	- 704	704
	D	3	9	164.0	- 175.0	167.7	N/Q	315	- 330	320	671	- 810	717	
				291	132.0	215.2	187.9		287	396	355	383	1034	828
Yearling Heifer														
0-330		C	2	2	180.0	- 180.0	180.0	N/Q	353	- 353	353	554	- 554	554
	RS	C	2	16	172.2	- 191.2	187.8	N/Q	-			530	- 623	606
	RS	D	2	4	114.2	- 150.0	136.1	-36	-			325	- 410	376
		D	2	14	90.0	- 170.0	159.0	N/Q	192	- 333	316	297	- 551	497
	RS	D	3	1	172.0	- 172.0	172.0	N/Q	-			550	- 550	550
330-400	FD	C	2	10	182.2	- 189.2	187.8	N/Q	-			707	- 755	745

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+	RS	C	2	20	165.0	- 187.2	182.7	N/Q	-			569	- 681	635
		C	2	5	182.0	- 199.2	195.8	N/Q	350	- 383	377	628	- 707	691
		C	3	24	178.2	- 191.2	186.1	5	330	- 368	350	637	- 718	665
	DA	D	1	1	142.6	- 142.6	142.6	N/Q	303	- 303	303	570	- 570	570
	RS	D	2	17	160.0	- 188.2	186.5	N/Q	-			536	- 638	632
		D	2	8	136.0	- 168.0	159.1	N/Q	272	- 336	317	507	- 669	598
		D	3	23	120.0	- 179.2	154.9	N/Q	240	- 338	299	427	- 717	582
	RS	D	3	1	170.0	- 170.0	170.0	N/Q	-			638	- 638	638
	FD	C	2	88	182.0	- 194.6	189.4	-1	-			758	- 796	785
	RS	C	2	4	170.0	- 171.2	170.9	N/Q	-			714	- 765	752
		C	2	2	172.0	- 179.6	175.8	N/Q	331	- 345	338	772	- 791	782
		C	3	56	172.0	- 195.0	178.6	-4	325	- 361	334	730	- 940	861
		C	4	15	174.6	- 176.2	175.5	3	326	- 329	328	832	- 870	849
		D	2	3	130.2	- 150.2	143.5	N/Q	271	- 300	291	534	- 638	604
	RS	D	2	8	147.2	- 152.2	148.5	N/Q	-			636	- 664	657
		D	3	8	163.2	- 174.0	167.1	-9	314	- 328	316	654	- 870	731
	D	4	3	160.2	- 160.2	160.2	N/Q	308	- 308	308	769	- 769	769	
				333	90.0	199.2	178.3		192	383	328	297	940	719
Grown Steer														
400-500	FD	C	2	13	166.2	- 166.2	166.2	N/Q	-			680	- 680	680
		C	3	7	174.0	- 187.0	182.2	-16	328	- 346	339	851	- 926	899
500-600		C	3	152	168.0	- 189.4	182.6	N/C	311	- 351	338	927	- 1115	1038
	FD	C	3	3	190.0	- 190.0	190.0	-8	-			969	- 969	969
		C	4	18	183.2	- 192.2	185.7	N/Q	339	- 356	344	1077	- 1115	1089
		D	3	1	172.6	- 172.6	172.6	N/Q	326	- 326	326	941	- 941	941
600-750		C	3	35	172.0	- 184.0	177.0	N/Q	319	- 341	328	1060	- 1256	1114
		C	4	101	167.2	- 185.0	180.2	3	310	- 339	333	1107	- 1272	1181
750+		C	4	2	162.0	- 174.0	168.0	N/Q	300	- 322	311	1239	- 1340	1290
		C	5	1	168.2	- 168.2	168.2	N/Q	312	- 312	312	1329	- 1329	1329
				333	162.0	192.2	180.7		300	356	336	680	1340	1077
Grown Heifer														
0-540		C	3	15	171.2	- 171.2	171.2	7	323	- 323	323	704	- 704	704
		C	4	3	165.0	- 165.0	165.0	-3	311	- 311	311	797	- 797	797
		D	2	10	135.2	- 156.0	153.3	N/Q	276	- 312	307	593	- 647	639
	RS	D	2	1	149.2	- 149.2	149.2	N/Q	-			642	- 642	642
		D	3	34	148.2	- 171.0	156.5	N/Q	287	- 335	308	578	- 911	770
		D	4	1	164.2	- 164.2	164.2	N/Q	316	- 316	316	837	- 837	837
540+		C	4	16	168.0	- 173.0	170.5	3	317	- 329	322	927	- 1035	962
	DA	D	1	5	144.2	- 144.2	144.2	N/Q	307	- 307	307	855	- 855	855
	DA	D	2	3	156.6	- 156.6	156.6	N/Q	320	- 320	320	987	- 987	987
		D	3	19	150.2	- 170.0	162.9	N/Q	295	- 321	312	856	- 998	948
		D	4	18	140.0	- 168.0	158.3	3	264	- 323	302	777	- 1065	973
		D	5	5	140.0	- 155.2	147.4	N/Q	270	- 299	282	882	- 1128	1075
		D	6	1	132.2	- 132.2	132.2	N/Q	259	- 259	259	939	- 939	939

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
					131	132.2	173.0	160.0		259	335	310	578	1128	851
Manufacturing Steer															
0-540	FD	C	2	3	158.0	- 158.0	158.0	N/Q	-				842	- 842	842
	DA	D	2	5	148.2	- 148.2	148.2	N/Q	296	- 296	296		780	- 780	780
		D	2	14	154.0	- 157.2	155.6	23	296	- 304	303		700	- 809	771
		D	3	3	150.0	- 165.0	160.0	6	283	- 317	306		795	- 858	837
	DA	D	3	1	145.0	- 145.0	145.0	N/Q	290	- 290	290		732	- 732	732
540+		C	4	17	162.2	- 174.6	172.6	N/Q	300	- 329	325		968	- 1525	1176
		D	2	2	147.2	- 159.2	153.2	N/Q	294	- 306	300		976	- 1156	1066
		D	3	28	162.2	- 169.2	166.7	7	312	- 319	317		939	- 1150	1031
	DA	D	3	18	157.2	- 170.0	163.8	3	302	- 340	324		898	- 1087	988
		D	4	1	165.0	- 165.0	165.0	N/Q	306	- 306	306		1139	- 1139	1139
					92	145.0	174.6	163.5		283	340	315	700	1525	982
Cows															
0-400		D	1	2	118.2	- 118.2	118.2	N/Q	257	- 257	257		470	- 470	470
					2	118.2	118.2	118.0		257	257	257	470	470	471
Bulls															
0-450		D	1	2	165.0	- 165.0	165.0	N/Q	359	- 359	359		384	- 384	384
	RS	D	1	3	100.0	- 100.0	100.0	N/Q	-				245	- 245	245
	RS	D	2	2	155.0	- 155.0	155.0	N/Q	-				563	- 563	563
					7	100.0	165.0	134.3		359	359	359	245	563	376

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2012. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.