

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Wodonga

report date 01 May 2012

Yarding Change ¹³²⁰
290

comparison date 24/04/2012

A slight increase of numbers was offered to the usual field of buyers along with restockers and lot feeder's inquiry. Quality was quite good with odd consignments of supplementary fed yearlings. Demand was strongest for lighter weight young cattle as domestic buyers competed strongly for adequate supplies, while restockers were active on suitable lines of secondary yearlings.

Trade buyers were eager to secure well finished vealers with most grades selling to spirited bidding. Vealer steers and heifers sold from 205c to 248c/kg. Prime finished supplementary fed and grass fattened yearling heifers and steers sold up to 26c dearer for the 330 to 400kg stock. Supplementary fed steers and heifers made from 205c to 225c/kg. Restockers were active on store conditioned yearlings paying from 199c to 217.6c/kg

A very good quality yarding of heavy grown steers and bullocks was offered to the usual group of buyers with lot feeders also competing strongly. Export buyers competed against domestic buyers to secure milk and two teeth heavy grown steers and prices lifted 17c while bullocks sold up to 22c dearer topping at 202.4c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
200-280	RS	C	2	4	210.0	- 210.0	210.0	11	-	-	-	538	- 546	542
280-330		B	2	11	224.0	- 232.0	225.5	4	400	- 414	403	697	- 766	709
		C	2	19	208.0	- 225.0	218.3	31	385	- 420	409	599	- 720	670
	FD	C	2	39	206.6	- 215.2	213.4	8	-	-	-	585	- 633	623
330+	RS	C	2	8	199.2	- 202.0	201.0	1	-	-	-	606	- 627	614
		B	2	45	218.0	- 248.2	230.6	20	389	- 443	412	811	- 1029	908
	FD	C	2	4	202.6	- 202.6	202.6	-5	-	-	-	750	- 750	750
		C	2	40	196.2	- 240.2	214.2	8	363	- 445	395	683	- 979	792
	RS	C	2	17	202.0	- 217.6	214.1	21	-	-	-	687	- 764	753
				187	196.2	248.2	218.1		363	445	405	538	1029	750
Vealer Heifer														
200-280		B	2	5	220.0	- 225.0	222.0	-2	393	- 402	396	616	- 619	617
		C	2	5	218.0	- 218.0	218.0	N/Q	389	- 389	389	576	- 576	576
	RS	C	2	8	199.6	- 199.6	199.6	N/Q	-	-	-	501	- 501	501
280-330		B	2	18	215.0	- 236.0	230.7	21	384	- 421	414	686	- 753	733
		C	2	7	194.0	- 194.0	194.0	5	359	- 359	359	627	- 627	627
	FD	C	2	5	190.0	- 190.0	190.0	N/Q	-	-	-	561	- 561	561
330+		B	2	24	218.0	- 232.0	220.5	5	389	- 414	396	739	- 873	776
		C	2	10	195.0	- 215.0	200.8	16	348	- 398	371	656	- 800	683
		C	3	10	200.0	- 218.0	203.6	-15	357	- 389	364	682	- 828	711
		D	3	2	187.0	- 187.0	187.0	N/Q	353	- 353	353	673	- 673	673
	RS	D	3	1	182.0	- 182.0	182.0	N/Q	-	-	-	637	- 637	637
				95	182.0	236.0	212.1		348	421	388	501	873	683
Yearling Steer														
0-330		C	2	2	189.0	- 189.0	189.0	N/Q	350	- 350	350	614	- 614	614
		RS	C	2	14	186.2	- 208.2	203.5	7	-	-	583	- 593	591
		RS	D	2	4	178.0	- 178.0	178.0	N/Q	-	-	-	562	- 562

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400	RS	C	2	8	212.2	- 212.2	212.2	6	-	-	-	777	- 777	777
	FD	C	2	9	194.0	- 199.2	196.3	4	-	-	-	702	- 767	731
		C	3	3	225.0	- 225.0	225.0	36	417	- 417	417	878	- 878	878
400+	FD	C	2	28	192.0	- 200.6	196.0	3	-	-	-	879	- 950	928
		C	2	4	185.6	- 185.6	185.6	N/Q	344	- 344	344	974	- 974	974
	RS	C	2	15	204.6	- 204.6	204.6	35	-	-	-	822	- 822	822
		C	3	89	185.0	- 226.6	201.9	3	344	- 405	372	783	- 1060	942
	RS	D	2	16	169.2	- 179.6	174.6	6	-	-	-	744	- 864	796
		D	3	7	155.0	- 238.0	178.7	N/Q	293	- 441	335	713	- 1119	829
				199	155.0	238.0	197.9		293	441	369	562	1119	863
Yearling Heifer														
0-330	RS	C	2	8	189.2	- 189.2	189.2	24	-	-	-	501	- 501	501
	RS	D	2	6	188.6	- 188.6	188.6	12	-	-	-	575	- 575	575
330-400	RS	C	2	17	194.0	- 208.2	198.2	N/Q	-	-	-	697	- 728	719
	FD	C	2	3	194.0	- 194.0	194.0	14	-	-	-	728	- 728	728
		C	3	13	185.0	- 206.0	199.3	26	343	- 382	369	638	- 791	745
	RS	D	3	11	165.0	- 165.0	165.0	N/Q	-	-	-	653	- 653	653
400+	FD	C	2	4	196.0	- 196.0	196.0	16	-	-	-	853	- 853	853
		C	3	97	176.0	- 214.0	187.9	14	326	- 382	348	746	- 1241	903
	RS	C	3	17	195.2	- 195.2	195.2	N/Q	-	-	-	810	- 810	810
		D	3	12	159.0	- 162.0	159.5	N/Q	300	- 306	301	674	- 697	678
				188	159.0	214.0	187.5		300	382	346	501	1241	807
Grown Steer														
400-500		C	3	9	171.2	- 171.2	171.2	N/Q	317	- 317	317	810	- 810	810
500-600		C	3	184	179.2	- 205.0	194.4	17	332	- 380	360	941	- 1193	1054
	FD	C	3	15	185.0	- 188.0	187.2	N/Q	-	-	-	962	- 976	972
	RS	D	3	7	180.6	- 180.6	180.6	N/Q	-	-	-	916	- 916	916
		D	3	4	178.2	- 178.2	178.2	N/Q	336	- 336	336	903	- 903	903
600-750		C	4	140	176.0	- 202.6	193.3	22	326	- 375	358	1101	- 1298	1210
	RS	C	4	2	172.6	- 172.6	172.6	N/Q	-	-	-	1096	- 1096	1096
		D	3	9	175.0	- 175.0	175.0	10	330	- 330	330	1064	- 1064	1064
				370	171.2	205.0	192.1		317	380	357	810	1298	1100
Grown Heifer														
0-540		C	3	20	156.0	- 182.6	161.3	6	289	- 338	299	732	- 959	777
		C	4	22	182.0	- 186.0	183.9	28	337	- 344	341	912	- 1001	961
		D	3	2	149.2	- 149.2	149.2	N/Q	282	- 282	282	730	- 730	730
	FD	D	3	3	171.2	- 171.2	171.2	N/Q	-	-	-	753	- 753	753
540+		C	4	5	177.0	- 177.0	177.0	16	328	- 328	328	1009	- 1009	1009
		D	4	2	160.0	- 160.0	160.0	N/Q	296	- 296	296	896	- 896	896
				54	149.2	186.0	172.0		282	344	319	730	1009	875
Manufacturing Steer														
0-540		D	3	6	158.2	- 158.2	158.2	8	299	- 299	299	680	- 680	680
540+	FD	D	2	9	152.0	- 152.0	152.0	N/Q	-	-	-	1034	- 1034	1034
		D	3	3	168.0	- 168.0	168.0	19	317	- 317	317	916	- 916	916
				18	152.0	168.0	156.7		299	317	305	680	1034	896

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2012. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.