

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Pakenham

report date 21 May 2012

Yarding Change 1486
-269

comparison date 14/05/2012

Numbers dropped this sale and quality continues to be very mixed. There was a large percentage of plain unfinished cattle on offer along with a few well finished pens. Yearling steers made up the majority of the yarding along with a handy number of cows. The usual buyers were present but not all competed in a market that was fairly similar to the previous sale.

Yearling steers to feed lifted 2c to 3c/kg. Lightweights sold from 189c to 204c and middleweights received from 170c to 207c/kg. Finished steers to processors slipped 4c selling from 180c to 207c/kg for middle & heavyweights. The heifer portion held fairly firm with those to feedlots receiving 165c to 187c/kg. Those to slaughter received from 172c to 197c/kg.

Heavy steers and bullocks sold from 165c to 178c and grown heifers received from 150c to 165c/kg. Cows held fairly firm with heavy 2 scores selling from 118c to 132c and 3 score from 128c to 140c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
200-280		C	2	3	186.0	- 192.2	189.5	-1	344	- 363	351	514	- 521	518
	RS	C	2	10	185.0	- 192.0	189.6	N/Q		-		483	- 499	494
280-330		B	2	1	220.0	- 220.0	220.0	N/Q	393	- 393	393	704	- 704	704
	RS	C	2	2	185.0	- 187.2	186.1	N/Q		-		527	- 543	535
		C	2	34	180.0	- 212.0	205.0	1	327	- 386	372	513	- 689	647
	FD	C	2	1	186.6	- 186.6	186.6	N/C		-		597	- 597	597
		C	3	1	215.0	- 215.0	215.0	N/Q	391	- 391	391	699	- 699	699
	RS	D	2	1	165.0	- 165.0	165.0	N/Q		-		470	- 470	470
330+		B	2	24	222.0	- 245.2	232.9	15	383	- 430	404	755	- 870	820
		B	3	4	223.6	- 240.6	232.1	N/Q	399	- 415	409	834	- 939	881
		C	2	15	186.2	- 210.6	200.9	3	339	- 389	364	656	- 758	696
	RS	C	2	1	195.0	- 195.0	195.0	N/Q		-		653	- 653	653
		C	3	15	205.0	- 225.0	213.4	N/Q	373	- 402	385	700	- 895	781
				112	165.0	245.2	210.0		327	430	382	470	939	697
Vealer Heifer														
200-280		C	2	8	172.0	- 200.2	191.5	4	319	- 364	350	447	- 531	514
	RS	C	2	2	184.2	- 184.2	184.2	N/Q		-		507	- 507	507
		D	2	3	155.0	- 156.6	155.5	4	293	- 296	294	357	- 423	379
	RS	D	2	5	147.0	- 160.6	157.8	N/Q		-		368	- 434	420
280-330		B	2	5	221.6	- 221.6	221.6	N/Q	396	- 396	396	687	- 687	687
		C	2	26	182.6	- 216.0	196.3	-7	338	- 393	360	570	- 702	622
		C	3	3	200.0	- 206.0	202.0	N/Q	364	- 368	365	587	- 650	629
	RS	D	2	3	147.6	- 173.6	156.3	3		-		472	- 556	500
330+		B	2	6	213.2	- 220.0	217.7	N/Q	368	- 393	384	770	- 778	773
		C	2	13	192.0	- 210.0	201.7	5	349	- 381	366	645	- 792	705
		C	3	11	185.0	- 217.6	206.5	7	343	- 396	373	629	- 794	729
		D	3	4	166.0	- 182.0	178.0	-2	307	- 331	325	573	- 628	614
				89	147.0	221.6	195.0		293	396	362	357	794	625

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Yearling Steer														
0-330		C	2	6	177.0	- 184.6	180.8	N/Q	340	- 355	346	566	- 591	572
	RS	C	2	28	160.0	- 190.6	181.2	N/Q	-			400	- 595	530
	RS	D	2	1	160.0	- 160.0	160.0	N/Q	-			352	- 352	352
330-400		C	2	16	160.0	- 192.0	177.6	-9	308	- 362	339	576	- 662	632
	RS	C	2	52	164.2	- 195.0	184.7	N/Q	-			605	- 722	658
	FD	C	2	3	155.0	- 192.0	173.4	-24	-			577	- 710	625
	RS	C	3	1	182.0	- 182.0	182.0	N/Q	-			655	- 655	655
		C	3	29	185.0	- 211.6	203.1	-2	336	- 385	370	684	- 804	759
		C	4	1	174.6	- 174.6	174.6	N/Q	323	- 323	323	663	- 663	663
	RS	D	2	1	146.6	- 146.6	146.6	N/Q	-			498	- 498	498
		D	2	3	157.2	- 164.2	159.5	N/Q	314	- 316	315	566	- 591	574
		D	3	1	158.6	- 158.6	158.6	N/Q	305	- 305	305	547	- 547	547
400+		B	3	1	200.0	- 200.0	200.0	N/Q	357	- 357	357	1040	- 1040	1040
		C	2	2	150.0	- 165.0	157.5	N/Q	289	- 311	300	630	- 743	686
	RS	C	3	19	184.2	- 184.2	184.2	N/Q	-			939	- 939	939
		C	3	118	185.0	- 218.0	197.6	N/C	343	- 396	362	798	- 1076	964
		D	2	3	144.0	- 144.0	144.0	N/Q	282	- 282	282	677	- 677	677
	RS	D	2	18	190.0	- 190.0	190.0	N/Q	-			817	- 817	817
		D	3	1	155.0	- 155.0	155.0	N/Q	293	- 293	293	667	- 667	667
				304	144.0	218.0	189.7		282	396	357	352	1076	797
Yearling Heifer														
0-330	FD	C	2	1	176.0	- 176.0	176.0	N/Q	-			563	- 563	563
		C	2	7	180.0	- 180.0	180.0	N/Q	353	- 353	353	540	- 540	540
	RS	D	1	8	122.6	- 123.6	123.2	N/Q	-			345	- 396	376
	RS	D	2	15	123.6	- 157.6	149.9	N/Q	-			352	- 418	401
		D	2	3	154.0	- 165.0	158.3	N/Q	308	- 317	312	421	- 520	478
		D	3	5	192.6	- 192.6	192.6	N/Q	363	- 363	363	626	- 626	626
330-400		C	2	56	152.0	- 204.0	184.3	6	292	- 378	348	578	- 755	668
	FD	C	2	11	173.2	- 173.6	173.4	N/Q	-			582	- 658	623
		C	3	3	180.0	- 210.0	190.0	N/Q	346	- 382	358	603	- 798	668
		D	2	8	132.0	- 176.6	160.1	N/Q	264	- 346	315	461	- 609	560
	RS	D	2	10	156.6	- 156.6	156.6	N/Q	-			525	- 525	525
		D	3	30	135.6	- 177.6	161.5	-13	261	- 342	310	475	- 654	569
400+		C	2	1	172.0	- 172.0	172.0	N/Q	325	- 325	325	791	- 791	791
		C	3	51	182.0	- 196.0	185.0	-8	337	- 363	344	764	- 929	834
		C	4	14	172.0	- 195.6	182.9	N/Q	319	- 362	339	791	- 970	887
		D	3	6	154.2	- 171.6	165.4	-9	297	- 327	310	709	- 815	743
				229	122.6	210.0	173.6		261	382	337	345	970	660
Grown Steer														
400-500		C	2	2	170.0	- 170.0	170.0	N/Q	321	- 321	321	808	- 808	808
	FD	C	2	11	182.6	- 182.6	182.6	N/Q	-			767	- 767	767
	RS	C	2	1	145.0	- 145.0	145.0	N/Q	-			624	- 624	624
		C	3	9	175.0	- 196.0	186.7	-3	324	- 356	342	823	- 941	888

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
		C	4	1	174.6	- 174.6	174.6	N/Q	323	- 323	323	829	- 829	829	
	RS	D	2	1	132.6	- 132.6	132.6	N/Q		-		570	- 570	570	
		D	3	1	155.0	- 155.0	155.0	N/Q	293	- 293	293	736	- 736	736	
500-600	FD	C	2	2	172.0	- 172.0	172.0	N/Q		-		894	- 894	894	
		C	2	7	168.6	- 168.6	168.6	-5	312	- 312	312	877	- 877	877	
		C	3	135	183.0	- 198.6	191.5	-2	338	- 368	352	998	- 1109	1035	
600-750		C	4	40	176.6	- 199.6	192.8	1	321	- 363	351	965	- 1118	1083	
		C	3	43	160.0	- 192.0	186.8	-3	296	- 356	342	992	- 1257	1205	
		C	4	160	172.0	- 194.0	187.2	-2	313	- 357	341	1120	- 1262	1214	
750+		C	4	19	165.0	- 181.2	173.5	N/Q	306	- 330	318	1287	- 1413	1354	
					432	132.6	199.6	187.5		293	368	344	570	1413	1119
Grown Heifer															
0-540		C	3	1	185.6	- 185.6	185.6	N/Q	344	- 344	344	984	- 984	984	
		C	4	5	170.6	- 176.6	173.0	N/Q	322	- 327	324	785	- 857	813	
		D	2	1	144.0	- 144.0	144.0	N/Q	288	- 288	288	605	- 605	605	
		D	3	26	136.6	- 176.6	165.6	4	268	- 333	316	738	- 909	861	
540+		D	3	1	148.6	- 148.6	148.6	N/Q	286	- 286	286	981	- 981	981	
		D	4	7	136.6	- 136.6	136.6	-45	263	- 263	263	765	- 765	765	
					41	136.6	185.6	161.1		263	344	307	605	984	839
Manufacturing Steer															
0-540		C	3	1	155.0	- 155.0	155.0	N/Q	293	- 293	293	822	- 822	822	
		D	2	1	154.0	- 154.0	154.0	N/Q	296	- 296	296	724	- 724	724	
540+		C	3	21	135.0	- 156.6	143.5	N/Q	250	- 290	272	851	- 1178	940	
		C	4	27	163.6	- 172.0	169.5	N/Q	298	- 313	308	1228	- 1445	1410	
		D	3	1	145.0	- 145.0	145.0	N/Q	279	- 279	279	812	- 812	812	
					51	135.0	172.0	157.7		250	313	292	724	1445	1180
Bulls															
0-450		C	2	2	130.0	- 149.0	139.5	N/Q	250	- 276	263	416	- 626	521	
450-600		C	2	2	150.0	- 161.2	155.6	N/Q	278	- 293	285	690	- 854	772	
					4	130.0	161.2	147.5		250	293	274	416	854	647

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2012. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.