

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

CTLX

report date 26 Jun 2012

Yarding Change 2460
-650

comparison date 19/06/2012

Quality remained fair to good and numbers eased back as the younger cattle were well represented in the market. Fair percentages of grown steers together with around 250 cows were offered and the market trend was variable.

Medium weight vealer steers returning to the paddock gained 6c/kg with breed contributing in places. The same weight heifer portion sold to restocker orders lifting 4c/kg in price. Light and medium weight yearling steers to lot feeders and restocker orders remained similar in price as heavy weights to lot feeders improved in quality and gained 6c as the best topped at 211c/kg. Heavy weights suitable for butchers lifted 3c to range from 180c to 215c/kg. Yearling heifers sold to lot feeders and showed little change as the best topped at 195c/kg.

Grown steers to feeder orders gained 5c as heavyweights to slaughter lifted in quality and remained firm to sell from 180c to 195c/kg. The heifer portion sold to strong competition to range from 170c to 184c/kg. Cows struggled to remain firm and lost 5c as the plainer 2 scores averaged 123c/kg. The better finished 3 and 4 scores ranged from 126c to 145c/kg. Heavy bulls eased 3c to 5c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
Vealer Steer															
0-200	RS	C	2	6	198.6	- 225.0	211.8	N/Q	-			357	- 405	381	
200-280	RS	C	2	79	190.0	- 223.0	213.7	9	-			414	- 623	552	
280-330	RS	C	2	19	200.0	- 211.2	206.5	-3	-			602	- 620	610	
	FD	C	2	17	191.6	- 205.0	195.5	-13	-			584	- 613	605	
330+		B	3	3	224.6	- 224.6	224.6	-9	401	- 401	401	901	- 901	901	
		C	2	2	205.0	- 205.0	205.0	N/Q	380	- 380	380	697	- 697	697	
		FD	C	3	1	209.2	- 209.2	209.2	N/Q	-			732	- 732	732
		C	3	33	209.2	- 217.6	214.2	-1	380	- 396	392	748	- 827	778	
				160	190.0	225.0	211.0		380	401	392	357	901	614	
Vealer Heifer															
0-200	RS	C	2	7	191.0	- 191.0	191.0	N/Q	-			344	- 344	344	
200-280	RS	C	2	146	160.0	- 185.0	179.3	5	-			389	- 496	457	
		C	2	16	190.0	- 190.0	190.0	23	365	- 365	365	532	- 532	532	
		FD	C	2	21	170.0	- 180.2	177.5	N/Q	-			469	- 478	472
280-330	FD	C	2	18	173.6	- 173.6	173.6	-6	-			521	- 521	521	
		C	2	44	171.6	- 195.6	191.6	1	330	- 376	369	489	- 624	593	
		RS	C	2	15	175.0	- 180.0	179.0	-10	-			540	- 567	546
330+		C	3	3	208.2	- 208.2	208.2	1	393	- 393	393	625	- 625	625	
		C	3	55	186.0	- 217.6	203.2	-15	358	- 403	382	646	- 768	711	
				325	160.0	217.6	185.6		330	403	375	344	768	530	
Yearling Steer															
0-330	FD	C	2	56	192.6	- 208.0	202.3	-8	-			578	- 634	616	
		RS	C	2	55	203.0	- 205.0	204.0	3	-			615	- 650	633
		RS	D	2	1	140.0	- 140.0	140.0	N/Q	-			420	- 420	420
330-400	FD	C	2	115	180.0	- 208.2	200.3	1	-			620	- 782	712	
		C	3	12	202.6	- 208.2	207.4	-1	375	- 384	381	727	- 770	748	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head				
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg		
400+	FD	D	2	2	168.2	- 168.2	168.2	N/Q	-			572	-	572	572	
		B	3	7	218.2	- 218.2	218.2	N/Q	390	-	390	390	916	-	916	916
	FD	C	2	139	193.0	- 211.6	204.1	9	-			782	-	910	874	
		C	3	7	190.0	- 190.0	190.0	-3	-			855	-	855	855	
	RS	C	3	60	180.0	- 215.6	203.1	3	333	-	392	372	738	-	991	890
		D	2	2	157.6	- 157.6	157.6	N/Q	-			632	-	632	632	
				456	140.0	218.2	202.4		333	392	375	420	991	768		
Yearling Heifer																
0-330	RS	C	2	16	160.0	- 177.0	172.5	N/Q	-			512	-	584	548	
	FD	C	2	56	175.0	- 196.0	191.0	22	-			513	-	627	612	
	FD	D	2	3	140.0	- 140.0	140.0	N/Q	-			448	-	448	448	
330-400	RS	C	2	5	175.0	- 183.6	178.4	-12	-			648	-	698	668	
	FD	C	2	113	165.0	- 195.0	190.0	1	-			561	-	733	661	
		C	2	8	177.6	- 177.6	177.6	N/Q	348	-	348	348	595	-	595	595
	C	3	11	185.0	- 190.0	186.8	-8	356	-	359	357	629	-	665	642	
400+	RS	D	2	1	150.0	- 150.0	150.0	N/Q	-			510	-	510	510	
	B	3	6	217.0	- 217.0	217.0	N/Q	395	-	395	395	922	-	922	922	
		C	3	17	178.0	- 205.0	184.0	6	344	-	380	353	748	-	920	786
	RS	C	3	12	170.0	- 185.2	175.4	-3	-			697	-	778	732	
				248	140.0	217.0	187.1		344	395	359	448	922	655		
Grown Steer																
0-400	RS	D	2	5	160.0	- 160.0	160.0	N/Q	-			560	-	560	560	
400-500	FD	C	2	96	175.0	- 198.2	188.1	6	-			726	-	892	815	
		C	2	10	153.6	- 177.0	166.3	-4	307	-	340	321	676	-	797	747
	C	3	1	178.0	- 178.0	178.0	N/Q	330	-	330	330	819	-	819	819	
	RS	D	2	1	150.0	- 150.0	150.0	N/Q	-			608	-	608	608	
500-600	C	2	13	173.0	- 183.0	177.1	4	333	-	345	340	900	-	1028	998	
		3	76	180.6	- 194.6	186.4	-3	331	-	348	338	962	-	1090	1039	
	C	4	21	195.0	- 195.0	195.0	3	348	-	348	348	1092	-	1092	1092	
600-750	C	3	9	182.2	- 190.0	188.3	9	331	-	339	338	1130	-	1178	1167	
	C	4	53	179.4	- 189.0	187.6	N/C	326	-	338	335	1130	-	1228	1204	
				285	150.0	198.2	186.1		307	348	337	560	1228	979		
Grown Heifer																
0-540	C	2	47	152.0	- 168.0	158.6	-4	317	-	350	330	618	-	720	673	
		FD	C	2	33	169.2	- 174.6	172.3	12	-			702	-	751	730
	C	3	66	170.0	- 184.0	178.0	8	340	-	368	356	757	-	902	826	
540+	RS	D	1	9	120.0	- 135.2	126.8	N/Q	-			420	-	554	480	
		D	2	10	128.0	- 148.2	138.1	N/Q	284	-	329	307	550	-	608	579
	E	1	8	110.0	- 110.0	110.0	N/Q	290	-	290	290	308	-	308	308	
	C	3	8	170.0	- 170.0	170.0	-4	340	-	340	340	1020	-	1020	1020	
		C	4	1	167.0	- 167.0	167.0	N/Q	334	-	334	334	1069	-	1069	1069
	D	4	3	162.0	- 162.0	162.0	N/Q	331	-	331	331	972	-	972	972	
				185	110.0	184.0	163.8		284	368	339	308	1069	729		
Manufacturing Steer																
0-540		D	2	1	110.0	- 110.0	110.0	N/Q	244	-	244	244	484	-	484	484

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
				1	110.0	110.0	110.0		244	244	244	484	484	484
Cows														
0-400		D	1	8	113.2	- 113.2	113.2	16	298	- 298	298	430	- 430	430
	RS	D	1	2	109.0	- 109.0	109.0	N/Q		-		371	- 371	371
400-520		D	1	10	114.0	- 114.0	114.0	-1	300	- 300	300	490	- 490	490
	RS	D	2	15	128.2	- 128.2	128.2	-4		-		564	- 564	564
		D	2	38	115.0	- 130.0	123.3	-8	281	- 298	293	483	- 586	546
		D	3	10	127.0	- 137.2	135.4	1	270	- 292	288	617	- 680	639
520+		C	4	19	143.6	- 145.0	144.0	N/Q	287	- 290	288	870	- 933	913
		D	3	25	135.0	- 138.6	136.2	-5	281	- 289	284	734	- 843	769
		D	4	34	132.0	- 143.0	137.5	-6	275	- 292	286	700	- 915	830
		D	6	1	113.0	- 113.0	113.0	N/Q	251	- 251	251	622	- 622	622
				162	109.0	145.0	130.6		251	300	289	371	933	680
Bulls														
450-600		C	2	2	140.0	- 145.0	142.5	N/Q	250	- 259	255	742	- 841	792
		D	1	1	105.0	- 105.0	105.0	N/Q	210	- 210	210	567	- 567	567
600+		B	2	7	149.0	- 165.0	158.2	-7	257	- 285	273	1110	- 1738	1322
		C	2	7	140.0	- 149.0	144.9	-3	250	- 266	259	885	- 1043	940
		D	1	1	108.0	- 108.0	108.0	N/Q	216	- 216	216	702	- 702	702
				18	105.0	165.0	145.5		210	285	259	567	1738	1038

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2012. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.