

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Great Southern Saleyard

report date 13 Sep 2012

Yarding Change ⁸⁴⁰/₃₉₁

comparison date 30/08/2012

A reasonable yarding was penned following on from the one week break at this market. Heavy and trade weight steer and heifer supplies remained limited, store supplies were fair with moderate supplies of cows available.

Demand for trade and heavy weight steers and heifer remained solid from the local trade while a selective live export demand had light weight yearling steers topping at 250¢ to average 242¢/kg. The store market enjoyed a solid feeder and restocker demand with most sales firm to dearer according to category Light weight yearling heifers to restock ranged from 185¢ to 191¢ while feeders paid 197¢/kg on average for the better quality medium weights.

Cow quality remained fair while trade demand eased marginally on the previous sale on prime grades, while over conditioned and plainer grades enjoyed a solid trade and restocker demand. The medium weight D3's made from 110¢ to 120¢ while the heavy portion averaged 116¢/kg

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
200-280	LE	C	2	7	204.0	- 221.0	215.9	N/Q	385	- 417	407	435	- 583	518
				7	204.0	221.0	215.9		385	417	407	435	583	518
Vealer Heifer														
0-200	RS	D	1	6	218.0	- 218.0	218.0	N/Q	-	-	-	344	- 344	344
280-330		C	2	1	224.0	- 224.0	224.0	N/Q	415	- 415	415	728	- 728	728
330+		D	3	1	190.0	- 190.0	190.0	N/Q	359	- 359	359	732	- 732	732
				8	190.0	224.0	215.3		359	415	387	344	732	441
Yearling Steer														
0-330	LE	C	1	58	230.0	- 250.0	241.7	N/Q	460	- 500	483	532	- 667	619
	FD	C	1	10	227.0	- 227.0	227.0	N/Q	-	-	-	731	- 731	731
	FD	C	2	2	211.0	- 211.0	211.0	N/Q	-	-	-	660	- 660	660
	LE	C	2	1	220.0	- 220.0	220.0	N/Q	415	- 415	415	627	- 627	627
	DA	D	1	39	147.0	- 202.0	161.3	N/Q	320	- 439	351	415	- 612	481
	DA	E	1	3	120.0	- 120.0	120.0	N/Q	279	- 279	279	326	- 326	326
330-400	RS	C	1	20	233.0	- 233.0	233.0	N/Q	-	-	-	783	- 783	783
	FD	C	1	45	228.0	- 237.0	233.1	N/Q	-	-	-	819	- 885	849
	LE	C	1	5	225.0	- 225.0	225.0	N/Q	450	- 450	450	763	- 763	763
	LE	C	2	6	185.0	- 200.0	195.0	N/Q	349	- 385	373	726	- 740	731
	FD	C	2	13	220.0	- 228.0	226.2	N/Q	-	-	-	737	- 845	824
	DA	D	1	31	144.0	- 191.0	171.9	N/Q	313	- 398	363	520	- 744	650
400+	FD	C	2	2	180.0	- 180.0	180.0	N/Q	-	-	-	747	- 747	747
	LE	C	2	10	196.0	- 203.0	197.9	N/Q	363	- 383	369	810	- 890	860
		C	3	10	178.0	- 209.0	198.3	N/Q	324	- 380	361	739	- 1041	977
	LE	C	3	15	195.0	- 195.0	195.0	N/Q	355	- 355	355	975	- 975	975
	DA	D	1	26	138.0	- 187.0	156.8	N/Q	300	- 390	335	556	- 780	642
	DA	D	2	22	176.0	- 188.0	182.5	N/Q	352	- 376	365	748	- 799	776
				318	120.0	250.0	203.3		279	500	390	326	1041	711

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Yearling Heifer														
0-330	FD	C	1	27	184.0	- 186.0	185.0	N/Q	-			467	- 525	497
	RS	C	1	41	185.0	- 191.0	188.5	N/Q	-			457	- 493	478
	RS	D	1	22	160.0	- 170.0	168.6	N/Q	-			384	- 403	387
	RS	D	2	2	159.0	- 159.0	159.0	N/Q	-			461	- 461	461
	FD	D	2	4	185.0	- 188.0	186.5	N/Q	-			592	- 601	597
330-400	FD	C	1	10	190.0	- 190.0	190.0	N/Q	-			705	- 705	705
	FD	C	2	11	197.0	- 197.0	197.0	N/Q	-			758	- 758	758
	RS	D	2	6	140.0	- 140.0	140.0	N/Q	-			465	- 465	465
	FD	D	2	2	170.0	- 170.0	170.0	N/Q	-			600	- 600	600
400+		D	3	1	171.0	- 171.0	171.0	N/Q	317	- 317	317	744	- 744	744
				126	140.0	197.0	181.9		317	317	317	384	758	516
Grown Steer														
500-600		C	2	2	118.0	- 118.0	118.0	N/Q	223	- 223	223	667	- 667	667
		C	3	8	153.0	- 153.0	153.0	N/Q	278	- 278	278	846	- 901	881
	DA	D	2	1	112.0	- 112.0	112.0	N/Q	215	- 215	215	605	- 605	605
600-750		C	3	6	149.0	- 149.0	149.0	N/Q	271	- 271	271	942	- 942	942
				17	112.0	153.0	145.1		215	278	265	605	942	861
Grown Heifer														
0-540	RS	D	2	2	111.0	- 126.0	118.5	N/Q	-			472	- 542	507
		D	3	1	152.0	- 152.0	152.0	N/Q	282	- 282	282	737	- 737	737
	RS	E	2	1	100.0	- 100.0	100.0	N/Q	-			350	- 350	350
540+		D	3	1	125.0	- 125.0	125.0	N/Q	232	- 232	232	894	- 894	894
				5	100.0	152.0	122.8		232	282	257	350	894	599
Manufacturing Steer														
540+		C	4	1	110.0	- 110.0	110.0	N/Q	196	- 196	196	974	- 974	974
				1	110.0	110.0	110.0		196	196	196	974	974	974
Cows														
0-400	RS	D	2	15	102.0	- 119.0	108.8	N/Q	-			364	- 468	406
	RS	E	1	4	60.0	- 60.0	60.0	N/Q	-			200	- 200	200
400-520	RS	D	2	1	108.0	- 108.0	108.0	N/Q	-			486	- 486	486
		D	2	17	102.0	- 123.0	113.5	N/Q	217	- 248	239	487	- 630	571
		D	3	36	110.0	- 120.0	115.2	N/Q	226	- 255	238	488	- 579	540
		D	4	3	111.0	- 111.0	111.0	N/Q	227	- 227	227	577	- 577	577
	RS	E	1	1	90.0	- 90.0	90.0	N/Q	-			428	- 428	428
520+		D	2	9	107.0	- 116.0	113.3	N/Q	228	- 247	241	594	- 780	709
		D	3	85	110.0	- 125.0	116.4	N/Q	220	- 245	233	596	- 881	679
		D	4	21	112.0	- 118.0	115.5	N/Q	224	- 236	230	626	- 805	680
		D	5	12	100.0	- 114.0	105.3	N/Q	200	- 228	211	630	- 664	657
				204	60.0	125.0	113.2		200	255	233	200	881	612
Bulls														
0-450	RS	C	1	5	120.0	- 204.0	172.2	N/Q	-			492	- 697	635
	LE	C	1	12	200.0	- 214.0	210.5	N/Q	392	- 420	413	524	- 567	556
	LE	C	2	2	225.0	- 225.0	225.0	N/Q	409	- 409	409	551	- 551	551
	RS	C	2	1	186.0	- 186.0	186.0	N/Q	-			660	- 660	660

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
450-600	RS	C	1	1	100.0	- 100.0	100.0	N/Q	-			475	- 475	475
600+		B	2	4	104.0	- 111.0	107.0	N/Q	176	- 188	184	931	- 1030	984
		C	2	5	75.0	- 105.0	96.4	N/Q	142	- 184	172	581	- 898	759
				30	75.0	225.0	167.8		142	420	320	475	1030	661

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2012. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.