

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

CTLX

report date 06 Nov 2012

Yarding Change ¹⁴⁶⁶
-374

comparison date 30/10/2012

Cattle numbers reduced and the quality varied with only a limited supply of vealers and a large number of yearlings with most going to feed and restocker orders. Grown steers were limited and there were some well covered bullocks. Grown heifers were also well supplied and around 400 mostly well covered cows were offered to the usual buyers.

Vealer sold 4c to 6c cheaper on plainer quality selling from 170c to 208c/kg. Trade yearling steers were firm to 3c dearer with most ranging from 170c to 200c/kg. Feeder and restocking steers were 8c to 10c/kg dearer on average. Trade heifers ranged from 159c to 199c/kg with the medium weights selling to a dearer trend. Grown steers were up 7c but the heavier bullocks eased 3c/kg. Prices ranged from 169c to 185c/kg.

Grown heifers were in good numbers with plenty of younger cattle penned. This had the average up with prices ranging from 132c to 175c/kg for the better lines. Cows sold 2c to 4c/kg cheaper. The better covered 3 and 4 scores ranged from 134c to 143c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+		C	2	1	195.0	- 195.0	195.0	N/Q	361	- 361	361	166	- 166	166
				1	195.0	195.0	195.0		361	361	361	166	166	166
Vealer Steer														
200-280		C	2	1	189.2	- 189.2	189.2	N/Q	350	- 350	350	492	- 492	492
	FD	C	2	1	184.2	- 184.2	184.2	N/Q	-	-	-	507	- 507	507
		D	2	2	130.0	- 160.0	145.0	N/Q	255	- 314	284	325	- 400	363
280-330		C	2	3	189.2	- 200.0	192.9	18	350	- 370	357	540	- 605	582
	FD	C	2	1	170.0	- 170.0	170.0	N/Q	-	-	-	510	- 510	510
				8	130.0	200.0	176.5		255	370	332	325	605	497
Vealer Heifer														
200-280		C	2	4	176.0	- 208.6	192.3	6	332	- 386	359	458	- 584	521
	RS	C	2	1	168.2	- 168.2	168.2	N/Q	-	-	-	412	- 412	412
		D	1	2	110.0	- 110.0	110.0	N/Q	216	- 216	216	253	- 253	253
		D	2	1	122.0	- 122.0	122.0	N/Q	235	- 235	235	317	- 317	317
280-330		C	3	14	178.0	- 207.6	200.3	9	333	- 380	369	534	- 664	603
330+		C	3	5	192.2	- 208.0	202.4	-11	356	- 385	375	702	- 742	724
				27	110.0	208.6	188.7		216	386	352	253	742	570
Yearling Steer														
0-330		B	3	2	189.6	- 189.6	189.6	N/Q	345	- 345	345	531	- 531	531
		C	2	2	195.0	- 195.0	195.0	N/Q	368	- 368	368	536	- 536	536
	FD	C	2	6	183.2	- 183.2	183.2	16	-	-	-	586	- 586	586
	RS	C	2	27	175.0	- 192.2	189.5	14	-	-	-	560	- 630	609
	RS	D	2	1	135.0	- 135.0	135.0	N/Q	-	-	-	405	- 405	405
	FD	D	2	2	143.0	- 143.0	143.0	N/Q	-	-	-	465	- 465	465
		D	2	1	110.0	- 110.0	110.0	N/Q	220	- 220	220	330	- 330	330
330-400	FD	B	3	7	185.6	- 185.6	185.6	N/Q	-	-	-	622	- 622	622
	FD	C	2	37	165.0	- 190.0	181.1	15	-	-	-	586	- 689	665

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
400+	RS	C	2	43	179.2	- 195.2	189.4	29	-			618	- 722	666	
	RS	C	3	27	191.2	- 191.6	191.5	N/Q	-			679	- 728	715	
		C	3	13	170.0	- 200.0	188.8	N/C	315	- 370	349	646	- 761	697	
		D	2	4	120.0	- 168.2	156.2	N/Q	231	- 330	305	456	- 589	556	
	FD	D	2	9	145.0	- 145.0	145.0	N/Q	-			551	- 551	551	
		B	3	6	180.0	- 210.0	197.6	N/Q	327	- 382	359	861	- 954	881	
		C	2	4	166.0	- 166.0	166.0	2	319	- 319	319	697	- 797	747	
	FD	C	2	8	165.0	- 178.2	173.7	6	-			710	- 855	747	
	FD	C	3	21	182.0	- 187.5	184.6	15	-			764	- 844	801	
		C	3	26	175.0	- 188.6	180.6	3	318	- 349	332	756	- 879	809	
				246	110.0	210.0	183.0		220	382	336	330	954	687	
Yearling Heifer															
0-330	RS	C	2	38	158.2	- 172.0	169.9	12	-			512	- 559	552	
		C	2	4	152.2	- 178.2	165.2	10	293	- 343	318	487	- 561	524	
	FD	C	2	32	150.0	- 187.6	182.4	27	-			473	- 544	488	
		C	3	14	163.2	- 180.2	170.5	N/C	302	- 340	318	522	- 586	549	
	FD	D	1	5	139.2	- 139.2	139.2	N/Q	-			376	- 376	376	
	FD	D	2	11	114.2	- 122.0	118.0	-22	-			360	- 390	373	
	RS	D	2	21	139.2	- 176.2	173.2	46	-			278	- 476	466	
		D	2	4	132.6	- 132.6	132.6	22	260	- 260	260	424	- 424	424	
		RS	D	3	2	165.0	- 165.0	165.0	N/Q	-			520	- 520	520
	330-400	RS	C	2	21	155.0	- 173.2	171.5	17	-			513	- 606	597
		C	2	3	150.2	- 155.2	151.9	N/Q	289	- 299	292	518	- 528	521	
FD		C	2	29	152.0	- 172.2	167.9	8	-			509	- 620	596	
FD		C	3	2	160.0	- 160.0	160.0	N/Q	-			592	- 592	592	
		C	3	32	159.6	- 199.2	175.4	20	296	- 369	325	551	- 722	623	
		C	4	3	162.0	- 162.0	162.0	N/Q	300	- 300	300	616	- 616	616	
		D	2	1	120.0	- 120.0	120.0	N/Q	240	- 240	240	456	- 456	456	
FD		D	2	16	135.0	- 150.0	139.0	N/Q	-			470	- 518	486	
RS		D	2	18	150.0	- 161.6	161.0	N/Q	-			503	- 566	562	
FD		D	3	2	150.0	- 150.0	150.0	N/Q	-			518	- 518	518	
400+		D	3	9	140.0	- 171.8	159.8	N/Q	264	- 330	305	476	- 636	568	
		D	4	1	149.2	- 149.2	149.2	N/Q	282	- 282	282	530	- 530	530	
	FD	C	2	12	156.0	- 161.2	157.7	N/Q	-			655	- 677	662	
	RS	C	2	9	155.0	- 155.0	155.0	N/Q	-			636	- 636	636	
	FD	C	3	16	170.0	- 170.0	170.0	10	-			689	- 782	729	
		C	3	1	175.0	- 175.0	175.0	N/Q	330	- 330	330	718	- 718	718	
		C	4	3	156.2	- 156.2	156.2	-19	289	- 289	289	750	- 750	750	
	RS	C	4	5	170.2	- 170.2	170.2	N/Q	-			749	- 749	749	
		D	3	10	155.0	- 160.0	156.0	N/Q	298	- 302	299	636	- 752	662	
		D	4	3	162.6	- 162.6	162.6	N/Q	307	- 307	307	870	- 870	870	
				327	114.2	199.2	164.7		240	369	310	278	870	567	
Grown Steer															
0-400	FD	C	2	3	165.0	- 165.0	165.0	N/Q	-			627	- 627	627	
		D	2	1	115.0	- 115.0	115.0	N/Q	226	- 226	226	437	- 437	437	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
500-600		C	3	38	175.0	- 185.2	179.0	7	324	- 337	328	910	- 1037	956	
600-750		C	3	13	158.0	- 178.0	176.5	N/Q	293	- 324	321	1074	- 1104	1101	
		C	4	48	169.6	- 186.6	176.9	-3	314	- 339	323	1068	- 1260	1153	
				103	115.0	186.6	176.7		226	339	324	437	1260	1052	
Grown Heifer															
0-540	FD	C	2	11	146.0	- 160.0	148.5	N/Q	-	-	-	599	- 672	612	
		C	3	4	155.0	- 155.0	155.0	-4	287	- 287	287	729	- 729	729	
		C	4	9	165.0	- 165.0	165.0	6	311	- 311	311	800	- 800	800	
		D	1	3	118.0	- 118.0	118.0	N/Q	251	- 251	251	448	- 448	448	
			2	6	110.0	- 130.0	120.0	1	229	- 255	245	418	- 644	506	
		FD	D	2	4	112.0	- 112.0	112.0	N/Q	-	-	386	- 386	386	
		FD	D	3	6	142.0	- 142.0	142.0	N/Q	-	-	596	- 596	596	
			D	3	65	132.6	- 165.0	147.7	11	255	- 317	289	532	- 858	694
			D	4	3	142.0	- 170.0	160.7	N/Q	284	- 321	309	724	- 901	842
540+		C	4	3	173.6	- 173.6	173.6	16	328	- 328	328	1007	- 1007	1007	
		D	3	2	145.6	- 155.0	150.3	N/Q	280	- 298	289	815	- 868	842	
			4	2	156.0	- 159.6	157.8	N/Q	294	- 307	301	967	- 1005	986	
			5	3	154.0	- 154.0	154.0	N/Q	296	- 296	296	847	- 847	847	
					121	110.0	173.6	147.1		229	328	289	386	1007	687
Manufacturing Steer															
0-540	DA	D	2	9	111.6	- 122.0	116.2	-16	233	- 254	242	502	- 622	556	
		D	3	2	168.0	- 168.0	168.0	N/Q	323	- 323	323	857	- 857	857	
540+		C	3	1	151.2	- 151.2	151.2	N/Q	285	- 285	285	877	- 877	877	
	DA	D	2	1	134.0	- 134.0	134.0	N/Q	279	- 279	279	764	- 764	764	
				13	111.6	168.0	128.2		233	323	261	502	877	643	
Cows															
0-400		D	1	7	102.0	- 102.0	102.0	32	222	- 222	222	388	- 388	388	
		E	1	1	100.0	- 100.0	100.0	N/Q	227	- 227	227	380	- 380	380	
400-520		C	3	4	136.2	- 136.2	136.2	N/Q	262	- 262	262	627	- 627	627	
		D	1	5	108.0	- 108.0	108.0	N/Q	235	- 235	235	454	- 454	454	
			2	47	107.0	- 125.0	113.5	-4	223	- 260	238	470	- 603	550	
		RS	D	3	1	134.6	- 134.6	134.6	N/Q	-	-	700	- 700	700	
		D	3	112	120.2	- 138.0	130.1	-2	240	- 276	259	575	- 718	653	
			4	8	135.2	- 139.2	138.7	2	270	- 273	273	690	- 724	720	
			E	1	2	95.0	- 95.0	95.0	N/Q	207	- 207	207	390	- 390	390
520+	DA	D	3	1	122.0	- 122.0	122.0	N/Q	254	- 254	254	683	- 683	683	
		D	3	31	120.2	- 140.0	136.4	3	240	- 280	269	649	- 763	730	
	RS	D	4	5	140.6	- 140.6	140.6	N/Q	-	-	745	- 745	745		
		D	4	106	134.0	- 143.0	138.3	-3	263	- 282	272	716	- 953	815	
		D	5	52	124.0	- 141.0	133.5	-1	243	- 277	266	742	- 976	850	
					382	95.0	143.0	130.6		207	282	261	380	976	712
Bulls															
0-450		C	2	32	135.0	- 165.0	148.3	N/C	254	- 306	275	515	- 653	587	
		C	3	1	162.0	- 162.0	162.0	N/Q	295	- 295	295	624	- 624	624	
		D	2	2	120.0	- 128.0	124.0	N/Q	231	- 242	236	444	- 576	510	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
450-600		C	2	15	138.0	- 155.0	148.1	8	251	- 287	270	679	- 899	772
		D	2	1	126.0	- 126.0	126.0	N/Q	233	- 233	233	580	- 580	580
600+		B	2	10	152.0	- 172.0	161.6	2	270	- 293	281	1034	- 1666	1339
		C	2	8	144.0	- 155.0	152.0	-3	262	- 277	273	960	- 1333	1113
				69	120.0	172.0	149.8		231	306	273	444	1666	795

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2012. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.