

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Toowoomba Elders

report date 03 Dec 2012

Yarding Change $\frac{852}{62}$

comparison date 26/11/2012

The number of cattle yarded was up slightly, consisting of a large percentage of young cattle and a mixed yarding of grown cattle. Quality of the young cattle was fairly mixed with limited numbers of finished trade cattle, as most young cattle were in plain condition.

Vealer heifers sold to a cheaper trend. Trade yearling steers gained 2c after selling to 217.2c/kg. Trade yearling heifers held firm to average around 170c/kg. Light feeder steers remained firm, however restocker cattle attracted limited interest.

The yarding of export cattle consisted of a good run of bullocks and grown steers and a fair penning of cows and heifers. Bullocks and grown steers sold firm to slightly dearer to average around 180c/kg, while cows were firm to 2c/kg dearer.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+	RS	D	1	13	140.0	- 203.2	176.6	N/Q	-			224	- 284	254
	RS	D	2	9	170.0	- 185.2	178.7	N/Q	-			232	- 323	267
		D	2	2	171.2	- 171.2	171.2	N/Q	342	- 342	342	274	- 274	274
				24	140.0	203.2	176.9		342	342	343	224	323	261
Vealer Steer														
200-280		C	2	11	177.2	- 184.2	182.9	-10	334	- 341	340	443	- 479	472
	RS	C	2	47	184.2	- 196.2	186.4	N/Q	-			461	- 510	478
	RS	D	2	2	165.2	- 165.2	165.2	N/Q	-			363	- 363	363
				60	165.2	196.2	185.1		334	341	340	363	510	473
Vealer Heifer														
200-280		C	2	31	160.0	- 194.2	180.4	-18	296	- 360	335	387	- 524	462
	RS	C	2	14	190.2	- 190.2	190.2	N/Q	-			456	- 456	456
	RS	D	2	13	159.2	- 160.0	159.5	N/Q	-			366	- 368	367
		D	2	2	166.2	- 166.2	166.2	N/Q	332	- 332	332	416	- 416	416
				60	159.2	194.2	177.7		296	360	335	366	524	438
Yearling Steer														
0-330		C	2	4	160.0	- 160.0	160.0	-28	302	- 302	302	416	- 416	416
	FD	C	2	16	170.0	- 181.2	179.1	-9	-			561	- 598	591
	RS	C	2	44	155.2	- 208.2	196.2	3	-			435	- 653	572
		D	2	10	167.2	- 167.2	167.2	2	334	- 334	334	451	- 451	451
	RS	D	2	21	162.2	- 180.0	169.8	-2	-			438	- 468	451
330-400	FD	C	2	8	170.2	- 198.2	173.7	-16	-			596	- 714	610
		C	3	3	193.2	- 217.2	209.2	26	358	- 395	383	738	- 753	743
400+		C	3	12	178.2	- 178.2	178.2	2	324	- 324	324	766	- 766	766
				118	155.2	217.2	182.5		302	395	331	416	766	564
Yearling Heifer														
0-330	FD	C	2	41	171.2	- 194.2	176.8	-15	-			462	- 641	531
	RS	C	2	5	155.0	- 179.2	169.5	N/Q	-			465	- 591	541
		C	2	75	158.0	- 188.2	169.7	-13	296	- 349	317	411	- 552	485

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		C	3	1	181.2	- 181.2	181.2	N/Q	336	- 336	336	598	- 598	598
		D	1	6	120.2	- 120.2	120.2	N/Q	250	- 250	250	288	- 288	288
		D	2	2	130.0	- 130.0	130.0	N/Q	260	- 260	260	364	- 364	364
330-400	RS	D	2	16	138.2	- 159.2	149.3	-17	-	-	-	336	- 456	388
	FD	C	2	43	147.2	- 180.0	169.2	9	-	-	-	544	- 693	622
	RS	C	2	6	163.2	- 163.2	163.2	N/Q	-	-	-	571	- 571	571
		C	2	19	150.2	- 159.2	155.8	N/Q	283	- 300	294	526	- 573	555
		C	3	15	167.2	- 176.2	171.1	-5	310	- 326	317	635	- 681	650
400+		C	3	11	168.2	- 178.2	170.8	10	312	- 330	316	706	- 748	718
				240	120.2	194.2	166.8		250	349	310	288	748	535
Grown Steer														
0-400	FD	C	2	59	147.2	- 181.2	171.3	N/Q	-	-	-	515	- 725	675
	RS	C	2	23	152.2	- 152.2	152.2	N/Q	-	-	-	548	- 548	548
	RS	D	2	6	120.2	- 120.2	120.2	N/Q	-	-	-	481	- 481	481
	FD	D	2	4	124.2	- 124.2	124.2	N/Q	-	-	-	497	- 497	497
400-500	FD	C	2	15	162.2	- 176.2	168.7	N/Q	-	-	-	746	- 759	755
	FD	C	3	11	163.2	- 174.2	168.2	8	-	-	-	715	- 826	759
	FD	D	2	2	145.0	- 145.0	145.0	N/Q	-	-	-	609	- 609	609
500-600		C	3	30	151.2	- 174.2	169.9	7	280	- 317	313	816	- 1005	930
		C	4	43	170.0	- 186.2	179.2	1	315	- 339	327	952	- 1066	1011
	RM	C	4	1	183.2	- 183.2	183.2	N/Q	333	- 333	333	1026	- 1026	1026
600-750		C	4	22	166.2	- 186.2	183.9	14	302	- 339	334	1142	- 1230	1169
				216	120.2	186.2	169.1		280	339	324	481	1230	816
Grown Heifer														
0-540	FD	C	2	9	140.0	- 181.2	176.6	N/Q	-	-	-	560	- 689	674
		C	3	18	163.2	- 167.2	164.4	N/Q	302	- 312	307	685	- 769	716
		C	4	3	162.2	- 162.2	162.2	-3	300	- 300	300	811	- 811	811
	FD	D	2	3	123.2	- 123.2	123.2	N/Q	-	-	-	517	- 517	517
		D	2	15	107.2	- 128.2	119.6	1	223	- 267	245	429	- 590	528
	RS	D	2	6	107.2	- 107.2	107.2	N/Q	-	-	-	407	- 407	407
				54	107.2	181.2	145.2		223	312	281	407	811	617
Cows														
0-400	DA	E	1	10	79.2	- 94.2	82.5	N/Q	198	- 236	206	301	- 377	310
400-520		D	2	8	95.2	- 120.2	108.6	-10	207	- 261	235	476	- 541	507
	RS	D	2	1	114.2	- 114.2	114.2	N/Q	-	-	-	491	- 491	491
	DA	D	2	1	100.0	- 100.0	100.0	N/Q	222	- 222	222	520	- 520	520
		D	3	14	125.0	- 135.2	129.3	-5	261	- 282	273	588	- 676	628
	DA	E	1	4	85.2	- 87.2	86.7	N/Q	213	- 218	217	426	- 436	434
520+	DA	D	2	9	114.2	- 1000.0	226.3	N/Q	254	- 2222	494	628	- 6000	1354
	DA	D	3	3	122.0	- 136.2	126.7	N/Q	260	- 290	270	732	- 1022	829
		D	3	9	134.2	- 143.2	138.5	2	280	- 298	289	741	- 859	822
		D	4	6	141.2	- 159.2	149.9	2	282	- 318	299	810	- 983	883
				65	79.2	1000.0	132.7		198	2222	289	301	6000	709
Bulls														
0-450	FD	C	2	3	130.0	- 130.0	130.0	-29	-	-	-	520	- 520	520

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
450-600		C	2	1	166.2	- 166.2	166.2	N/Q	314	- 314	314	997	- 997	997
600+		C	2	7	138.2	- 171.2	156.8	22	256	- 306	286	1002	- 1496	1187
				11	130.0	171.2	150.4		256	314	290	520	1496	988

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2012. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.