

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Pakenham

report date 21 Jan 2013

Yarding Change 1682
-234

comparison date 14/01/2013

There were approximately 850 trade and 850 grown cattle penned. The usual buying group was present for a cheaper market. Plainer condition cattle dominated the selling pens with feeders and restockers operating on the young lines however very little interest was shown overall. The best trade cattle were 5c to 10c cheaper while the grown steers and bullocks were back 8c to 10c on the best C muscle lines and 2c to 12c/kg on the D muscle drafts.

The best vealer steers sold from 162c to 201c/kg. The best vealer heifers made between 142c and 179c/kg. The C3 yearling grass steers sold between 160c and 186c/kg. The yearling grass heifers topped at 175 however the greater proportion were in D3 condition and made from 123c to 156c to be the only category to gain ground, specifically 4c/kg. Feeder steers sold from 124c to 185c/kg.

C muscle grown steers made between 160c and 165c/kg. C muscle bullocks sold between 149c and 166c/kg. Plainer shaped D muscle beef bred grown steers and bullocks made from 140c to 160c/kg. 3 and 4 score grown empty heifers sold from 122c to 155c with the leaner drafts making from 91c to 129c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head				
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg		
Vealer Steer																
200-280	FD	C	2	7	143.2	- 162.0	145.9	-17	-	-	-	401	- 454	408		
		C	3	1	188.2	- 188.2	188.2	N/Q	342	- 342	342	527	- 527	527		
	RS	D	2	9	131.6	- 152.0	144.0	-6	-	-	-	342	- 418	363		
		D	2	1	116.6	- 116.6	116.6	N/Q	-	-	-	303	- 303	303		
280-330	RS	C	2	1	130.0	- 130.0	130.0	N/Q	-	-	-	390	- 390	390		
		FD	C	2	17	155.0	- 162.0	156.4	-10	-	-	-	465	- 518	496	
			C	2	10	150.0	- 167.6	155.8	-14	278	- 305	284	443	- 553	476	
	FD	C	3	10	170.0	- 182.0	175.7	-9	304	- 325	314	525	- 546	530		
		C	3	3	193.6	- 193.6	193.6	18	-	-	-	620	- 620	620		
		D	2	15	125.0	- 155.0	143.3	8	-	-	-	396	- 496	455		
	RS	D	2	1	134.6	- 134.6	134.6	N/Q	-	-	-	431	- 431	431		
		D	3	5	135.2	- 156.6	151.8	N/Q	250	- 290	281	446	- 517	492		
330+	C	2	9	151.6	- 165.0	160.2	-6	276	- 300	293	532	- 611	568			
		FD	C	2	17	144.6	- 165.0	159.8	-4	-	-	506	- 611	569		
	C	3	55	161.6	- 200.6	179.2	-5	294	- 358	322	549	- 782	657			
		FD	C	3	7	172.0	- 185.0	176.7	-4	-	-	602	- 648	618		
	FD	D	2	3	134.6	- 145.0	141.5	-10	-	-	485	- 508	500			
	FD	D	3	4	134.6	- 145.6	142.9	N/Q	-	-	-	471	- 495	489		
		D	3	1	148.0	- 148.0	148.0	N/Q	274	- 274	274	518	- 518	518		
	RS	D	3	8	144.6	- 162.0	146.8	N/Q	-	-	-	521	- 567	526		
						184	116.6	200.6	162.6		250	358	311	303	782	548
	Vealer Heifer															
200-280	C	2	8	133.0	- 155.0	138.7	-20	246	- 287	257	341	- 374	352			
		FD	C	2	7	143.2	- 148.0	146.6	N/C	-	-	344	- 407	389		
	RS	D	2	4	126.6	- 126.6	126.6	25	-	-	-	329	- 329	329		
		D	2	9	102.6	- 135.6	125.9	-15	197	- 251	239	246	- 364	334		

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
280-330		D	3	20	112.6	- 140.6	134.6	N/Q	217	- 265	251	315	- 392	367
		C	2	14	142.0	- 158.6	147.9	-16	263	- 288	274	435	- 476	468
	FD	C	2	11	133.6	- 148.0	142.7	-12	-	-	-	401	- 444	428
	FD	C	3	1	135.0	- 135.0	135.0	N/Q	-	-	-	405	- 405	405
		C	3	2	160.0	- 165.0	162.5	N/Q	291	- 300	296	480	- 528	504
330+		D	2	13	125.0	- 137.0	135.3	1	236	- 254	252	375	- 411	406
		D	3	47	130.0	- 146.0	141.5	6	241	- 272	264	392	- 471	452
	FD	D	3	1	138.0	- 138.0	138.0	N/Q	-	-	-	442	- 442	442
		B	2	1	164.6	- 164.6	164.6	N/Q	299	- 299	299	576	- 576	576
		C	2	21	148.0	- 165.0	153.6	-3	269	- 300	284	503	- 582	525
	FD	C	2	2	152.0	- 152.0	152.0	N/Q	-	-	-	517	- 517	517
	FD	C	3	3	157.6	- 157.6	157.6	-4	-	-	-	552	- 552	552
		C	3	35	141.6	- 178.6	166.1	-7	258	- 325	302	481	- 688	604
		D	2	1	110.0	- 110.0	110.0	N/Q	212	- 212	212	385	- 385	385
	FD	D	2	1	125.0	- 125.0	125.0	N/Q	-	-	-	425	- 425	425
	D	3	13	135.0	- 148.6	141.0	4	250	- 270	260	459	- 508	481	
				214	102.6	178.6	145.6		197	325	270	246	688	464
Yearling Steer														
0-330	FD	D	2	9	135.0	- 163.6	148.8	13	-	-	-	410	- 491	432
		D	3	4	145.0	- 148.6	145.9	N/Q	269	- 275	270	464	- 476	467
330-400		C	2	9	152.0	- 165.0	158.3	-2	276	- 300	288	532	- 652	582
	FD	C	2	4	143.6	- 155.0	148.6	-12	-	-	-	517	- 589	539
		C	3	20	163.6	- 185.6	173.1	-6	298	- 331	312	614	- 742	661
		D	2	1	124.6	- 124.6	124.6	N/Q	235	- 235	235	498	- 498	498
	FD	D	2	9	124.2	- 138.6	132.8	-12	-	-	-	435	- 554	503
	RS	D	2	2	142.0	- 142.0	142.0	N/Q	-	-	-	533	- 533	533
	RS	D	3	8	138.0	- 142.0	139.1	N/Q	-	-	-	469	- 568	497
	FD	D	3	11	136.0	- 145.0	140.3	-11	-	-	-	462	- 551	503
		D	3	30	136.6	- 165.0	151.8	4	253	- 306	281	495	- 627	543
400+		C	2	1	140.0	- 140.0	140.0	N/Q	259	- 259	259	644	- 644	644
		C	3	14	160.0	- 180.0	170.2	7	291	- 321	307	704	- 864	775
		D	2	1	132.6	- 132.6	132.6	N/Q	255	- 255	255	557	- 557	557
	RS	D	2	1	124.6	- 124.6	124.6	N/Q	-	-	-	523	- 523	523
	RS	D	3	8	135.0	- 135.0	135.0	-14	-	-	-	594	- 594	594
		D	3	14	132.2	- 152.6	147.6	-3	245	- 283	273	621	- 696	660
				146	124.2	185.6	151.7		235	331	290	410	864	581
Yearling Heifer														
0-330	FD	C	2	2	133.6	- 133.6	133.6	N/Q	-	-	-	401	- 401	401
	RS	D	1	12	104.6	- 105.6	105.3	N/Q	-	-	-	293	- 317	309
	RS	D	2	9	112.6	- 115.6	115.3	-18	-	-	-	315	- 347	343
		D	2	6	103.6	- 122.6	107.8	-28	199	- 236	207	332	- 392	345
330-400		C	3	2	148.0	- 148.0	148.0	N/Q	269	- 269	269	518	- 518	518
	FD	D	2	1	123.2	- 123.2	123.2	N/Q	-	-	-	431	- 431	431
		D	2	16	110.0	- 136.0	121.6	-11	212	- 252	233	385	- 502	447
		D	3	74	123.2	- 156.0	143.9	1	228	- 289	267	431	- 584	521

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+	FD	D	3	22	131.6	- 145.0	134.7	-9	-			468	- 511	479
		C	3	15	150.0	- 174.6	164.3	4	273	- 318	299	660	- 905	880
		D	3	12	122.6	- 144.6	129.8	N/Q	227	- 268	240	515	- 622	553
				171	103.6	174.6	135.8		199	318	261	293	905	510
Grown Steer														
400-500		D	3	3	145.6	- 164.0	157.9	3	270	- 298	289	670	- 820	770
500-600		C	3	96	160.0	- 165.0	162.9	-8	291	- 306	296	842	- 990	926
		C	4	15	157.6	- 163.0	162.3	N/Q	287	- 291	291	906	- 978	968
		D	2	6	127.6	- 127.6	127.6	N/Q	236	- 236	236	689	- 689	689
600-750	RS	D	3	33	157.6	- 157.6	157.6	N/Q	-			867	- 867	867
		D	3	105	140.0	- 157.2	149.8	-12	259	- 291	276	805	- 902	858
		C	3	47	149.2	- 165.6	161.7	-10	266	- 300	292	1007	- 1064	1028
		C	4	28	155.0	- 162.6	159.4	N/Q	277	- 290	285	961	- 1075	1046
		D	2	1	131.6	- 131.6	131.6	N/Q	244	- 244	244	987	- 987	987
		D	3	90	141.6	- 160.0	154.4	-2	258	- 291	283	915	- 1034	975
		D	4	24	138.0	- 159.2	155.0	N/Q	251	- 290	279	930	- 1114	1056
				448	127.6	165.6	156.4		236	306	285	670	1114	938
Grown Heifer														
0-540		D	2	29	107.6	- 128.6	112.9	-12	220	- 250	229	506	- 611	539
540+	RS	D	2	2	90.6	- 90.6	90.6	N/Q	-			290	- 290	290
		D	3	34	122.0	- 135.0	129.4	-12	235	- 260	252	583	- 648	614
		D	4	17	134.0	- 155.0	152.5	20	258	- 298	293	724	- 837	824
		C	3	2	142.2	- 147.6	144.9	N/Q	263	- 273	268	782	- 856	819
		D	2	3	113.0	- 113.0	113.0	-6	226	- 226	226	678	- 678	678
		D	3	1	119.2	- 119.2	119.2	N/Q	229	- 229	229	775	- 775	775
		D	4	16	120.0	- 132.0	125.4	N/C	231	- 254	238	739	- 792	756
				104	90.6	155.0	126.9		220	298	250	290	856	650
Manufacturing Steer														
0-540		D	2	2	114.6	- 116.6	115.6	N/C	220	- 224	222	596	- 630	613
540+		D	3	3	130.6	- 135.6	133.9	-6	251	- 256	254	620	- 678	659
		D	2	1	123.6	- 123.6	123.6	N/Q	233	- 233	233	803	- 803	803
		D	3	21	127.6	- 146.6	136.2	-9	236	- 272	254	749	- 982	847
		D	4	2	137.6	- 141.2	139.4	N/Q	260	- 266	263	757	- 777	767
		D	6	9	76.6	- 76.6	76.6	N/Q	139	- 139	139	766	- 766	766
				38	76.6	146.6	120.7		139	272	225	596	982	795
Cows														
520+		D	1	1	95.0	- 95.0	95.0	N/Q	207	- 207	207	513	- 513	513
				1	95.0	95.0	95.0		207	207	206	513	513	513
Bulls														
0-450		D	2	6	106.6	- 106.6	106.6	-15	194	- 194	194	448	- 448	448
450-600		C	2	2	125.0	- 125.0	125.0	N/Q	223	- 223	223	594	- 675	634
		D	2	1	115.0	- 115.0	115.0	N/Q	217	- 217	217	529	- 529	529
				9	106.6	125.0	111.7		194	223	203	448	675	498

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.