

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 24 Jan 2013

Yarding Change 2860
-360

comparison date 17/01/2013

Consignments slipped for a mixed quality yarding as most weights and grades were represented. Good runs of yearlings together with only fair numbers of grown steers and heifers were penned. There were around 500 cows offered and with substantial rainfall measured in the northern region all categories sold to stronger competition.

Vealer steers to restockers lifted 8c to 12c/kg as the heifer portion also to restocker orders lifted much the same. Light and medium weight yearling steers to restockers and lot feeder purchases gained 11c to 15c as the best reached 193c/kg. Heavy weights to the same orders lifted 7c to 8c/kg. Yearling heifers traded firm to 10c/kg dearer as the northern restocker orders pushed prices higher.

Older steers to the lot feeders remained firm to 4c dearer as prime conditioned heavy weights to slaughter improved 2c to 4c/kg. The heifer portion sold at similar prices compared to the last market. Cows sold to stronger competition as lightweights to restockers gained 12c as the better conditioned pens to the processors lifted 4c to 5c/kg. The plainer 2 scores averaged 114c, while the 3 and 4 scores ranged from 120c to 145c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80		C	1	2	161.6	- 161.6	161.6	N/Q	311	- 311	311	97	- 97	97
	RS	C	2	1	170.0	- 170.0	170.0	N/Q	-	-	-	136	- 136	136
		D	1	2	125.0	- 125.0	125.0	N/Q	260	- 260	260	75	- 75	75
	RS	D	1	1	125.0	- 125.0	125.0	N/Q	-	-	-	75	- 75	75
80+		C	2	1	140.0	- 140.0	140.0	N/Q	280	- 280	280	154	- 154	154
	RS	C	2	3	170.0	- 170.0	170.0	14	-	-	-	255	- 255	255
				10	125.0	170.0	151.8		260	311	285	75	255	147
Vealer Steer														
0-200	RS	C	1	5	158.0	- 158.0	158.0	N/Q	-	-	-	292	- 292	292
	RS	C	2	38	170.0	- 184.0	178.7	N/Q	-	-	-	255	- 331	294
200-280	RS	C	2	59	168.0	- 192.2	182.3	8	-	-	-	373	- 461	426
		D	2	1	144.0	- 144.0	144.0	N/Q	288	- 288	288	374	- 374	374
280-330	RS	C	2	1	165.0	- 165.0	165.0	N/Q	-	-	-	495	- 495	495
	FD	C	2	8	170.0	- 171.0	170.9	N/Q	-	-	-	510	- 513	513
330+		C	3	7	175.0	- 194.0	188.6	21	324	- 346	340	665	- 778	746
				119	144.0	194.0	179.3		288	346	334	255	778	403
Vealer Heifer														
0-200	RS	C	2	17	143.6	- 158.0	146.1	N/Q	-	-	-	237	- 244	243
		D	2	1	132.6	- 132.6	132.6	N/Q	265	- 265	265	245	- 245	245
200-280	RS	C	2	32	156.0	- 175.0	169.0	26	-	-	-	406	- 442	422
		C	2	43	140.0	- 160.0	153.7	4	269	- 308	296	360	- 419	383
	RS	D	1	1	100.0	- 100.0	100.0	N/Q	-	-	-	230	- 230	230
	RS	D	2	20	140.0	- 140.0	140.0	N/Q	-	-	-	336	- 336	336
		D	2	6	129.2	- 135.2	134.2	14	258	- 270	268	265	- 338	326
280-330		C	2	30	150.0	- 164.0	157.4	15	289	- 315	301	428	- 525	464
	RS	C	2	1	161.6	- 161.6	161.6	N/Q	-	-	-	485	- 485	485

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		C	3	1	166.0	- 166.0	166.0	N/Q	319	- 319	319	498	- 498	498
				152	100.0	175.0	153.9		258	319	295	230	525	383
Yearling Steer														
0-330	FD	C	2	39	159.6	- 186.2	181.2	13	-			447	- 602	564
	RS	C	2	59	162.0	- 184.0	177.6	11	-			479	- 570	528
	FD	D	2	1	141.2	- 141.2	141.2	N/Q	-			395	- 395	395
	RS	D	2	31	134.0	- 165.0	153.5	8	-			307	- 446	424
		D	2	1	126.0	- 126.0	126.0	N/Q	252	- 252	252	403	- 403	403
330-400		C	2	5	145.0	- 145.0	145.0	N/Q	290	- 290	290	493	- 493	493
	FD	C	2	52	150.0	- 193.0	188.0	15	-			525	- 714	671
	RS	C	2	148	160.0	- 189.6	185.9	15	-			560	- 720	684
	FD	C	3	1	185.0	- 185.0	185.0	N/Q	-			685	- 685	685
	RS	C	3	9	191.2	- 191.2	191.2	N/Q	-			727	- 727	727
	RS	D	2	1	125.0	- 125.0	125.0	N/Q	-			425	- 425	425
400+	FD	C	2	105	168.2	- 183.2	177.3	9	-			697	- 788	750
	RS	C	2	19	170.2	- 174.0	171.0	-1	-			698	- 740	728
	FD	C	3	44	164.0	- 191.6	186.5	10	-			705	- 824	807
	RS	C	3	42	165.2	- 189.2	183.8	9	-			697	- 842	776
		C	3	31	158.0	- 189.6	175.6	7	293	- 345	321	648	- 833	749
				588	125.0	193.0	180.0		252	345	315	307	842	675
Yearling Heifer														
0-330	RS	C	1	10	142.0	- 142.0	142.0	N/Q	-			369	- 369	369
	RS	C	2	31	140.0	- 165.0	153.0	-1	-			392	- 470	461
	FD	C	2	108	140.0	- 164.0	154.7	13	-			426	- 525	486
		C	2	36	151.0	- 152.0	151.3	-1	292	- 302	299	378	- 502	415
		C	3	8	145.0	- 145.0	145.0	N/Q	290	- 290	290	413	- 413	413
		D	2	18	128.0	- 130.0	129.3	1	256	- 260	259	312	- 384	351
	FD	D	2	12	130.0	- 136.0	134.5	3	-			429	- 449	444
	RS	D	2	26	120.0	- 137.2	133.8	4	-			277	- 370	324
330-400		C	2	3	150.0	- 150.0	150.0	-9	294	- 294	294	510	- 510	510
	FD	C	2	58	140.0	- 163.0	154.0	1	-			469	- 619	542
	RS	C	2	9	150.0	- 161.0	151.2	N/Q	-			510	- 564	516
	FD	C	3	9	157.0	- 159.0	158.1	N/Q	-			541	- 565	552
		C	3	3	182.6	- 182.6	182.6	32	338	- 338	338	694	- 694	694
		D	2	6	130.0	- 130.0	130.0	-10	260	- 260	260	442	- 442	442
	FD	D	2	13	120.0	- 136.0	121.2	-10	-			408	- 462	412
	FD	D	3	1	145.0	- 145.0	145.0	N/Q	-			493	- 493	493
400+	FD	C	2	35	140.0	- 159.2	151.5	1	-			567	- 685	633
	RS	C	2	12	147.0	- 147.0	147.0	N/Q	-			603	- 603	603
	FD	C	3	22	151.2	- 156.0	153.6	12	-			626	- 635	630
		C	3	29	150.0	- 182.6	171.6	14	289	- 338	321	644	- 767	718
	RS	C	3	68	150.0	- 168.0	161.6	N/Q	-			623	- 739	680
				517	120.0	182.6	151.9		256	338	296	277	767	527
Grown Steer														
0-400	RS	C	1	17	164.0	- 164.0	164.0	N/Q	-			525	- 525	525

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400-500	FD	C	2	9	147.2	- 170.2	152.3	N/C	-			515	- 613	537
	RS	D	1	1	100.0	- 100.0	100.0	N/Q	-			370	- 370	370
	RS	D	2	14	110.0	- 142.0	133.5	7	-			407	- 498	433
		D	2	1	120.2	- 120.2	120.2	N/Q	240	- 240	240	457	- 457	457
	FD	C	2	58	151.0	- 176.0	165.5	N/C	-			664	- 739	722
	RS	C	2	41	157.0	- 165.2	161.7	4	-			660	- 782	740
		C	2	40	130.0	- 155.2	146.8	8	250	- 299	283	559	- 698	662
	FD	C	3	28	167.0	- 172.0	170.5	N/Q	-			770	- 836	805
500-600	RS	C	3	2	160.0	- 160.0	160.0	N/Q	-			704	- 704	704
	RS	D	2	1	123.0	- 123.0	123.0	N/Q	-			517	- 517	517
		D	2	2	125.2	- 130.0	127.6	N/Q	250	- 260	255	513	- 546	530
		C	2	1	154.0	- 154.0	154.0	N/Q	296	- 296	296	785	- 785	785
	FD	C	3	28	175.0	- 175.0	175.0	N/Q	-			884	- 884	884
		C	3	66	163.0	- 177.2	171.8	2	302	- 328	316	890	- 1010	944
		C	4	31	166.0	- 176.0	175.7	1	302	- 320	319	930	- 1021	1010
	600-750	C	3	19	167.0	- 168.6	168.5	9	309	- 312	312	1019	- 1020	1020
	C	4	21	165.0	- 175.6	174.4	2	300	- 319	316	1055	- 1057	1056	
				380	100.0	177.2	164.5		240	328	308	370	1057	804
Grown Heifer														
0-540		C	2	3	135.0	- 145.0	141.7	N/Q	281	- 302	295	551	- 567	556
	FD	C	2	3	138.0	- 145.0	142.7	13	-			593	- 595	594
		C	3	23	145.0	- 158.0	148.0	-1	290	- 316	296	595	- 695	634
	RS	D	1	37	100.0	- 119.2	113.5	-7	-			280	- 417	380
	RS	D	2	13	100.0	- 110.0	100.8	N/Q	-			320	- 374	324
	FD	D	2	5	128.6	- 128.6	128.6	2	-			412	- 412	412
		D	2	25	115.0	- 130.0	119.8	-5	260	- 289	269	403	- 624	454
	FD	D	3	1	132.0	- 132.0	132.0	N/Q	-			581	- 581	581
		D	3	1	135.0	- 135.0	135.0	N/Q	281	- 281	281	621	- 621	621
		E	2	3	77.6	- 77.6	77.6	N/Q	199	- 199	199	256	- 256	256
	RS	E	2	4	50.0	- 50.0	50.0	N/Q	-			143	- 143	143
540+		C	3	26	146.0	- 158.0	152.7	1	292	- 316	305	825	- 878	854
		D	3	4	138.0	- 138.0	138.0	N/Q	288	- 288	288	759	- 759	759
				148	50.0	158.0	125.9		199	316	287	143	878	524
Manufacturing Steer														
0-540	DA	D	2	5	110.0	- 110.0	110.0	-15	229	- 229	229	495	- 495	495
		D	2	6	124.0	- 124.0	124.0	N/Q	258	- 258	258	322	- 322	322
		E	1	1	50.0	- 50.0	50.0	N/Q	119	- 119	119	170	- 170	170
540+	DA	D	3	1	122.0	- 122.0	122.0	N/Q	244	- 244	244	695	- 695	695
				13	50.0	124.0	112.8		119	258	235	170	695	406
Cows														
0-400		D	1	24	80.0	- 102.0	94.3	-5	211	- 268	248	272	- 388	345
	RS	D	1	16	106.2	- 120.2	116.7	20	-			372	- 433	417
		E	1	5	65.0	- 86.0	69.2	29	186	- 246	198	221	- 301	245
400-520		D	1	48	85.0	- 111.0	99.5	9	224	- 264	255	349	- 488	430

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
520+		D	2	159	105.0	- 125.0	114.8	4	250	- 291	268	445	- 588	520
		D	3	31	120.0	- 131.0	126.9	4	255	- 273	266	552	- 600	591
		C	3	50	129.6	- 145.2	138.9	3	259	- 290	277	785	- 944	875
		C	4	7	140.0	- 145.2	143.0	5	280	- 290	286	924	- 958	944
		D	2	5	120.0	- 124.0	122.4	-6	273	- 288	283	648	- 694	681
		D	3	62	123.6	- 138.0	133.8	6	269	- 288	275	680	- 865	773
		D	4	35	125.0	- 134.2	131.1	-3	260	- 280	273	793	- 924	830
		D	5	2	110.0	- 110.0	110.0	N/Q	239	- 239	239	726	- 726	726
				444	65.0	145.2	119.6		186	291	267	221	958	608
Bulls														
0-450	RS	C	2	16	98.2	- 121.2	119.4	N/Q	-	-	-	275	- 484	353
		D	1	1	89.6	- 89.6	89.6	N/C	199	- 199	199	224	- 224	224
450-600		B	2	1	153.0	- 153.0	153.0	N/Q	268	- 268	268	887	- 887	887
600+		B	2	9	145.0	- 166.2	160.7	8	250	- 287	277	1015	- 1595	1302
		C	2	1	148.6	- 148.6	148.6	N/Q	265	- 265	265	1189	- 1189	1189
				28	89.6	166.2	133.9		199	287	269	224	1595	703

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.