

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 31 Jan 2013

Yarding Change ⁷⁷²²
4862

comparison date 24/01/2013

Quality remained mixed and numbers lifted as fair percentages of vealers were penned. Yearlings were well supplied with heavy steers suitable for slaughter limited in number. Grown heifers on average lifted in quality as around 500 cows were offered. Competition was again solid with northern restocker interest pushing prices higher.

Yearling steers to restocker and lot feeder orders lifted 5c to 7c as light and medium weights ranged from 165c to 198c/kg dependent on breed. Heavy weights to the same orders sold firm to 5c/kg dearer. Yearling heifers to feed and restocker purchases lifted 6c as the best medium weights reached 167c/kg. Heavy weights to the butchers lifted 2c to top at 174c for the C muscles as the better B muscles reached 184c/kg.

Heavy grown steers to slaughter remained firm to 2c dearer to sell from 165c to 177c/kg. The better selection of grown heifers lifted 12c to reach 169c as European crosses topped at 170.2c/kg. Cows continued the dearer trend as the plainer quality lines lifted 10c, while the better covered pens improved 3c to 6c/kg. The 2 scores averaged 118c as the 3 and 4 scores ranged from 125c to 152c/kg. The best well-muscled heavy weight bull reached 175c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
Calves															
0-80		C	1	3	160.0	- 160.0	160.0	-2	314	- 314	314	128	- 128	128	
		RS	C	1	7	158.0	- 202.0	176.9	N/Q	-	-	95	- 141	115	
			C	2	2	160.0	- 160.0	160.0	N/Q	308	- 308	308	128	- 128	128
			D	2	1	136.0	- 136.0	136.0	N/Q	272	- 272	272	88	- 88	88
		RS	D	2	6	120.0	- 202.0	171.8	N/Q	-	-	90	- 152	126	
80+	RS	D	2	25	120.0	- 202.2	156.9	N/Q	-	-	149	- 394	195		
		D	2	25	150.0	- 160.0	154.8	N/Q	289	- 308	298	216	- 287	277	
				69	120.0	202.2	159.4		272	314	299	88	394	204	
Vealer Steer															
0-200	RS	C	2	47	185.0	- 197.2	190.2	12	-	-	306	- 350	332		
		RS	C	2	25	185.0	- 204.2	194.1	15	-	-	296	- 368	325	
200-280	RS	C	2	98	160.0	- 200.0	188.1	6	-	-	393	- 502	433		
		RS	C	2	64	159.2	- 200.2	184.7	2	-	-	334	- 505	438	
		D	2	7	159.2	- 159.2	159.2	15	318	- 318	318	398	- 398	398	
		D	3	6	159.2	- 159.2	159.2	N/Q	312	- 312	312	350	- 350	350	
				247	159.2	204.2	186.7		312	318	316	296	505	401	
Vealer Heifer															
0-200		C	2	3	165.0	- 165.0	165.0	N/Q	324	- 324	324	322	- 322	322	
		RS	C	2	62	168.2	- 180.2	173.2	27	-	-	311	- 337	322	
			C	2	6	140.0	- 150.0	146.7	N/Q	269	- 300	290	224	- 270	255
		RS	C	2	16	177.2	- 177.2	177.2	31	-	-	301	- 301	301	
		RS	D	1	4	171.2	- 171.2	171.2	N/Q	-	-	223	- 223	223	
		RS	D	3	7	140.0	- 140.0	140.0	N/Q	-	-	273	- 273	273	
200-280		C	2	7	158.0	- 165.0	161.0	7	298	- 317	306	435	- 437	436	
	RS	C	2	112	145.0	- 180.2	162.9	-6	-	-	345	- 465	392		
		C	2	25	157.6	- 172.6	168.9	15	303	- 332	325	347	- 429	376	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		D	2	15	140.0	- 151.6	142.5	8	280	- 303	285	308	- 409	318
	RS	D	3	14	150.0	- 150.0	150.0	N/Q	-			383	- 383	383
		D	3	3	149.0	- 149.0	149.0	N/Q	287	- 287	287	305	- 305	305
280-330		C	3	27	161.0	- 168.0	165.4	-1	304	- 319	314	498	- 515	505
330+		C	2	6	157.2	- 157.2	157.2	N/Q	297	- 297	297	574	- 574	574
	FD	C	2	26	167.2	- 167.2	167.2	N/Q	-			610	- 610	610
		C	3	26	180.0	- 180.0	180.0	N/Q	340	- 340	340	657	- 657	657
				359	140.0	180.2	165.3		269	340	315	223	657	411
Yearling Steer														
0-330	RS	C	1	48	165.2	- 175.0	170.3	N/Q	-			396	- 499	450
	RS	C	2	124	165.0	- 194.2	187.3	10	-			495	- 618	561
	RS	C	2	193	165.2	- 191.0	179.4	2	-			438	- 599	495
	FD	C	2	57	187.2	- 198.6	193.6	12	-			562	- 636	603
	RS	D	2	24	125.0	- 159.2	152.6	-1	-			388	- 446	439
	FD	D	2	8	164.0	- 164.0	164.0	23	-			492	- 492	492
330-400	FD	C	2	62	189.0	- 192.2	189.7	2	-			642	- 711	670
	RS	C	2	100	159.0	- 193.0	175.4	-11	-			563	- 713	624
		C	2	2	163.2	- 175.2	169.2	N/Q	308	- 331	319	563	- 692	628
	FD	C	2	93	175.2	- 198.6	188.3	N/C	-			604	- 728	673
	RS	C	2	204	178.0	- 197.0	190.9	5	-			613	- 749	696
	FD	C	3	24	178.6	- 194.2	189.6	5	-			670	- 759	716
		C	3	50	155.0	- 197.6	186.7	N/Q	298	- 366	350	566	- 781	736
	RS	C	3	12	194.2	- 194.2	194.2	3	-			719	- 719	719
		C	3	22	197.6	- 197.6	197.6	N/Q	359	- 359	359	731	- 731	731
	RS	D	2	5	138.2	- 138.2	138.2	13	-			491	- 491	491
	DA	D	2	3	112.0	- 112.0	112.0	N/Q	233	- 233	233	414	- 414	414
	RS	D	3	6	128.0	- 143.2	130.5	N/Q	-			442	- 551	460
400+	RS	C	2	9	171.2	- 190.6	181.4	10	-			728	- 781	747
	FD	C	2	56	151.2	- 196.2	178.6	1	-			703	- 838	804
	FD	C	2	54	172.0	- 180.2	176.2	-1	-			718	- 811	753
	RS	C	2	58	175.0	- 180.0	178.0	7	-			735	- 774	759
	RS	C	3	12	176.6	- 176.6	176.6	-7	-			777	- 777	777
		C	3	25	175.0	- 190.0	182.0	6	324	- 346	334	718	- 814	777
	FD	C	3	6	178.6	- 178.6	178.6	-8	-			839	- 839	839
	RS	C	3	10	176.6	- 176.6	176.6	-7	-			724	- 724	724
		C	3	46	170.0	- 186.2	176.6	1	315	- 339	327	729	- 901	804
	FD	C	3	77	175.2	- 195.2	185.2	-1	-			718	- 942	859
		C	4	5	173.6	- 173.6	173.6	N/Q	322	- 322	322	764	- 764	764
		C	4	2	180.0	- 180.0	180.0	N/Q	327	- 327	327	936	- 936	936
				1397	112.0	198.6	182.6		233	366	338	388	942	656
Yearling Heifer														
0-330		C	2	2	150.0	- 150.0	150.0	N/Q	289	- 289	289	480	- 480	480
	FD	C	2	99	145.0	- 163.0	154.4	N/C	-			431	- 506	474
	RS	C	2	6	152.2	- 163.2	157.7	5	-			487	- 522	505
	FD	C	2	22	150.0	- 150.0	150.0	-5	-			428	- 428	428

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400	RS	C	2	22	150.2	- 163.2	152.4	-1	-	-	-	428	- 530	450
		C	2	3	150.0	- 150.0	150.0	-1	289	- 289	289	368	- 368	368
	RS	D	1	12	111.6	- 125.0	123.9	N/Q	-	-	-	338	- 346	338
	RS	D	2	56	120.6	- 151.2	138.8	5	-	-	-	362	- 454	396
		D	2	15	138.2	- 138.6	138.3	9	276	- 277	277	374	- 428	418
	RS	D	2	4	120.6	- 120.6	120.6	-13	-	-	-	295	- 295	295
	RS	D	3	61	135.0	- 153.0	142.1	N/Q	-	-	-	327	- 405	341
		D	3	35	138.2	- 138.6	138.2	N/Q	266	- 267	266	340	- 366	365
		B	2	1	185.2	- 185.2	185.2	N/Q	337	- 337	337	657	- 657	657
		C	2	28	160.0	- 167.2	162.8	13	302	- 322	309	540	- 584	559
	RS	C	2	20	155.0	- 155.0	155.0	4	-	-	-	535	- 597	560
	FD	C	2	105	140.0	- 166.2	157.7	4	-	-	-	483	- 585	560
	FD	C	2	97	155.2	- 167.6	159.6	6	-	-	-	528	- 577	553
		C	2	64	153.0	- 157.2	153.8	4	298	- 310	304	543	- 589	582
	400+	RS	C	2	38	152.0	- 155.0	154.2	3	-	-	-	517	- 558
		C	3	38	160.0	- 185.6	174.6	-8	308	- 344	328	560	- 687	640
		C	3	47	160.0	- 185.2	171.4	-11	300	- 349	319	600	- 732	662
RS		D	2	14	131.0	- 131.0	131.0	N/Q	-	-	-	452	- 452	452
		B	2	1	183.2	- 183.2	183.2	N/Q	333	- 333	333	889	- 889	889
		B	3	1	184.0	- 184.0	184.0	N/Q	335	- 335	335	810	- 810	810
RS		C	2	12	155.0	- 155.0	155.0	8	-	-	-	636	- 651	638
FD		C	2	26	157.2	- 162.8	159.8	8	-	-	-	645	- 667	655
		C	2	48	162.2	- 173.2	163.1	N/Q	312	- 321	313	689	- 719	692
FD		C	3	29	154.2	- 162.8	157.8	4	-	-	-	686	- 708	695
RS		C	3	9	158.6	- 158.6	158.6	-3	-	-	-	690	- 690	690
		C	3	133	151.2	- 174.2	164.5	-7	291	- 329	310	659	- 911	790
		C	3	32	170.0	- 174.0	173.4	2	315	- 335	333	697	- 765	736
		D	3	10	151.2	- 151.2	151.2	N/Q	285	- 285	285	748	- 748	748
					1090	111.6	185.6	156.2		266	349	308	295	911
Grown Steer														
0-400	FD	C	2	4	159.0	- 159.0	159.0	7	-	-	-	604	- 604	604
	RS	C	2	29	139.0	- 174.2	165.7	N/Q	-	-	-	445	- 627	583
	RS	D	2	23	128.0	- 159.0	149.7	16	-	-	-	435	- 509	489
400-500		D	2	7	110.0	- 132.0	128.9	9	229	- 275	269	385	- 502	485
	RS	C	2	21	168.2	- 184.2	169.0	7	-	-	-	674	- 774	679
	FD	C	2	55	152.0	- 176.2	170.9	5	-	-	-	623	- 788	761
		C	2	13	138.2	- 145.0	139.0	-8	269	- 279	276	574	- 609	592
	FD	C	3	40	175.6	- 178.6	178.3	8	-	-	-	790	- 839	837
		C	3	1	155.0	- 155.0	155.0	N/Q	287	- 287	287	667	- 667	667
		C	3	36	145.0	- 162.0	161.5	N/Q	274	- 312	311	616	- 786	781
		C	4	5	170.6	- 170.6	170.6	N/Q	316	- 316	316	827	- 827	827
	RS	D	2	4	120.0	- 120.0	120.0	-3	-	-	-	510	- 510	510
RS	D	3	3	144.0	- 144.0	144.0	N/Q	-	-	-	612	- 612	612	
500-600		C	2	72	162.0	- 165.0	163.4	9	312	- 317	314	903	- 923	911

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
600-750	FD	C	3	20	175.0	- 175.2	175.1	N/C	-			894	- 945	924
		C	3	53	165.2	- 176.6	172.4	1	306	- 324	318	843	- 990	941
		C	3	3	165.0	- 165.0	165.0	-7	311	- 311	311	965	- 965	965
		C	4	18	173.2	- 176.0	173.9	-2	320	- 322	322	911	- 1030	958
	FD	C	4	56	175.0	- 178.6	177.5	N/Q	-			947	- 1007	986
	RS	C	4	7	174.0	- 174.0	174.0	N/Q	-			983	- 983	983
		C	4	7	174.0	- 176.0	175.7	N/C	316	- 326	324	968	- 1009	974
		C	3	11	174.0	- 174.0	174.0	5	316	- 316	316	1061	- 1061	1061
		C	4	10	170.2	- 170.2	170.2	-4	315	- 315	315	1055	- 1055	1055
					498	110.0	184.2	167.6		229	326	312	385	1061
Grown Heifer														
0-540		B	3	9	170.0	- 170.0	170.0	N/Q	315	- 315	315	884	- 884	884
		C	2	15	148.2	- 152.0	151.2	10	309	- 310	310	622	- 638	635
	FD	C	2	32	135.2	- 155.0	150.6	8	-			514	- 682	652
		C	3	64	155.0	- 168.2	164.0	16	310	- 334	325	679	- 875	760
		C	3	22	155.0	- 169.2	164.2	16	293	- 313	309	814	- 838	819
	FD	C	3	3	163.2	- 163.2	163.2	N/Q	-			792	- 792	792
	RS	C	3	11	164.2	- 164.2	164.2	N/Q	-			739	- 739	739
		C	4	1	145.0	- 145.0	145.0	N/Q	274	- 274	274	761	- 761	761
		C	4	25	152.0	- 170.2	166.6	N/Q	304	- 327	323	821	- 868	859
	RS	D	2	18	131.0	- 131.0	131.0	30	-			445	- 445	445
	FD	D	2	5	130.0	- 130.0	130.0	1	-			455	- 455	455
		D	2	10	135.0	- 136.0	135.1	15	300	- 302	300	513	- 558	517
		D	3	6	138.0	- 140.0	139.0	4	288	- 292	290	588	- 616	605
		D	3	24	130.0	- 140.0	134.2	-1	250	- 268	259	520	- 735	588
540+		C	3	12	147.2	- 147.2	147.2	-5	278	- 278	278	802	- 802	802
		C	3	3	169.2	- 169.2	169.2	17	325	- 325	325	931	- 931	931
		C	4	17	158.0	- 168.2	166.7	N/Q	316	- 336	326	942	- 1011	980
		C	4	26	158.0	- 168.2	166.2	N/Q	298	- 314	313	893	- 958	948
	MR	C	4	7	168.2	- 168.2	168.2	N/Q	312	- 312	312	934	- 934	934
		D	3	1	145.0	- 145.0	145.0	N/Q	274	- 274	274	790	- 790	790
		D	4	8	152.0	- 152.0	152.0	N/Q	292	- 292	292	889	- 889	889
				319	130.0	170.2	155.8		250	336	309	445	1011	750
Manufacturing Steer														
0-540		C	2	9	130.0	- 130.0	130.0	N/Q	260	- 260	260	585	- 585	585
		D	3	1	147.6	- 147.6	147.6	N/Q	284	- 284	284	716	- 716	716
540+		C	3	1	165.6	- 165.6	165.6	N/Q	307	- 307	307	960	- 960	960
	DA	D	2	1	143.6	- 143.6	143.6	N/Q	299	- 299	299	790	- 790	790
				12	130.0	165.6	135.7		260	307	269	585	960	644
Cows														
0-400		D	1	31	105.0	- 115.2	108.9	15	276	- 303	287	389	- 438	408
	RS	D	1	48	113.0	- 124.2	116.2	-1	-			385	- 422	408
		D	2	2	112.0	- 112.0	112.0	N/Q	273	- 273	273	403	- 403	403
		D	2	3	111.2	- 111.2	111.2	N/Q	247	- 247	247	428	- 428	428
	RS	D	2	20	112.2	- 124.2	115.8	N/Q	-			421	- 428	423

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400-520		E	1	12	80.0	- 85.0	84.6	15	229	- 243	242	256	- 289	286
		C	3	1	142.0	- 142.0	142.0	N/Q	284	- 284	284	653	- 653	653
		D	1	31	104.6	- 114.2	111.1	12	275	- 301	292	460	- 514	484
	RS	D	1	4	115.0	- 115.0	115.0	N/Q	-	-	-	483	- 483	483
		D	1	11	85.0	- 85.0	85.0	-14	189	- 189	189	349	- 349	349
	RS	D	2	20	116.2	- 117.2	116.6	N/Q	-	-	-	522	- 529	526
		D	2	124	108.0	- 124.0	114.2	-1	240	- 267	254	459	- 582	496
		D	2	141	106.0	- 128.0	117.8	3	259	- 291	280	473	- 610	529
		D	3	68	125.2	- 138.0	134.8	8	266	- 294	287	576	- 675	625
520+		D	3	68	122.0	- 138.2	132.9	6	249	- 294	277	545	- 693	659
		D	4	9	130.8	- 138.2	137.4	N/Q	262	- 276	275	595	- 705	693
		C	3	10	151.2	- 151.2	151.2	12	285	- 285	285	885	- 885	885
		C	3	54	139.2	- 148.2	145.3	6	273	- 296	283	829	- 962	923
		C	4	44	142.0	- 152.0	144.7	2	278	- 292	284	923	- 1018	959
		D	3	78	130.6	- 139.0	136.5	3	278	- 290	286	700	- 842	782
	DA	D	3	3	120.0	- 120.0	120.0	N/Q	261	- 261	261	840	- 840	840
	DA	D	3	3	130.0	- 130.0	130.0	N/Q	277	- 277	277	735	- 735	735
		D	3	16	132.0	- 135.0	132.7	-1	274	- 287	284	693	- 709	697
		D	4	135	125.0	- 147.6	140.9	10	240	- 284	272	704	- 935	812
				18	132.0	- 142.0	139.4	8	275	- 296	291	869	- 1056	904
				954	80.0	152.0	127.0		189	303	275	256	1056	641
Bulls														
0-450		C	2	1	150.0	- 150.0	150.0	N/Q	283	- 283	283	653	- 653	653
		C	2	18	132.0	- 148.0	140.4	N/Q	249	- 274	262	376	- 666	534
		D	2	7	110.0	- 110.0	110.0	N/Q	208	- 208	208	374	- 374	374
450-600		C	2	7	144.0	- 144.0	144.0	N/Q	262	- 262	262	778	- 778	778
		D	3	8	140.0	- 148.0	147.0	N/Q	275	- 285	283	651	- 673	671
600+	A	2	1	175.0	- 175.0	175.0	N/Q	292	- 292	292	1575	- 1575	1575	
	B	2	8	162.0	- 167.2	165.0	4	279	- 288	284	1238	- 1815	1422	
	B	2	2	155.0	- 174.2	164.6	N/Q	293	- 311	302	1124	- 1481	1302	
	C	1	1	127.2	- 127.2	127.2	N/Q	240	- 240	240	789	- 789	789	
	C	2	2	146.0	- 151.6	148.8	N/C	261	- 271	266	949	- 1319	1134	
	C	2	21	132.0	- 169.2	150.1	2	249	- 313	281	957	- 1598	1190	
				76	110.0	175.0	145.2		208	313	268	374	1815	886

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.