

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

CTLX

report date 05 Feb 2013

Yarding Change 2320
-290

comparison date 29/01/2013

Consignments slipped back and quality remained mixed as most weights and grades were represented. Percentage wise younger cattle were well supplied, while only fair numbers of grown steers and heifers were penned. There were around 400 cows in the penning and the usual buying orders competed in a firm to dearer market.

Vealer steers to restockers gained 8c to sell from 177c to 203c/kg. The heavier vealer steers and heifers suitable for the butchers sold to strong competition as the best reached 209c/kg. Medium and heavy weight yearling steers to lot feeder orders remained firm to 2c dearer to range from 172c to 188c/kg. Heavy weights to the butchers reached 195c/kg. Yearling heifers to feed improved 4c as heavy weights to trade orders lost 4c/kg.

Grown steers to lot feeders remained unchanged with the heavy weights to slaughter improving 3c as the best reached 183.6c/kg. The heifer portion also gained 3c/kg. Cows remained firm to 3c dearer as the plainer 2 scores averaged 118c/kg. The better covered 3 and 4 scores ranged from 127c to 140c/kg. Heavy bulls lifted 5c as the best topped at 173.6c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80		C	2	1	170.0	- 170.0	170.0	N/Q	327	- 327	327	102	- 102	102
80+		C	2	5	160.0	- 170.0	168.0	18	320	- 327	326	136	- 153	150
	RS	C	2	7	190.0	- 194.2	192.4	23	-	-	-	209	- 233	223
				13	160.0	194.2	181.3		320	327	326	102	233	185
Vealer Steer														
200-280	FD	C	2	8	184.6	- 184.6	184.6	-2	-	-	-	517	- 517	517
	RS	C	2	69	177.2	- 203.2	200.0	9	-	-	-	390	- 467	458
	RS	D	2	5	166.2	- 166.2	166.2	N/Q	-	-	-	416	- 416	416
280-330		B	2	1	209.6	- 209.6	209.6	N/Q	381	- 381	381	671	- 671	671
		C	2	3	195.0	- 195.0	195.0	N/Q	368	- 368	368	556	- 556	556
	FD	C	2	14	191.2	- 191.8	191.4	N/Q	-	-	-	574	- 614	588
		C	3	9	187.0	- 196.0	193.7	N/Q	346	- 363	359	559	- 609	574
330+		B	2	1	198.2	- 198.2	198.2	N/Q	367	- 367	367	733	- 733	733
		B	3	11	204.0	- 204.0	204.0	N/Q	364	- 364	364	826	- 826	826
		C	3	5	180.2	- 195.2	189.4	N/C	334	- 362	350	647	- 800	716
				126	166.2	209.6	196.2		334	381	361	390	826	532
Vealer Heifer														
0-200	RS	C	2	25	183.2	- 183.2	183.2	N/Q	-	-	-	330	- 330	330
200-280		C	2	8	150.0	- 168.0	165.3	N/C	289	- 323	318	308	- 461	436
		D	2	12	150.0	- 150.0	150.0	N/Q	300	- 300	300	330	- 330	330
280-330		C	2	13	165.0	- 188.6	174.1	11	317	- 349	330	470	- 566	507
	FD	C	2	1	156.6	- 156.6	156.6	N/Q	-	-	-	446	- 446	446
		C	3	8	195.2	- 209.2	202.5	9	362	- 387	375	605	- 669	617
330+		B	3	8	209.6	- 209.6	209.6	N/Q	381	- 381	381	734	- 734	734
				75	150.0	209.6	178.9		289	387	336	308	734	447
Yearling Steer														
0-330	FD	C	2	14	167.0	- 189.2	186.8	19	-	-	-	534	- 624	612

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400	RS	C	2	29	179.6	- 189.5	183.7	-3	-			557	- 625	585
	RS	D	2	14	100.0	- 158.6	150.5	-14	-			280	- 444	421
	FD	D	2	2	123.0	- 140.0	131.5	N/Q	-			394	- 420	407
		D	2	4	134.0	- 134.0	134.0	N/Q	279	- 279	279	348	- 348	348
	DA	E	1	1	67.2	- 67.2	67.2	N/Q	168	- 168	168	192	- 192	192
	FD	C	2	79	172.0	- 188.2	181.9	N/C	-			619	- 715	668
	FD	C	3	1	186.4	- 186.4	186.4	N/Q	-			690	- 690	690
400+		C	3	1	185.0	- 185.0	185.0	N/Q	343	- 343	343	648	- 648	648
		D	2	1	135.0	- 135.0	135.0	N/Q	270	- 270	270	459	- 459	459
	FD	C	2	86	174.0	- 186.0	182.7	2	-			755	- 785	773
	FD	C	3	73	173.6	- 187.8	181.5	2	-			723	- 911	812
		C	3	17	170.0	- 195.0	184.7	8	315	- 355	340	714	- 829	798
	RS	C	3	3	172.0	- 172.0	172.0	2	-			791	- 791	791
				325	67.2	195.0	179.7		168	355	320	192	911	708
Yearling Heifer														
0-330	FD	C	1	55	149.8	- 149.8	149.8	N/Q	-			375	- 375	375
	FD	C	2	14	155.6	- 161.6	159.4	6	-			452	- 520	476
	RS	C	2	16	159.4	- 159.4	159.4	4	-			430	- 430	430
	FD	D	2	8	125.0	- 142.6	140.4	N/Q	-			385	- 400	387
		D	2	12	92.0	- 92.0	92.0	-23	204	- 204	204	290	- 290	290
	DA	D	2	1	115.0	- 115.0	115.0	N/Q	245	- 245	245	368	- 368	368
330-400	RS	D	2	3	152.0	- 152.0	152.0	8	-			365	- 365	365
		B	2	1	210.6	- 210.6	210.6	N/Q	376	- 376	376	758	- 758	758
	RS	C	2	32	168.0	- 168.0	168.0	6	-			588	- 588	588
	FD	C	2	137	159.8	- 166.2	164.0	4	-			551	- 611	582
400+	FD	C	3	12	175.0	- 175.0	175.0	1	-			630	- 630	630
		C	3	28	161.2	- 194.6	166.0	-11	310	- 360	318	564	- 681	587
		D	2	1	120.0	- 120.0	120.0	N/Q	250	- 250	250	408	- 408	408
		B	3	1	190.2	- 190.2	190.2	N/Q	346	- 346	346	913	- 913	913
	RS	C	2	12	145.0	- 153.2	152.5	N/Q	-			609	- 628	627
		C	3	107	156.2	- 170.0	162.8	-7	300	- 327	309	654	- 884	704
				440	92.0	210.6	159.5		204	376	302	290	913	567
Grown Steer														
0-400		D	2	7	110.0	- 140.0	127.1	N/Q	229	- 280	258	396	- 504	458
400-500		C	2	19	147.6	- 168.0	156.7	1	284	- 323	301	698	- 756	726
	FD	C	2	78	160.0	- 180.0	171.6	-2	-			688	- 890	776
	FD	C	3	4	176.0	- 176.0	176.0	-4	-			827	- 827	827
		C	3	19	160.0	- 172.0	168.5	N/Q	296	- 319	312	680	- 774	751
		D	2	1	120.0	- 120.0	120.0	N/Q	240	- 240	240	492	- 492	492
500-600	FD	D	2	1	139.0	- 139.0	139.0	N/Q	-			626	- 626	626
	RS	D	2	1	135.0	- 135.0	135.0	N/Q	-			621	- 621	621
		C	2	17	158.0	- 165.0	163.2	1	304	- 317	314	826	- 858	848
	FD	C	2	34	168.0	- 169.0	168.7	-4	-			879	- 895	887
	FD	C	3	15	170.0	- 175.0	174.7	4	-			867	- 884	883
		C	3	82	165.0	- 178.0	172.5	3	306	- 330	320	870	- 1015	950

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
600-750		D	2	1	128.0	- 128.0	128.0	N/Q	256	- 256	256	717	- 717	717
		C	3	29	174.0	- 183.6	178.0	N/Q	322	- 328	325	1061	- 1138	1093
		C	4	10	164.2	- 164.2	164.2	N/Q	304	- 304	304	1034	- 1034	1034
		C	5	7	145.0	- 145.0	145.0	N/Q	269	- 269	269	1088	- 1088	1088
				325	110.0	183.6	168.5		229	330	312	396	1138	871
Grown Heifer														
0-540		C	2	7	145.0	- 145.0	145.0	10	302	- 302	302	754	- 754	754
		C	3	49	150.0	- 168.0	160.7	3	300	- 336	322	645	- 790	713
		C	4	2	160.0	- 160.0	160.0	N/Q	320	- 320	320	832	- 864	848
		D	2	6	106.0	- 130.0	122.7	-2	236	- 289	273	374	- 559	509
	FD	D	2	1	130.0	- 130.0	130.0	N/Q	-	-	-	546	- 546	546
		E	1	1	70.0	- 70.0	70.0	N/Q	184	- 184	184	196	- 196	196
540+		C	4	9	158.0	- 158.0	158.0	N/Q	316	- 316	316	964	- 964	964
				75	70.0	168.0	154.2		184	336	313	196	964	725
Manufacturing Steer														
0-540	DA	D	1	2	111.0	- 111.0	111.0	N/Q	247	- 247	247	389	- 389	389
540+	DA	D	2	16	119.8	- 119.8	119.8	-21	250	- 250	250	659	- 659	659
				18	111.0	119.8	118.8		247	250	249	389	659	629
Cows														
0-400		D	1	11	108.6	- 108.6	108.6	5	286	- 286	286	380	- 380	380
		D	2	7	115.0	- 115.0	115.0	N/Q	281	- 281	281	403	- 403	403
400-520		C	2	10	128.2	- 128.2	128.2	2	273	- 273	273	641	- 641	641
		C	3	4	135.0	- 135.0	135.0	N/Q	270	- 270	270	675	- 675	675
		D	1	18	105.0	- 109.6	108.0	7	276	- 288	284	441	- 493	477
		D	2	81	110.0	- 123.2	118.3	3	262	- 287	280	484	- 541	516
	DA	D	2	1	112.0	- 112.0	112.0	N/Q	273	- 273	273	538	- 538	538
		D	3	49	127.0	- 129.0	128.4	2	270	- 275	273	590	- 635	610
520+		C	3	49	132.0	- 140.0	136.1	-1	264	- 280	272	731	- 980	794
		C	4	30	132.0	- 138.0	135.4	N/Q	264	- 276	271	818	- 992	861
		D	2	12	117.0	- 126.0	122.3	-3	279	- 286	283	644	- 706	680
	DA	D	2	8	113.2	- 113.2	113.2	-9	283	- 283	283	645	- 645	645
	DA	D	3	1	128.0	- 128.0	128.0	N/Q	278	- 278	278	781	- 781	781
		D	3	45	128.0	- 134.0	131.8	-1	272	- 285	279	693	- 842	746
		D	4	18	132.0	- 138.0	136.8	5	275	- 288	285	777	- 911	884
		D	5	4	131.0	- 131.0	131.0	8	279	- 279	279	917	- 917	917
		D	6	3	112.0	- 122.0	115.3	N/Q	244	- 265	251	616	- 756	663
				351	105.0	140.0	126.1		244	288	277	380	992	658
Bulls														
0-450	RS	C	1	8	105.0	- 105.0	105.0	N/Q	-	-	-	273	- 273	273
		C	1	10	115.0	- 115.0	115.0	N/Q	221	- 221	221	328	- 328	328
		C	2	19	112.0	- 150.0	138.8	5	207	- 269	253	434	- 675	569
	RS	C	2	14	130.2	- 130.2	130.2	N/Q	-	-	-	391	- 391	391
		D	2	1	110.0	- 110.0	110.0	N/C	204	- 204	204	396	- 396	396
450-600		C	2	2	152.0	- 155.0	153.5	N/Q	276	- 277	277	699	- 853	776
600+		B	2	15	152.0	- 173.6	160.1	6	262	- 299	276	1024	- 1828	1390

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		C	2	4	148.0	- 156.0	152.8	12	264	- 279	273	998	- 1332	1189
		D	2	1	128.0	- 128.0	128.0	N/Q	242	- 242	242	781	- 781	781
				74	105.0	173.6	135.2		204	299	255	273	1828	677

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.