

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 14 Mar 2013

Yarding Change ³¹⁰⁰
800

comparison date 07/03/2013

Far western cattle were dominant in a very plain quality yarding. There were very few ideal trade weight cattle penned and there were only odd lines of well finished grown steers.

The few lines of well finished trade weight cattle were firm to 4c/kg cheaper with vealers to the trade selling from 165c to 206c/kg. Steer yearlings to the trade sold from 160c to 210c while the heifer yearlings sold from 155c to 184c/kg. Young cattle to the restockers and feedlotters were up to 15c/kg cheaper mainly due to the plainer quality. Steer yearlings to the restockers and feeders sold from 147c to 191c/kg.

Grown steers were 3c to 5c cheaper with the better finished medium and heavy weights selling from 160c to 179.6c/kg. Grown heifers sold to 160c/kg. Plain conditioned cows were up to 13c cheaper while the better finished cows were 7c to 12c/kg down. The D1 and D2 cows sold from 70 to 116c to the processors and 119c/kg to the restockers. The D3 and D4 medium and heavy weight cows sold from 118c to 140c/kg. The best bull sold for 155c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80	RS	D	2	11	117.2	- 170.0	141.2	N/Q	-	-	-	76	- 128	100
		D	2	22	180.0	- 226.2	201.0	N/Q	346	- 444	390	117	- 147	133
80+		D	2	2	180.0	- 180.0	180.0	N/Q	346	- 346	346	225	- 225	225
	RS	D	2	73	120.0	- 218.2	182.3	N/Q	-	-	-	131	- 298	252
				108	117.2	226.2	181.9		346	444	387	76	298	212
Vealer Steer														
0-200	RS	C	2	29	175.0	- 203.2	199.2	-24	-	-	-	341	- 376	372
200-280	RS	C	2	24	181.2	- 206.2	193.7	-14	-	-	-	399	- 464	431
280-330		C	2	1	198.6	- 198.6	198.6	N/Q	375	- 375	375	566	- 566	566
330+		B	2	9	203.6	- 203.6	203.6	N/Q	370	- 370	370	743	- 743	743
		C	3	3	180.0	- 191.6	183.9	-22	340	- 355	345	621	- 661	634
				66	175.0	206.2	197.1		340	375	365	341	743	459
Vealer Heifer														
0-200		C	2	7	173.2	- 173.2	173.2	-5	333	- 333	333	320	- 320	320
200-280		C	2	20	165.0	- 165.0	165.0	-11	317	- 317	317	347	- 371	349
	RS	D	2	18	130.0	- 130.0	130.0	N/Q	-	-	-	286	- 286	286
280-330	RS	C	2	5	163.2	- 163.2	163.2	N/Q	-	-	-	465	- 465	465
		C	3	1	188.2	- 188.2	188.2	N/Q	355	- 355	355	536	- 536	536
330+		B	2	4	194.6	- 194.6	194.6	N/Q	360	- 360	360	710	- 710	710
		C	2	1	165.0	- 165.0	165.0	N/Q	311	- 311	311	553	- 553	553
		C	3	1	202.6	- 202.6	202.6	N/C	382	- 382	382	739	- 739	739
				57	130.0	202.6	157.9		311	382	328	286	739	375
Yearling Steer														
0-330		C	2	4	177.2	- 177.2	177.2	N/Q	341	- 341	341	576	- 576	576
	FD	C	2	27	169.2	- 182.2	173.5	-13	-	-	-	550	- 556	552
	RS	C	2	154	147.2	- 193.2	172.4	-20	-	-	-	353	- 595	475
	RS	D	2	8	150.0	- 151.0	150.8	-18	-	-	-	325	- 368	335

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400	RS	C	2	56	150.0	- 190.2	177.7	-16	-			593	- 732	681
	FD	C	2	115	160.0	- 202.2	187.6	-5	-			616	- 758	676
		C	2	13	160.0	- 177.2	175.9	N/Q	308	- 341	338	611	- 632	613
		C	3	10	170.0	- 210.0	191.6	10	315	- 382	351	638	- 789	710
		RS	C	3	1	200.0	- 200.0	200.0	N/Q	-		770	- 770	770
		FD	D	3	18	145.0	- 145.0	145.0	N/Q	-		558	- 558	558
400+		B	3	2	170.0	- 200.2	185.1	N/Q	304	- 358	331	831	- 867	849
	FD	C	2	55	165.0	- 191.2	176.9	-4	-			706	- 784	754
		C	2	3	170.0	- 170.0	170.0	N/Q	327	- 327	327	689	- 689	689
		RS	C	2	51	154.2	- 197.2	182.9	N/Q	-		625	- 819	758
		RS	C	3	16	185.2	- 185.2	185.2	N/Q	-		769	- 769	769
			C	3	24	176.0	- 185.0	179.1	-3	320	- 343	328	768	- 898
	FD	C	3	18	190.2	- 190.2	190.2	6	-		846	- 846	846	
				575	145.0	210.0	177.9		304	382	335	325	898	637
Yearling Heifer														
0-330	RS	C	2	71	140.0	- 160.2	149.0	-21	-			399	- 450	427
		C	2	5	155.0	- 155.0	155.0	-21	304	- 304	304	341	- 341	341
		D	2	21	135.0	- 140.0	139.5	-15	275	- 287	276	399	- 439	403
		RS	D	2	80	120.2	- 158.2	135.9	-17	-		222	- 447	321
		FD	D	3	25	142.2	- 142.2	142.2	N/Q	-		462	- 462	462
		RS	D	3	2	130.2	- 130.2	130.2	N/Q	-		358	- 358	358
330-400		B	2	1	160.0	- 160.0	160.0	N/Q	291	- 291	291	616	- 616	616
		C	2	7	149.2	- 155.0	154.2	N/Q	287	- 293	292	545	- 581	576
		RS	C	2	63	150.0	- 156.2	153.6	-11	-		518	- 589	543
		FD	C	2	12	156.2	- 161.2	158.7	-6	-		540	- 586	563
		FD	C	3	19	170.2	- 170.2	170.2	N/Q	-		638	- 638	638
		RS	C	3	3	155.0	- 155.0	155.0	N/Q	-		581	- 581	581
		C	3	18	160.0	- 165.2	163.5	-2	302	- 312	308	570	- 632	591
		D	2	2	130.0	- 130.0	130.0	N/Q	250	- 250	250	475	- 475	475
	RS	D	2	4	145.0	- 145.0	145.0	-5	-		544	- 544	544	
		D	3	40	132.2	- 135.0	133.3	-30	260	- 275	270	456	- 466	460
400+		C	2	4	158.0	- 158.0	158.0	N/Q	298	- 298	298	687	- 687	687
		C	3	32	160.0	- 184.2	166.9	-4	302	- 348	315	728	- 917	813
		RS	C	3	33	162.0	- 168.0	164.7	N/Q	-		672	- 781	722
		FD	C	3	20	159.2	- 170.0	162.4	N/Q	-		661	- 893	730
				462	120.2	184.2	149.9		250	348	290	222	917	513
Grown Steer														
0-400	FD	C	2	44	175.0	- 178.2	176.4	13	-			615	- 674	648
		RS	C	2	8	160.2	- 160.2	160.2	N/Q	-		585	- 585	585
400-500		RS	C	2	14	165.0	- 165.0	165.0	N/Q	-		726	- 726	726
		FD	C	2	82	150.0	- 180.0	166.9	-2	-		668	- 776	736
		FD	C	3	2	148.0	- 148.0	148.0	N/Q	-		718	- 718	718
		FD	D	3	8	130.0	- 130.0	130.0	N/Q	-		605	- 605	605
500-600	FD	C	2	2	157.2	- 157.2	157.2	N/Q	-			802	- 802	802
		FD	C	3	6	160.0	- 160.0	160.0	-10	-		816	- 816	816

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
600-750		C	4	37	167.6	- 179.6	176.6	N/Q	310	- 327	324	979	- 1024	996
		C	4	11	160.0	- 176.0	174.5	-16	302	- 320	318	1000	- 1170	1155
				214	130.0	180.0	168.7		302	327	323	585	1170	776
Grown Heifer														
0-540	RS	C	2	11	150.0	- 150.0	150.0	N/Q	-			578	- 578	578
		C	2	3	139.2	- 139.2	139.2	N/Q	268	- 268	268	606	- 606	606
	FD	C	2	11	153.2	- 153.2	153.2	N/Q	-			651	- 651	651
		C	3	8	150.0	- 150.0	150.0	N/Q	289	- 289	289	765	- 765	765
		D	3	18	138.0	- 138.0	138.0	N/C	265	- 265	265	642	- 642	642
	RS	D	3	2	120.0	- 120.0	120.0	N/Q	-			510	- 510	510
540+		C	3	6	160.0	- 160.0	160.0	N/Q	302	- 302	302	872	- 872	872
				59	120.0	160.0	146.4		265	302	277	510	872	665
Manufacturing Steer														
0-540		D	3	8	155.0	- 155.0	155.0	N/Q	304	- 304	304	814	- 814	814
				8	155.0	155.0	155.0		304	304	304	814	814	814
Cows														
0-400		D	1	23	70.0	- 89.2	83.9	-34	171	- 212	200	256	- 343	322
		D	2	19	110.0	- 110.0	110.0	N/Q	262	- 262	262	424	- 424	424
400-520		D	2	171	90.0	- 116.0	109.2	-14	205	- 267	247	383	- 577	473
	RS	D	2	11	113.2	- 119.2	117.6	N/Q	-			481	- 483	482
		D	3	224	118.0	- 136.6	127.8	-12	240	- 297	270	546	- 663	594
		D	4	1	126.0	- 126.0	126.0	N/Q	242	- 242	242	649	- 649	649
520+		D	2	10	113.0	- 113.0	113.0	N/Q	257	- 257	257	593	- 593	593
		D	3	101	120.0	- 127.2	125.8	-13	250	- 264	256	630	- 693	674
		D	4	88	125.0	- 140.0	133.0	-7	238	- 271	255	681	- 982	816
				648	70.0	140.0	120.8		171	297	256	256	982	588
Bulls														
0-450		C	2	25	122.0	- 122.0	122.0	-8	239	- 239	239	519	- 519	519
	RS	C	2	12	125.0	- 125.0	125.0	N/Q	-			481	- 481	481
600+		B	2	1	155.0	- 155.0	155.0	N/Q	282	- 282	282	1325	- 1325	1325
		C	2	4	135.0	- 154.0	145.3	2	265	- 296	278	884	- 1363	1077
				42	122.0	155.0	125.9		239	296	246	481	1363	580

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2013. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.